

Ford® Mustang GT (Model 83044-4) Parts List

Parts shown in bold are optional accessories. Part categories and individual part listings are arranged alphabetically.

E110	Bearings & Bushings	6879R	Ring gear, differential/ pinion gear, differential (machined, spir cut) (rear)
5119 5120	Ball bearings, blue rubber sealed (10x15x4mm) (2) Ball bearings, blue rubber sealed (12x18x4mm) (2)	6879	Ring gear, differential/ pinion gear, differential (rear)
116	Ball bearings, blue rubber sealed (12x10x4mm) (2)		Driveline Components
5114	Ball bearings, blue rubber sealed (5x8x2.5mm) (2)	8353X	Drive cups, inner (2) (steel constant-velocity driveshafts)/ screv
105	Ball bearings, blue rubber sealed (6x10x3mm) (2)		pins (2)
118	Ball bearings, blue rubber sealed (8x16x5mm) (2)	8353	Drive cups, inner (2)/ screw pins (2)
	Body & Accessories	8355X	Driveshaft, center, aluminum (blue-anodized)
319	Body bumper, foam	8355G	Driveshaft, center, aluminum (green-anodized)
834A	Body clips, black (12) (standard size)	8355R 8355	Driveshaft, center, aluminum (red-anodized)
315	Body mounts, front & rear (2)	8350	Driv eshaft, center, aluminum/ pin Driv eshaft, front (2)
316	Body mounts, front & rear/ body mount posts/ body mount sliders	8351	Driv eshaft, rear (2)
317	Body washers, foam	8350X	Driveshafts, steel constant-velocity (assembled), front (2)
391	Body, Cadillac CTS-V (clear, requires painting)/ decal sheet	8351X	Driveshafts, steel constant-velocity (assembled), rear (2)
	(includes side mirrors, spoiler, & mounting hardware)	8382	O-rings (12)
391A	Body, Cadillac CTS-V, blue (painted, decals applied)	2754	Stub axle pins (4)
391X 386	Body, Cadillac CTS-V, silver (painted, decals applied)	8354	Stub axles (front or rear) (2)
300	Body, Chevrolet Corvette Z06 (clear, requires painting)/ decal sheet (includes side mirrors, spoiler, & mounting hardware)	8356	Wheel hubs, hex (disc brake rotors) (4)
386X	Body, Chevrolet Corvette Z06, blue (painted, decals applied)		Front Suspension & Steering
386A	Body, Chevrolet Corvette Z06, graphite (painted, decals applied)	8330	Bulkhead, front
386R	Body, Chevrolet Corvette Z06, red (painted, decals applied)	8341	Camber link/toe link set (plastic/ non-adjustable) (front & rear)
311	Body, Ford GT® (clear, requires painting)/ decal sheet (includes	8332	Caster blocks (c-hubs) (2)/ kingpin bushings (4)
	tail lights, exhaust tips, & mounting hardware)	8334	Mounts, suspension arms (front & rear)/ hinge pin retainers (4)
311X	Body, Ford GT®, black (painted, decals applied) (tail lights, exhaust tips, & mounting hardware (part #8314) sold separately)	8334X	Mounts, suspension arms, aluminum (blue-anodized) (front & rear)/ hinge pin retainers (12)/ inserts (6)
311A	Body, Ford GT®, blue (painted, decals applied) (tail lights, exhaust tips, & mounting hardware (part #8314) sold separately)	8334G	Mounts, suspension arms, aluminum (green-anodized) (front & rear)/ hinge pin retainers (12)/ inserts (6)
311R	Body, Ford GT®, red (painted, decals applied) (tail lights,	8334R	Mounts, suspension arms, aluminum (red-anodized) (front &
312	exhaust tips, & mounting hardware (part #8314) sold separately) Body, Ford Mustang (clear, requires painting)/ window masks/	1985	rear)/ hinge pin retainers (12)/ inserts (6) PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings)
0.2	decal sheet	8345	Servo saver nuts, aluminum, blue-anodized (hex (1), serrated (
312X	Body, Ford Mustang, black (painted, decals applied)	8345G	Servo saver nuts, aluminum, green-anodized (hex (1), serrated
312A	Body, Ford Mustang, Grabber Blue (painted, decals applied)	00-100	(1))
312T	Body, Ford Mustang, orange (painted, decals applied)	8345R	Servo saver nuts, aluminum, red-anodized (hex (1), serrated (1
336	Bumper, rear (1)/ rear body mount (1)	8344	Serv o sav er/ serv o sav er spring/ serv o horn, steering
393	Decal sheet, Cadillac CTS-V	8338	Shock towers, front & rear
387	Decal sheets, Chevrolet Corvette Z06	8343	Steering bellcranks/ hardware
392	Mirrors, side, black (left & right)/ mirror retainers (2)/ body clips	8337	Steering block (2)
	(4)/ o-rings (4)/ spoiler, black/ spoiler retainer (1)/ 1.6x5 BCS (self-tapping) (3) (fits #8391 body)	2754 8354	Stub axle pins (4)
388	Mirrors, side, black (left & right)/ mirror retainers (2)/ spoiler,	8333	Stub axles (front or rear) (2) Suspension arms, front (left & right)
	black/ spoiler retainer (1)/ 1.6x5 BCS (self-tapping) (3)/ 2.6x8 BCS	8340	Suspension pin set, complete (front & rear)
	(self-tapping) (2) (fits #8386 body)	8398	Sway bar kit, 4-Tec® 2.0 (front and rear) (includes front and rear
314	Tail lights (2)/ tail light mounts (4) / exhaust tips (2)/ exhaust tip mount (1)/ 3x10 flat-head screws (2)/ 3x8 BCS (2)		sway bars and adjustable linkage)
	Brake Components	8342	Toe links, steel (34mm) (2)
007	-	8341X	Turnbuckles, aluminum (blue-anodized), camber links, 32mm (front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/
367	Brake calipers (red), front (2)/ rear (2)		aluminum wrench
356	Wheel hubs, hex (disc brake rotors) (4)	8341G	Turnbuckles, aluminum (green-anodized), camber links, 32mm
	Center Driveline		(front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/
381	Housing, differential (front)		aluminum wrench
380	Housing, differential (rear)	8341R	Turnbuckles, aluminum (red-anodized), camber links, 32mm
	Chassis & Attachments		(front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/
327	Battery hold-down/ battery clip/ hold-down post/ screw pin/ piv ot post		aluminum wrench
021	screw (for 256mm wheelbase)		Hardware
319	Body bumper, foam	1834A	Body clips, black (12) (standard size)
324	Box, receiver (sealed) (steering servo mount)/ receiver cover/ access	8347	Nuts, 4mm flanged ny lon locking, serrated (black) (10)
	plug/ foam pads/ silicone grease/ 2.5x10 CS (3)	1985	PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings)
335	Bumper, front (1 each, upper & lower)	3229	Screws, 2.5x10mm cap-head machine (hex drive) (6)
336	Bumper, rear (1)/ rear body mount (1)	3236	Screws, 2.5x12mm cap-head machine (6)
322	Chassis	3215	Screws, 2.5x6mm cap-head machine (hex drive) (6)
321	Chassis brace (front)	2577 2587	Screws, 3x10mm button-head machine (hex drive) (6)
323	Gear cov er (rear chassis brace)/ wire retainer	2587 2551	Screws, 3x10mm countersunk machine (6) (no washer)
	Differential Components	2551 4859	Screws, 3x10mm countersunk machine (6) (hex drive) Screws, 3x10mm flat-head machine (hex drive) (4)
381	Carrier, differential/x-ring gaskets (2)/ ring gear gasket/ 6x10x0.5 TW	2578	Screws, 3x10mm hat-head machine (hex drive) (4) Screws, 3x12mm button-head machine (hex drive) (6)
136X	Differential oil kit (50cc of 1 each: 10K, 30K, 50K weights)	2576	Screws, 3x12mm countersunk machine (6) (hex drive)
381	Housing, differential (front)	2593	Screws, 3x12mm countersunk machine (b) (nex drive) Screws, 3x14mm button-head machine (hex drive) (6)
	Housing, differential (rear)	2579	Screws, 3x15mm button-head machine (hex drive) (6)
300	3, ()		
380 379	Housing, spool / spool shaft/ bushing	2553	Screws, 3x15mm countersunk machine (6) (hex drive)

	Motors & Electronics	8345G	Servo saver nuts, aluminum, green-anodized (hex (1), serrated (1))
2260	BEC assembly (complete) (12.6 volts (3s LiPo) maximum input	8345R	Servo saver nuts, aluminum, red-anodized (hex (1), serrated (1))
2072A	voltage) Gear set (for 2070, 2075 servos)	8344	Serv o sav er/ serv o sav er spring/ serv o horn, steering
2072A 2272	Gear set (for 2270 waterproof servo)	2075R	Servo, digital high-speed, metal gear (ball bearing), waterproof
3354R	Motor cover, endbell (Velineon® 3500)	2075	Serv o, digital high-torque (ball bearing), waterproof
3785	Motor, Titan® 12T (12-Turn, 550 size)	2075X 2270	Servo, digital high-torque, metal gear (ball bearing), waterproof
390	Plate, motor	6553X	Servo, digital high-torque, metal gear (ball bearing), waterproof Telemetry expander 2.0 and GPS module 2.0, TQi radio system
2271	Servo case/ gaskets (for 2270 waterproof servo)	6550X	Telemetry expander 2.0, TQi radio system (for use only with
2074	Serv o case/gaskets (for 2056 and 2075 waterproof serv os)		#6551X GPS module)
3345	Servo saver nuts, aluminum, blue-anodized (hex (1), serrated (1))	6551X	Telemetry GPS module 2.0, TQi radio system (for use only with
3345G	Servo saver nuts, aluminum, green-anodized (hex (1), serrated (1))		#6550X telemetry expander)
345R	Servo saver nuts, aluminum, red-anodized (hex (1), serrated (1))	6509R	TQi 2.4 GHz High Output radio system, 2-channel, Traxxas Link™ enabled, TSM (2-ch transmitter, 5-ch micro receiver)
344	Serv o sav er/ serv o sav er spring/ serv o horn, steering	6507R	TQi 2.4 GHz High Output radio system, 4-channel with Traxxas
2075R	Servo, digital high-speed, metal gear (ball bearing), waterproof		Link™ Wireless Module, TSM (4-ch transmitter, 5-ch micro
2075	Serv o, digital high-torque (ball bearing), waterproof		receiver)
2075X	Servo, digital high-torque, metal gear (ball bearing), waterproof	6516	Transmitter, TQ 2.4GHz, 2-channel (transmitter only)
2270 3350R	Servo, digital high-torque, metal gear (ball bearing), waterproof Velineon® VXL-3s Brushless Power System, waterproof	6528	Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 2-
SOUR	(includes VXL-3s waterproof ESC, Velineon 3500 motor, and	6529	channel (transmitter only) Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 3-
	speed control mounting plate (part #3725R))	0020	channel (transmitter only)
3355R	Velineon® VXL-3s Electronic Speed Control, waterproof	6530	Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 4-
20400	(brushless) (fwd/rev/brake)		channel (transmitter only)
018R	XL-5 Electronic Speed Control, waterproof (land version, low-voltage detection, fwd/rev/brake)	6511	Traxxas Link™ Wireless Module
	,	3018R	XL-5 Electronic Speed Control, waterproof (land version, low-voltage detection, fwd/rev/brake)
	Radio System, Batteries & Chargers		
2842X	5000mAh 7.4v 2-Cell 25C LiPo iD® Battery		Ready-To-Race Model
2843X	5800mAh 7.4v 2-Cell 25C LiPo iD® Battery	83044-4	Ford® Mustang GT: 1/10 Scale AWD Muscle Car with TQ™ 2.4GHz
2869X 2976	7600mAh 7.4v 2-Cell 25C LiPo iD® Battery		radio system
2976 2938X	AC to DC converter, 40W Adapter, Traxxas® iD® LiPo battery (adapts Traxxas iD batteries		Rear Suspension
.0007	to separate balance ports)	8329	Bulkhead, rear
2943	Battery charge indicators (green (4), blue (4), gray (4))	8352	Carriers, stub axle (left & right)
5548	Battery door, transmitter (replacement for #6516, 6517, 6528, 6529,	8334	Mounts, suspension arms (front & rear)/ hinge pin retainers (4)
	6530 transmitters)	8334X	Mounts, suspension arms, aluminum (blue-anodized) (front & rear)/ hinge pin retainers (12)/ inserts (6)
2914 2923X	Battery, Power Cell AA Alkaline (4)	8334G	Mounts, suspension arms, aluminum (green-anodized) (front &
2923A 2940X	Battery, Power Cell iD®, 3000mAh (NiMH, 7-C flat, 8.4V) Battery, Series 3 Power Cell iD®, 3300mAh (NiMH, 7-C flat, 8.4V)		rear)/ hinge pin retainers (12)/ inserts (6)
2950X	Battery, Series 4 Power Cell iD®, 4200mAh (NiMH, 7-C flat, 8.4V)	8334R	Mounts, suspension arms, aluminum (red-anodized) (front &
2960X	Battery, Series 5 Power Cell iD®, 5000mAh (NiMH, 7-C flat, 8.4V)	1005	rear)/ hinge pin retainers (12)/ inserts (6)
2983	Battery/charger completer pack (includes #2969 2-amp NiMH	1985 8338	PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings) Shock towers, front & rear
	peak detecting AC charger (1), #2923X 3000mAh 8.4V 7-cell NiMH	2754	Stub axle pins (4)
2002	iD® battery (1))	8354	Stub axles (front or rear) (2)
2992	Battery/charger completer pack (includes #2970 iD® charger (1), #2843X 5800mAh 7.4V 2-cell 25C LiPo iD® battery (1))	8331	Suspension arms, rear (left & right)
2260	BEC assembly (complete) (12.6 volts (3s LiPo) maximum input	8340	Suspension pin set, complete (front & rear)
	voltage)	8398	Sway bar kit, 4-Tec® 2.0 (front and rear) (includes front and rear
2975	Charger, DC, 4 amp (6 - 7 cell, 7.2 - 8.4 volt, NiMH)	004414	sway bars and adjustable linkage)
2972	Charger, EZ-Peak® Dual, 100W, NiMH/LiPo with iD® Auto Battery	8341X	Turnbuckles, aluminum (blue-anodized), camber links, 32mm (front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/
2072	Identification Charger E7 Book® Live Dual 200W NiMH/LiPe with iD® Auto		aluminum wrench
2973	Charger, EZ-Peak® Live Dual, 200W, NiMH/LiPo with iD® Auto Battery Identification	8341G	Turnbuckles, aluminum (green-anodized), camber links, 32mm
2971	Charger, EZ-Peak® Live, 100W, NiMH/LiPo with iD® Auto Battery		(front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/
	Identification	00445	aluminum wrench
2981	Charger, EZ-Peak® Plus 4s, 8 amp, NiMH/LiPo with iD® Auto	8341R	Turnbuckles, aluminum (red-anodized), camber links, 32mm (front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/
2070	Battery Identification		aluminum wrench
2970	Charger, EZ-Peak® Plus, 4 amp, NiMH/LiPo with iD® Auto Battery Identification		Shock Oil
6525	Communication link, telemetry expander	5024	
6512	Cover plate, Traxxas Link™ Wireless Module	5031 5032	Oil, shock (20 wt, 200 cSt, 60cc) (silicone) Oil, shock (30 wt, 350 cSt, 60cc) (silicone)
2978	Fuse, charger, 5A (2) (for #2974, 2975, 2977)	5032	Oil, shock (40 wt, 500 cSt, 60cc) (silicone)
2072A	Gear set (for 2070, 2075 servos)	5034	Oil, shock (50 wt, 600 cSt, 60cc) (silicone)
2272	Gear set (for 2270 waterproof servo)	5035	Oil, shock (60 wt, 700 cSt, 60cc) (silicone)
2968X	LiPo cell voltage checker/balancer (includes #2938X adapter for	5036	Oil, shock (70 wt, 900 cSt, 60cc) (silicone)
2968	Traxxas® iD® batteries) LiPo cell voltage checker/balancer (requires #2938X adapter for	5037	Oil, shock (80 wt, 1,000 cSt, 60cc) (silicone)
2900	Traxxas® iD® batteries)	5029	Shock oil bottle (60cc) (for mixing shock oil)
6560	Mount, telemetry expander (fits 4-Tec® 2.0 & 3.0)	5038X	Shock oil set (includes 20 wt, 30 wt, 40 wt, 50 wt, 60 wt, 70 wt, &
6535	Mount, temperature sensor (electric motors)/ wire tie/ thermal	5038	80 wt premium shock oils with spinning carousel rack) Spinning carousel rack
2540	pad	3330	Shocks (Pro-level Aluminum)
5519	Receiver, micro, TQ 2.4GHz (3-channel)	00	
6533 6552	Receiver, micro, TQi 2.4GHz with telemetry & TSM (5-channel)	2658	Big Bore shocks (short) (hard-anodized & PTFE-coated T6
6552	Seal kit, expander box (includes o-ring, seals, and silicone grease)		aluminum) (assembled with TiN shafts w/ springs)(f/r)(2) (Note: Assembled with 32mm shafts, 29mm shafts included)
6526	Sensor, auto-detectable, temperature	2669	Piston head set (2-hole (2)/ 3-hole (2))/ shock mounting bushing
	Sensor, auto-detectable, temperature		& washers (2) (Big Bore Shocks)
6527	· · · · · · · · · · · · · · · · · · ·	1942	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws
	Sensor, temperature and voltage (long)	1342	
6527 6521 2271	Servo case/ gaskets (for 2270 waterproof servo)		(2)
6521		2742X 8361	

Page 3	Ford® Mustang GT: TQ™ 2.4 GHz Radio (Model 830	044-4) P	arts List
2667 4261T	Shock caps, aluminum (Big Bore Shocks) (2) Shock shafts, hardened steel, titanium nitride coated (29mm) (front) (2)	8373G 8376A	Tires and wheels, assembled, glued (split-spoke green wheels, 1.9" Response tires) (front) (2) (VXL rated) Tires and wheels, assembled, glued (split-spoke orange wheels,
4262T 4261	Shock shafts, hardened steel, titanium nitride coated (32mm) (2) Shock shafts, steel, chrome finish (29mm) (front) (2)	8377A	1.9" Drift tires) (front) Tires and wheels, assembled, glued (split-spoke orange wheels,
4262 1765	Shock shafts, steel, chrome finish (23mm) (2) Silicone diaphragms (4)	8374A	1.9" Drift tires) (rear) Tires and wheels, assembled, glued (split-spoke orange wheels,
2668	Spring retainers, upper & lower (2)/ spring pre-load spacers: 1mm (4)/ 1.5mm (2)/ 2mm (2)/ 4mm (2)/ 8mm (2) (Big Bore	8373A	1.9" Response tires) (extra wide, rear) (2) (VXL rated) Tires and wheels, assembled, glued (split-spoke orange wheels,
	Shocks (Ultra Shocks)	8370	1.9" Response tires) (front) (2) (VXL rated) Tires, Response 1.9" Touring (extra wide, rear)/ foam inserts (2) (fits
2362	Rebuild kit, Ultra shocks (for 2 shocks)	8369	#8372 wide wheel) Tires, Response 1.9" Touring (front) (2)/ foam inserts (2)
1942	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws	8371	Wheels, 1.9" split-spoke (black chrome) (front) (2)
2742X	(2) Rod ends, short (6)/ hollow balls (6)	8372	Wheels, 1.9" split-spoke (black chrome) (wide, rear) (2)
8361	Shock caps (black) (4) (assembled with hollow balls)		Traxxas Tools
8362X	Spring, shock (blue) (3.7 rate) (2)	3433X	Body reamer (aluminum handle)
8362G	Spring, shock (green) (3.7 rate) (2)	3433 3436	Body reamer (plastic handle)
8362P 8366	Spring, shock (pink) (3.7 rate) (2) Spring, shock (red) (2.8 rate, white stripe) (2)	3432	Cap, body reamer Scissors, curved tip
8365	Spring, shock (red) (3.325 rate, orange stripe) (2)	3431	Scissors, straight tip
8362	Spring, shock (red) (3.7 rate) (2)	8712	Speed Bit Essentials Set, hex and nut driver, 7-piece, includes
8363	Spring, shock (red) (4.075 rate, green stripe) (2)		premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm,
8364 8360	Spring, shock (red) (4.4 rate, black stripe) (2) Ultra Shocks (gray) (short) (includes spring pre-load spacers) (2)		and 8.0mm), 1/4" drive
0300		8721	Speed bit handle, medium (one piece)
	Spur Gears & Pinion Gears	8720	Speed bit handle, premium, large (rubber overmold)
2728 8323	Ball bearings (5x8x2.5mm) (2) Gear cov er (rear chassis brace)/ wire retainer	8722	Speed bit handle, premium, medium (rubber overmold)
2419	Gear, 19-T pinion (48-pitch) / set screw	8710	Speed Bit Master Set, hex and nut driver, 13-piece, includes premium handle (medium), travel pouch, hex drivers (straight:
2421	Gear, 21-T pinion (48-pitch) / set screw		1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm,
2422	Gear, 22-T pinion (48-pitch) (fits 3mm shaft)/ set screw		3.0mm), and nut drivers (4.00mm, 4.50mm, 5.00mm, 5.50mm,
2423	Gear, 23-T pinion (48-pitch) (fits 3mm shaft)/ set screw	8711	7.00mm, 8.00mm), Speed Bit Master Set, hex driver, 7-piece straight and ball end,
2424	Gear, 24-T pinion (48-pitch) (fits 3mm shaft)/ set screw	0/11	includes premium handle (medium), travel pouch, hex drivers
2426 4725	Gear, 26-T pinion (48-pitch) (fits 3mm shaft)/ set screw Gear, pinion (25-tooth) (48-pitch) / set screw		(straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm,
4728	Gear, pinion (28-tooth) (48-pitch) (fits 3mm shaft)/ set screw	0=40	2.5mm, 3.0mm), 1/4" drive
8359 8357	Spur gear, 62-tooth Spur gear, 70-tooth	8719	Speed Bit Master Set, nut driver, 6-piece, includes premium handle (medium), travel pouch, and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive
	Steering Components	8716	Speed Bit Set, hex driver, 2-piece ball-end (2.0mm, 2.5mm), 1/4" drive
8345 8345G	Servo saver nuts, aluminum, blue-anodized (hex (1), serrated (1)) Servo saver nuts, aluminum, green-anodized (hex (1), serrated (1))	8716X	Speed Bit Set, hex driver, 3-piece ball-end (2.0mm, 2.5mm, 3.0mm), 1/4" drive
8345R 8344	Servo saver nuts, aluminum, red-anodized (hex (1), serrated (1)) Servo saver/ servo saver spring/ servo horn, steering	8715	Speed Bit Set, hex driver, 3-piece straight (1.5mm, 2.0mm, 2.5mm), 1/4" drive
8343	Steering bellcranks/ hardware	8715X	Speed Bit Set, hex driver, 4-piece straight (1.5mm, 2.0mm,
8342	Toe links, steel (34mm) (2)	2748R	2.5mm, 3.0mm), 1/4" drive Tool set (includes 1.5mm hex wrench / 2.0mm hex wrench /
8341	SUSDENSION LINKAGE Camber link/toe link set (plastic/ non-adjustable) (front & rear)	274010	2.5mm hex wrench/ 4-way wrench/ 8mm & 4mm wrench/ U-joint wrench)
8341X	Turnbuckles, aluminum (blue-anodized), camber links, 32mm	3415	Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm,
•••••	(front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/ aluminum wrench		3.5mm, 4mm drivers/ 4mm, 5mm, 5.5mm, 7mm and 8mm nut drivers/ 2mm, 4mm, and 5mm slotted screwdrivers/ #00 Phillips, #0 Phillips, and #1 Phillips screwdrivers/ 4mm and 8mm wrench/
8341G	Turnbuckles, aluminum (green-anodized), camber links, 32mm (front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/ aluminum wrench		driver handle Turnbuckles & Threaded Rods
8341R	Turnbuckles, aluminum (red-anodized), camber links, 32mm	8341	Camber link/toe link set (plastic/ non-adjustable) (front & rear)
	(front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/	8342	Toe links, steel (34mm) (2)
	aluminum wrench	8341X	Turnbuckles, aluminum (blue-anodized), camber links, 32mm
	Team Traxxas Items		(front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/
2514	Decal sheet, racing sponsors	8341G	aluminum wrench Turnbuckles, aluminum (green-anodized), camber links, 32mm
9950 9909	Official Team Traxxas® racing decal set (flag logo/ 6-color) Traxxas® racing banner, red & black (3x7 feet)	55716	(front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/
3333	Tires & Wheels	00445	aluminum wrench
0275		8341R	Turnbuckles, aluminum (red-anodized), camber links, 32mm (front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/
8375	Tires & wheels, assembled, glued (split-spoke black chrome wheels, 1.9" Response tires, foam inserts) (front (2), rear (extra wide) (2)) (VXL rated)		aluminum wrench
8378	Tires and wheels, assembled, glued (split-spoke black chrome		
8373	wheels, 1.9" Drift tires) (front and rear) Tires and wheels, assembled, glued (split-spoke black chrome wheels, 1.9" Response tires) (front) (2)		If you have questions or need technical assistance, call Traxxas at:
8374	Tires and wheels, assembled, glued (split-spoke black chrome		1-888-TRAXXAS
8376G	wheels, 1.9" Response tires) (extra wide, rear) (2) Tires and wheels, assembled, glued (split-spoke green wheels,		(1-888-872-9927) (U.S. residents only)
00100	1 O" Drift tires (front)		For orders, calle outside the U.S. and other information, call 072 E40 2000

1.9" Drift tires) (front)

8377G

8374G

Tires and wheels, assembled, glued (split-spoke green wheels, 1.9" Drift tires) (rear)

Tires and wheels, assembled, glued (split-spoke green wheels, 1.9" Response tires) (extra wide, rear) (2) (VXL rated)

For orders, calls outside the U.S., and other information, call 972-549-3000, or fax to 972-549-3011 e-mail Traxxas at support@Traxxas.com

TRAXXAS.COM