

## TRX-4® 1979 Ford® Bronco (Model 82046-4) Parts List

Parts shown in bold are optional accessories. Part categories and individual part listings are arranged alphabetically.

	Axle Components		Body (1969 Chevrolet® Blazer)
8241	Axle housing, front	8090	LED light set, complete with power supply (contains headlights,
8242	Axle housing, intermediate (TRX-6™) or rear (TRX-4®)		tail lights, side marker lights, & distribution block) (fits #9111 or
8227	Axle mount set (complete) (front & rear) (for suspension links)		9112 body)
8228	Axle shaft, front (left)/ drive pin/ cross pin	9112	Body, Chevrolet Blazer (1969 - 1970) (clear, requires painting)
8229	Axle shaft, front (right)/ drive pin/ cross pin		(includes grille, side mirrors, door handles, windshield wipers, decals, window masks)
8060	Axle shaft, front, heavy duty (left & right) (requires #8064 front	9112X	Body, Chevrolet Blazer (1969), complete (black) (includes grill,
8062	portal drive input gear)  Axle shaft, front, heavy duty (left & right)/ portal drive input gear	*	side mirrors, door handles, windshield wipers, front & rear
0002	(machined) (2) (assembled)		bumpers, decals)
8230	Axle shaft, rear (left)	9125	Bumper pads/ bumper guards (chrome)/ 2.5x10 BCS (4)/ 2.7mm
8231	Axle shaft, rear (right)	040=	drill bit (fits #9126 or #9127 front bumpers)
8061	Axle shaft, rear, heavy duty (left & right)/ portal drive input gear,	9127 9124	Bumper, front (chrome)/ bumper mount/ 3x10 BCS (2)
	rear (machined)	9113	Bumper, rear (chrome)/ bumper mount/ 3x10 BCS (2) Decal sheets, Chevrolet Blazer (1969 -1972)
8063	Axle, rear, heavy duty (left & right) (requires #8065 rear portal	6593	Distribution block, Pro Scale® Advanced Lighting Control
8233	drive input gear) Cross pin (2)/ drive pin (2) (to rebuild front axle shafts)		System
8256	Portal drive axle mount, rear (left & right)	9115	Door handles, left, right, and rear/ retainers (3)/ windshield
8256X	Portal drive axle mount, rear, 6061-T6 aluminum (blue-anodized)		wipers, left & right/ retainer (1)/ fuel cap/ fuel flange/ fuel cap
020071	(left and right)/ 2.5x16 CS (4)		mount/ 1.6x5 BCS (self-tapping) (7)/ 2.6x8 BCS (1)
8256A	Portal drive axle mount, rear, 6061-T6 aluminum (charcoal gray-	9123	Grille, Chevrolet Blazer (1969 - 1970)/ grille retainers (5)/
	anodized) (left and right)/ 2.5x16 CS (4)		headlight housing (2)/ headlight lens (2)/ turn signal lens (2)/ hood emblem/ hood emblem mount/ 2.6x8 BCS (5)/ 2.5x6 BCS
8256G	Portal drive axle mount, rear, 6061-T6 aluminum (green-		(4)/ 1.6x5 BCS (self-tapping) (2) (fits #9112 body)
00500	anodized) (left and right)/ 2.5x16 CS (4)	9116	Marker light housing (4)/ marker light mount (4)/ marker light
8256R	Portal drive axle mount, rear, 6061-T6 aluminum (red-anodized) (left and right)/ 2.5x16 CS (4)		lens (red (2), amber (2))/ reverse lens (left & right)/ 1.6x5 BCS
8252	Portal drive housing, inner, front (left & right)/ 2.5x4 BCS (6)		(self-tapping) (8)
8253	Portal drive housing, inner, rear (left or right) (2)	9121	Mirrors, side, chrome (left & right)/ o-rings (4)/ body clips (4) (fits
8251	Portal drive housing, outer (front or rear) (2)	CEOO	#9112 body)
8064	Portal drive input gear, front (machined) (left or right) (requires	6592 6591	Power module, Pro Scale® Advanced Lighting Control System Pro Scale® Advanced Lighting Control System (includes power
	#8060 front axle shaft)	0331	module & distribution block)
8257	Portal drive input gear, front/ drive pin/ cross pin	9122	Tail light housing, black (2)/ lens (2)/ retainers (left & right)/ 2.6x8
8259	Portal drive input gear, rear		BCS (self-tapping) (4)
8065	Portal drive input gear, rear (machined) (left or right) (requires		Body (1972 Chevrolet® Blazer)
8258	#8063 rear axle) Portal drive output gear, front or rear	8090	LED light set, complete with power supply (contains headlights,
8252X	Portal housings, inner (front), 6061-T6 aluminum (blue-anodized)	0030	tail lights, side marker lights, & distribution block) (fits #9111 or
02027	(2)/ 3x12 BCS (2)		9112 body)
8252A	Portal housings, inner (front), 6061-T6 aluminum (charcoal gray-	9111	Body, Chevrolet Blazer (1972) (clear, requires painting) (includes
	anodized) (2)/ 3x12 BCS (2)		grille, side mirrors, side trim, door handles, windshield wipers,
8252G	Portal housings, inner (front), 6061-T6 aluminum (green-	04447	decals, window masks)
02E2D	anodized) (2)/ 3x12 BCS (2)	9111X	Body, Chevrolet Blazer (1972), complete (blue) (includes grille, side mirrors, door handles, windshield wipers, front & rear
8252R	Portal housings, inner (front), 6061-T6 aluminum (red-anodized) (2)/ 3x12 BCS (2)		bumpers, decals)
8253X	Portal housings, inner (rear), 6061-T6 aluminum (blue-anodized)	9125	Bumper pads/ bumper guards (chrome)/ 2.5x10 BCS (4)/ 2.7mm
	(2)/ 2.5x10 CS (2)		drill bit (fits #9126 or #9127 front bumpers)
8253A	Portal housings, inner (rear), 6061-T6 aluminum (charcoal gray-	9126	Bumper, front (chrome)/ bumper mount/ lens (left and right) (2)/
	anodized) (2)/ 2.5x10 CS (2)	0404	lens mount (left and right) (2)/ 3x10 BCS (2)/ 2.6x6 BCS (4)
8253G	Portal housings, inner (rear), 6061-T6 aluminum (green-	9124 9113	Bumper, rear (chrome)/ bumper mount/ 3x10 BCS (2) Decal sheets, Chevrolet Blazer (1969 -1972)
8253R	anodized) (2)/ 2.5x10 CS (2) Portal housings, inner (rear), 6061-T6 aluminum (red-anodized)	6593	Distribution block, Pro Scale® Advanced Lighting Control
0233IX	(2)/ 2.5x10 CS (2)	0000	System
8251X	Portal housings, outer, 6061-T6 aluminum (blue-anodized) (2)/	9115	Door handles, left, right, and rear/ retainers (3)/ windshield
	2.5x10 CS (12)		wipers, left & right/ retainer (1)/ fuel cap/ fuel flange/ fuel cap
8251A	Portal housings, outer, 6061-T6 aluminum (charcoal gray-	0.455	mount/ 1.6x5 BCS (self-tapping) (7)/ 2.6x8 BCS (1)
	anodized) (2)/ 2.5x10 CS (12)	9120	Grille, Chevrolet Blazer (1972)/ grille retainers (5)/ headlight
8251G	Portal housings, outer, 6061-T6 aluminum (green-anodized) (2)/		housing (2)/ lens (2)/ 2.6x8 BCS (5)/ 2.5x6 BCS (4) (fits #9111 body)
8251D	2.5x10 CS (12) Portal housings, outer, 6061-T6 aluminum (red-anodized) (2)/	9116	Marker light housing (4)/ marker light mount (4)/ marker light
8251R	2.5x10 CS (12)	00	lens (red (2), amber (2))/ reverse lens (left & right)/ 1.6x5 BCS
8255	Stub axle (portal drive) (2)		(self-tapping) (8)
8255A	Stub axle (portal drive) (2) Stub axle, extended thread (portal drive) (2)	9118	Mirrors, side, chrome (left & right)/ o-rings (4)/ body clips (4) (fits
8267	Weight, portal housing, brass (34 grams) (2)/ 2.5x8 CS (6)		#9111 body)
	(requires #8251X, 8251R, 8251A, or 8251G outer portal housing)	6592	Power module, Pro Scale® Advanced Lighting Control System
	Bearings & Bushings	6591	Pro Scale® Advanced Lighting Control System (includes power
51104		0117	module & distribution block) Side trim, Chevrolet Blazer (1972), left & right/ rear trim, upper &
5119A 5120A	Ball bearings, black rubber sealed (10x15x4mm) (2) Ball bearings, black rubber sealed (12x18x4mm) (2)	9117	Side trim, Chevrolet Blazer (1972), left & right/ rear trim, upper & lower/ retainers, left, right & rear/ 2.6x8 BCS (23)/ 1.6x5 BCS
5120A 5104A	Ball bearings, black rubber sealed (12x10x4mm) (2)		(self-tapping) (5) (fits #9111 body)
5104A 5115A	Ball bearings, black rubber sealed (4x10x4mm) (2)	9119	Tail light housing, chrome (2)/ lens (2)/ retainers (left & right)/
5116A	Ball bearings, black rubber sealed (5x10x4mm) (2)		2.6x8 BCS (self-tapping) (4)
5114A	Ball bearings, black rubber sealed (5x8x2.5mm) (2)		Body (1979 Chevrolet® Blazer)
5117A	Ball bearings, black rubber sealed (6x12x4mm) (2)	9120	_
5180A	Ball bearings, black rubber sealed (6x13x5mm) (2)	8130	Body, Chevrolet Blazer (1979) (clear, requires painting)/ window masks
5103A	Ball bearings, black rubber sealed (7x14x5mm) (2)		musics
	- ' ' ' '		

Page 2	TRX-4® 1979 Ford® Bronco: TQi™ Traxxas Link™ B	Enabled	2.4GHz Radio (Model 82046-4) Parts List
8130T	Body, Chevrolet Blazer (1979), complete (black) (includes grille, side mirrors, door handles, windshield wipers, front & rear	8013	Grille, Land Rover® Defender®/ grille mount (3)/ headlight housing (2)/ lens (2)/ headlight mount (2) (fits #8011 body)
8130X	bumpers, decals) Body, Chevrolet Blazer (1979), complete (orange) (includes	8027	LED headlight/tail light kit (fits #8011 body, requires #8028 power supply)
	grille, side mirrors, door handles, windshield wipers, front & rear bumpers, decals)	8025	LED light bar (Rigid®), TRX-4 (requires #8028 power supply)
8130R	Body, Chevrolet Blazer (1979), complete (red) (includes grille,	8029 8020	LED light bar kit (Rigid®)/power supply, TRX-4® Mirrors, side (left & right)/ snorkel/ mounting hardware (fits
	side mirrors, door handles, windshield wipers, front & rear	0020	#8011 body)
8131	bumpers, decals) Decal sheet, Chevrolet Blazer (1979)	8015	Roof basket (requires #8016 ExoCage) (fits #8011 body)
6593	Distribution block, Pro Scale® Advanced Lighting Control System	8021 8014	Spare tire mount/ mounting bracket/ screw pins (2)  Tail light housing (2)/ lens (2)/ decals (left & right) (fits #8011 body)
8132	Door handles, left, right & rear tailgate/ windshield wipers, left &		Body (Mercedes-Benz® G 500®)
8134	right/ retainers (2)/ 1.6x5 BCS (self-tapping) (7) (fits #8130 body) Grille, Chevrolet Blazer (1979)/ grille retainers (4)/ headlight housing (2)/ lens (2)/ 2.6x8 BCS (4)/ 2.5x6 BCS (2) (fits #8130 body)	8811	Body, Mercedes-Benz® G 500® 4x4² (clear, requires painting)/ decals/ window masks (includes rear body post, grille, side mirrors, door handles, & windshield wipers)
8039	LED light set (contains headlights, tail lights, side marker lights,	8812	Decals, Mercedes-Benz® G 500® 4x4 <sup>2</sup>
8038	distribution block (fits #8130 body, requires #8028 power supply) LED light set, complete with power supply (contains headlights,	6593	Distribution block, Pro Scale® Advanced Lighting Control System
0030	tail lights, side marker lights, distribution block, and power	8813X	Grille, Mercedes-Benz® G 500® 4x4²/ grille mount/ grille insert/
	supply) (fits #8130 body)		headlight lens (2)/ headlight reflector (2)/ reflector lens (2)/
8133X 8133	Mirrors, side (folding) (fits #8130 body) Mirrors, side, chrome (left & right)/ o-rings (4)/ body clips (4) (fits		bumperette front (2)/ bumperette mount (2)/ turn signal housing (2)/ turn signal housing retainer (2)/ turn signal len
0133	#8130 body)	8899	LED light set (contains headlights, tail lights, roof lights, and
6592	Power module, Pro Scale® Advanced Lighting Control System		distribution block) (fits #8811 or #8825 body, requires #8028
6591	Pro Scale® Advanced Lighting Control System (includes power module & distribution block)	8898	power supply)  LED light set, complete with power supply (contains headlights,
8135	Tail lights, left & right (assembled)/ tail light retainers, left & right/ side marker lights (assembled) (2)/ side marker retainers	0030	tail lights, roof lights, & distribution block) (fits #8811 or #8825 body)
	(2)/ mounting tape (2)/ 1.6x5 BCS (self-tapping) (4)/ 2.6x8 BCS (2) (fits #8130 body)	8817	Mirrors, side, black (left & right)/ o-rings (4)/ windshield wipers, left, right, & rear/ wiper retainers (2)/ body clips (4)/ 1.6x5 BCS (self-tapping) (3)
20407	Body (1979 Ford® Bronco)	6592	Power module, Pro Scale® Advanced Lighting Control System
8010X	Body, Ford Bronco (1979), complete (black) (includes front and rear bumpers, push bar, rear body mount, grille, side mirrors, door handles, windshield wipers, spare tire mount, red and	6591	Pro Scale® Advanced Lighting Control System (includes power module & distribution block)
	sunset decals) (requires #8072 inner fenders)	8822	Roof visor/ visor retainer/ visor lens (2)/ 2.6x6 BCS (3)/ 3x4 GS (4)
8078R 8078	Decal sheet, Bronco, red (fits #8010 body)  Decal sheet, Bronco, sunset (fits #8010 body)	8816X	Side marker light housing (2)/ mount (2)/ lens (2)/ 1.6x7 BCS (self-tapping) (2)
6593	Distribution block, Pro Scale® Advanced Lighting Control System	8814X	Tail light lens (2)/ tail light housing (2)/ tail light housing mount (2)/ reverse lens (2)/ 1.6x5 BCS (4) (left & right)
8075	Door handles, left & right/ windshield wipers, left & right/ retainers (3)/		Body (Tactical Unit)
8070	1.6x5 BCS (self-tapping) (4) (fits #8010 body) Grille, Ford Bronco/ grille retainers (6)/ headlight housing (2)/ lens (2)/	8211X	Body, Tactical Unit, night camo (painted)/ decals
0070	2.6x8 BCS (6)/ 2.5x6 BCS (2) (fits #8010 body)	8019	Fender brace, inner, front & rear
8032	Installation kit, Pro Scale® Advanced Lighting Control System,	8017	Fender flares, front & rear (2 each) (fits #8011 or #8211 body)
	TRX-4® Ford Bronco (1979) (includes mount, reverse lights harness, hardware)	8018 8020	Fenders, inner, front & rear (2 each)/ rock light covers (8) Mirrors, side (left & right)/ snorkel/ mounting hardware (fits
8036	LED light set (contains headlights, tail lights, side marker lights,		#8011 body)
	& distribution block) (fits #8010 body, requires #8028 power supply)	8021	Spare tire mount/ mounting bracket/ screw pins (2)
8035	LED light set, complete with power supply (contains headlights, tail lights, side marker lights, & distribution block) (fits #8010	8112	Body (TRX-4® Sport)  Body with camper, TRX-4® Sport (clear, trimmed, requires painting)/ window masks/ decal sheet
8037	body) LED lights, high/low switch (for #8035 or #8036 LED light kits)	8111R	Body, TRX-4® Sport (clear, trimmed, die-cut for LED light kit,
8073	Mirrors, side, black (left & right)/ retainers (2)/ body clips (4) (fits		requires painting)/ window masks/ decal sheet
9072V	#8010 body) Mirrors side chrome (left & right)/ retainers (2)/ hody clins (4)	8111	Body, TRX-4® Sport (clear, trimmed, requires painting)/ window masks/ decal sheet
8073X	Mirrors, side, chrome (left & right)/ retainers (2)/ body clips (4) (fits #8010 body)	8113	Decal sheet, TRX-4® Sport
6592	Power module, Pro Scale® Advanced Lighting Control System	6593	Distribution block, Pro Scale® Advanced Lighting Control
6591	Pro Scale® Advanced Lighting Control System (includes power	8120X	System Expedition rack, complete (includes traction boards, shovel, axe,
8076	module & distribution block) Side trim, left & right (chrome)/ retainers/ LED lens/ 2.6x8 BCS (24) (fits #8010 body)	012UA	jack, fire extinguisher, fuel cans, & mounting hardware) (fits #8111 or #8111R body)
8074	Spare tire mount/ mounting bracket/ spare tire cover/ mounting hardware	8120 8116	Expedition rack/ mounting hardware (fits #8111 or #8111R body) Grille/ grille retainers (2)/ grille mount/ lens (2)/ 2.5x8 BCS (6) (fits
8077	Tailgate panel insert (clear, requires painting)/ adhesive foam tape (2)		#8111 or #8112 body) `
8071	(fits #8010 body) Tailgate panel/ tail light lens (2) (left & right) (fits #8010 body)	8086	LED expedition rack scene light kit (fits #8111 body, requires #8028 power supply)
	Body (Land Rover® Defender®)	8084	LED headlight/tail light kit (fits #8111 or #8112 body, requires
8011A	Body, Land Rover® Defender®, adventure orange (complete with	8088	#8028 power supply) LED light bar, front bumper (fits #8124 front bumper, requires
	ExoCage, inner fenders, fuel canisters, and jack)		#8028 power supply)
8011T	Body, Land Rover® Defender®, blue (painted)/ decals	8087	LED light bar, roof lights (fits #8111 body, requires #8028 power
8011X 8011R	Body, Land Rover® Defender®, graphite silver (painted)/ decals Body, Land Rover® Defender®, red (painted)/ decals	8085	supply) LED light set, complete with power supply (contains headlights,
8012	Decals, Land Rover® Defender®	2300	tail lights, & distribution block) (fits #8111 or #8112 body)
8016	ExoCage (complete with assembly hardware; #8015 roof basket sold separately) (fits #8011 body)	8119	Mirrors, side (left & right)/ snorkel/ mounting hardware (fits #8111 or #8112 body)
8019 8017	Fender brace, inner, front & rear  Fender flares, front & rear (2 each) (fits #8011 or #8211 body)	6592 6591	Power module, Pro Scale® Advanced Lighting Control System Pro Scale® Advanced Lighting Control System (includes power
801 <i>7</i> 8018	Fender flares, front & rear (2 each) (fits #8011 or #8211 body) Fenders, inner, front & rear (2 each)/ rock light covers (8)	0331	module & distribution block)
		8122 8118	Shovel/ axe/ accessory mount/ mounting hardware Spare tire mount/ mounting hardware

Page 3	TRX-4® 1979 Ford® Bronco:	TQi™ Traxxas Link™ Enabled 2	2.4GHz Radio (Model 82046-4) Parts List
--------	---------------------------	------------------------------	---

Page 3	TRX-4® 1979 Ford® Bronco: TQi™ Traxxas Link™ I	Enabled	2.4GHz Radio (Model 82046-4) Parts List
8117	Tailgate panel/ tailgate retainers (2)/ tailgate mount/ tail light lens (2) (left & right)/ 2.5x8 BCS (4) (fits #8111 or #8112 body)	9050	Driveline Components
8121X	Traction boards, blue/ mounting hardware	8250	Half shafts, center (internal splined, front (2) & internal splined, rear
8121G	Traction boards, green/ mounting hardware	8255A	(2)/ external splined (2)/ pin retainer (4)) (plastic parts only) Stub axle, extended thread (portal drive) (2)
8121A	Traction boards, yellow/ mounting hardware	8269	Wheel hubs, 12mm hex (2)/ stub axle pins (2) (steel)
8121	Traction boards/ mounting hardware	8269X	Wheel hubs, 12mm hex, 6061-T6 aluminum (blue-anodized) (4)/
	Body Accessories		screw pin (4)
1926	Antenna caps, vinyl (2)/ antenna spool	8269A	Wheel hubs, 12mm hex, 6061-T6 aluminum (charcoal gray-
1726 1834	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) Body clips (12) (standard size)	8269G	anodized) (4)/ screw pin (4) Wheel hubs, 12mm hex, 6061-T6 aluminum (green-anodized) (4)/
1834A	Body clips, black (12) (standard size)	02000	screw pin (4)
3934	Body clips, heavy duty (12)	8269R	Wheel hubs, 12mm hex, 6061-T6 aluminum (red-anodized) (4)/
3934A	Body clips, heavy duty (black) (12)		screw pin (4)
8215	Body mounts & posts, front & rear (complete set)		Hardware
8115	Body posts, front & rear	1552	Backplate screws (3x8mm cap-head machine) (6)/washers (6)/
4915 <b>2514</b>	Body washers, foam adhesive (10)  Decal sheet, racing sponsors	4004	wrench
8081	Fender extensions (4)/ 3x8 flat-head screws (24) (requires #8080	1834 <b>1834A</b>	Body clips (12) (standard size)  Body clips, black (12) (standard size)
	narrow inner fenders)	3934	Body clips, black (12) (standard size) Body clips, heavy duty (12)
8080	Fenders, inner (narrow), front & rear (2 each)/ rock light covers	3934A	Body clips, heavy duty (black) (12)
	(8)/ battery plate/ body mount/ 3x8 flat-head screws (4)/ 2.5x6 CS (10)	8167X	Hardware kit, stainless steel, beadlock rings (contains stainless
8072	Fenders, inner, front & rear (2 each)/ rock light covers (8)/ battery	0000	steel hardware for 4 wheels)
	plate/ 3x8 flat-head screws (4)	8298	Hardware kit, stainless steel, TRX-4® (contains all stainless steel hardware used on TRX-4)
9950	Official Team Traxxas® racing decal set (flag logo/ 6-color)	8151	Hardware kit, stainless steel, TRX-4® High Lift Kit (contains all
	Bumpers & Skidplates	EATEV	stainless steel hardware used on TRX-4® Long Arm Lift Kit)
8234	Bumper D-rings, gray (front or rear)/ 2x12 CS (4)	5476X 3647	Hex wrenches; 1.5mm, 2mm, 2.5mm, 3mm, 2.5mm ball Nuts, 4mm flanged nylon locking (steel, serrated) (8)
8234R	Bumper D-rings, red (front or rear)/ 2.0x12 CS (4)	8347	Nuts, 4mm flanged nylon locking, serrated (black) (10)
8067 8237	Bumper mounts, front & rear Bumper mounts, front & rear/ screw pins (4)	1747R	Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4)
8069	Bumper, front (chrome)/ bumper mount/ 3x10 BCS (2)	1747G	Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4)
8235	Bumper, front/ winch	1747T	Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4)
8236	Bumper, rear	1747P	Nuts, aluminum, flanged, serrated (4mm) (pink-anodized) (4)
8068	Bumper, rear (chrome)/ bumper mount/ 3x10 BCS (2)	1747A	Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4)
8066	Push bar, bumper (chrome) (fits #8069 bumper)	1985 8221	PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings) Screw pin, 3x10mm (6)
8238	Skidplate/ lower gear cover	3229	Screws, 2.5x10mm cap-head machine (hex drive) (6)
	Chassis & Attachments	2523	Screws, 2.5x10mm countersunk machine (hex drive) (6)
8327	Battery hold-down/ battery clip/ hold-down post/ screw pin/ pivot post	3236	Screws, 2.5x12mm cap-head machine (6)
0000	screw (for 256mm wheelbase)	2618	Screws, 2.5x16mm cap-head machine (6)
8223	Battery plate/ battery strap/ 3x8 flat-head screws (4) (requires #8072 inner fenders)	3215	Screws, 2.5x6mm cap-head machine (hex drive) (6)
8215	Body mounts & posts, front & rear (complete set)	2617 3965	Screws, 2.5x8mm button-head machine (hex drive) (6) Screws, 2.5x8mm cap-head machine (6)
8224	Box, receiver (sealed)/ wire cover/ foam pads/ silicone grease/ 3x8	2524	Screws, 2.5x8mm countersunk machine (hex drive) (6)
	BCS (5)/ 2.5x8 CS (2)	8299	Screws, 2.6x12mm button-head, self-tapping (hex drive) (6)
8058	Chassis conversion kit, TRX-4® (long to short wheelbase) (includes rear upper & lower suspension links, front & rear inner	8167	Screws, 2x10mm cap-head, self-tapping (hex drive) (10)
	fenders, short female half shaft, battery tray, 3x8mm FCS (4))	2564	Screws, 2x8mm cap-head machine (hex drive) (6)
8057	Chassis conversion kit, TRX-4® (short to long wheelbase)	2577 4859	Screws, 3x10mm button-head machine (hex drive) (6)
	(includes rear upper & lower suspension links, front & rear	2578	Screws, 3x10mm flat-head machine (hex drive) (4) Screws, 3x12mm button-head machine (hex drive) (6)
0000	shock towers, long female half shaft)	2579	Screws, 3x15mm button-head machine (hex drive) (6)
8220 8072	Chassis rails, 448mm (steel) (left & right) Fenders, inner, front & rear (2 each)/ rock light covers (8)/ battery	2591	Screws, 3x23mm button-head machine (hex drive) (6)
0012	plate/ 3x8 flat-head screws (4)	2581	Screws, 3x25mm button-head machine (hex drive) (6)
8218	Floor pans, left & right	2616	Screws, 3x27mm button-head machine (hex drive) (6)
8224X	Receiver box cover (for use only with #8224 receiver box &	2582	Screws, 3x30mm button-head machine (hex drive) (6)
0040	#2260 BEC)/ foam pads/ seals/ silicone grease	2575 3932	Screws, 3x6mm button-head machine (hex drive) (6) Screws, 3x6mm flat-head machine (hex drive) (6)
8219 <b>8225</b>	Rock sliders, left & right	3932 2576	Screws, 3x8mm flat-nead machine (nex drive) (6) Screws, 3x8mm button-head machine (hex drive) (6)
0220	Seal kit, receiver box (includes o-ring, seals, and silicone grease)	3931	Screws, 3x8mm flat-head machine (hex drive) (6)
8240X	Servo mount, 2-speed/ servo mount, T-Lock/ wire clips	3933	Screws, 4x16mm button-head machine (hex drive) (6)
8239	Servo mount, steering/ chassis crossmember		LED Light Accessories
8226	Tray, battery	8031	3-in-1 wire harness, LED light kit
	Differential Components	8089	4-in-2 wire harness, LED light kit
8281	Carrier, differential/ differential slider/ T-Lock fork	6589	Distribution block, LED light set
8280A	Differential cover, front or rear (black)	8028	LED lights, power supply (regulated, 3V, 0.5-amp)/ 3-in-1 wire
8280X	Differential cover, front or rear (chrome-plated)	00067	harness
8280 8280D	Differential cover, front or rear (gray)	8026X	LED rock light kit, TRX-4®/TRX-6™ (requires #8028 power supply and #8018, #8072, or #8080 inner fenders)
<b>8280R</b> 8282	Differential cover, front or rear (red) Gear set, differential (output gears (2), spider gears (4), spider gear		Long Arm Lift Kit
0202	shaft (2))	04607	<u> </u>
8295	Output drive, transmission or differential (pin retainer (1)/ drive cup	8162X	Body, GTS shock, long (aluminum, blue-anodized) (1) (for use with #8140X TRX-4® Long Arm Lift Kit)
	(1)/ drive ball (1)/ drive pin (1)/ 3x11 screw pin (1)/ cross pin (black)	8162R	Body, GTS shock, long (aluminum, red-anodized) (1) (for use
0070	(1) 3x6 BCS with threadlock (1))	J. V211	with #8140R TRX-4® Long Arm Lift Kit)
8279 8279D	Ring gear, differential/ pinion gear, differential	8162	Body, GTS shock, long (silver aluminum) (1) (for use with #8140
8279R 8287	Ring gear, differential/ pinion gear, differential (machined) Ring gear, differential/ pinion gear, differential (overdrive,	<b>.</b>	TRX-4® Long Arm Lift Kit)
0201	machined)	8147	Cable, T-lock (medium) (for use with TRX-4® Long Arm Lift Kit)
8288	Ring gear, differential/ pinion gear, differential (underdrive,	8148	Cable, T-lock, extra long (193mm) (for use with TRX-4® Long Arm Lift Kit)
005-	machined)		· · · · · · · · · · · · · · · · · · ·
8297	Spool/ differential housing plug/ e-clip		

Page 4	TRX-4® 1979 Ford® Bronco: TQi™ Traxxas Link™ I	Enabled 2	2.4GHz Radio (Model 82046-4) Parts List
8150	Driveshaft extension kit, center (includes internal splined, x-long (2), internal splined, long (1) and internal splined, medium (1))	2064R 2064X	Gear set, metal (for 2065R waterproof sub-micro servo) Gear set, metal (for 2065X waterproof sub-micro servo)
8140	(for use with TRX-4® Long Arm Lift Kit) Long Arm Lift Kit, TRX-4®, complete	2072X	Gear set, metal (for 2070, 2075 servos)
8140X	Long Arm Lift Kit, TRX-4®, complete (includes blue powder	2252	Gear set, metal (for 2250, 2255 servos)
01407	coated links, blue-anodized shocks)	2072R 8290X	Gear set, metal, high speed (for 2070, 2075 servos)
8140R	Long Arm Lift Kit, TRX-4®, complete (includes red powder coated links, red-anodized shocks)	8290A	Motor mount plate, 6061-T6 aluminum (blue-anodized) Motor mount plate, 6061-T6 aluminum (charcoal gray-anodized)
8149	Rod ends, extended (standard (4), angled (4))/ hollow balls (8)	8290G 8290R	Motor mount plate, 6061-T6 aluminum (green-anodized)  Motor mount plate, 6061-T6 aluminum (red-anodized)
	(for use with TRX-4® Long Arm Lift Kit)	3975R	Motor, Titan® 550, reverse rotation (21-turns/ 14 volts) (1)
8141	Servo mount, steering (for use with TRX-4® Long Arm Lift Kit)	8290	Plate, motor/ upper spur gear cover
8161	Shock shaft, 3x57mm (GTS) (2) (includes bump stops) (for use	2254	Servo case, aluminum (blue-anodized) (middle) (for 2250 servo)
9460V	with TRX-4® Long Arm Lift Kit)	2253	Servo case, aluminum (red-anodized) (middle) (for 2255 servo)
8160X	Shocks, GTS, aluminum (blue-anodized) (assembled without springs) (4) (for use with #8140X TRX-4® Long Arm Lift Kit)	2251	Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for
8160R	Shocks, GTS, aluminum (red-anodized) (assembled without		2250, 2255 servos)
	springs) (4) (for use with #8140R TRX-4® Long Arm Lift Kit)	2063A	Servo case/gaskets (for 2065A waterproof sub-micro servo)
8160	Shocks, GTS, silver aluminum (assembled without springs) (4)	2063R	Servo case/gaskets (for 2065R metal gear, waterproof, sub-micro servo)
	(for use with #8140 TRX-4® Long Arm Lift Kit)	2063X	Servo case/gaskets (for 2065X metal gear, waterproof, sub-micro
8153	Springs, shock, long (natural finish) (GTS) (0.29 rate, white	2000%	servo)
8154	stripe) (for use with TRX-4® Long Arm Lift Kit) Springs, shock, long (natural finish) (GTS) (0.39 rate, orange	5669	Servo horn (with built-in spring and hardware) (for Summit locking
0134	stripe) (for use with TRX-4® Long Arm Lift Kit)		differential)
8155	Springs, shock, long (natural finish) (GTS) (0.47 rate) (included	2075R	Servo, digital high-speed, metal gear (ball bearing), waterproof
	with TRX-4® Long Arm Lift Kit)	2250	Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof (#2262 external BEC and #8247X metal servo horn
8156	Springs, shock, long (natural finish) (GTS) (0.54 rate, green		recommended for optimal performance)
0457	stripe) (for use with TRX-4® Long Arm Lift Kit)	2255	Servo, digital high-torque 400 brushless, metal gear (ball
8157	Springs, shock, long (natural finish) (GTS) (0.62 rate, blue stripe) (for use with TRX-4® Long Arm Lift Kit)		bearing), waterproof (#2262 external BEC and #8247X metal
8146X	Steering link, 5x117mm (1)/ draglink, 5x60mm (1)/ panhard link,		servo horn recommended for optimal performance)
0	5x63mm (blue powder coated steel) (assembled with hollow	2075X	Servo, digital high-torque, metal gear (ball bearing), waterproof
	balls) (for use with #8140X TRX-4® Long Arm Lift Kit)	2065A	Servo, sub-micro, waterproof
8146R	Steering link, 5x117mm (1)/ draglink, 5x60mm (1)/ panhard link,	2065R	Servo, sub-micro, waterproof, metal gear
	5x63mm (red powder coated steel) (assembled with hollow balls)	3025	XL-5HV 3s Electronic Speed Control, waterproof (low-voltage detection, fwd/rev/brake)
8144X	(for use with #8140R TRX-4® Long Arm Lift Kit) Suspension link, front upper, 5x68mm (1) (blue powder coated	2261	Y-harness, BEC
01447	steel) (assembled with hollow balls) (for use with #8140X TRX-4®		ro Scale® Advanced Lighting Control System
	Long Arm Lift Kit)		<u> </u>
8144R	Suspension link, front upper, 5x68mm (1) (red powder coated	6593	Distribution block, Pro Scale® Advanced Lighting Control System
	steel) (assembled with hollow balls) (for use with #8140R TRX-4®	8032	Installation kit, Pro Scale® Advanced Lighting Control System,
8144	Long Arm Lift Kit) Suspension link, front upper, 5x68mm (1) (steel) (assembled with		TRX-4® Ford Bronco (1979) (includes mount, reverse lights
0.44	hollow balls) (for use with #8140 TRX-4® Long Arm Lift Kit)	0500	harness, hardware)
8143	Suspension links, front lower (2) (5x104mm, steel) (assembled	6592 6591	Power module, Pro Scale® Advanced Lighting Control System Pro Scale® Advanced Lighting Control System (includes power
	with hollow balls) (for use with #8140 TRX-4® Long Arm Lift Kit)	0331	module & distribution block)
8143X	Suspension links, front lower, blue (2) (5x104mm, powder coated steel) (assembled with hollow balls) (for use with #8140X TRX-4®		Pro Scale® Winch & Accessories
	Long Arm Lift Kit)	9967	
8143R	Suspension links, front lower, red (2) (5x104mm, powder coated	8867	Bumper, front, winch, medium (includes bumper mount, D-Rings, fairlead, hardware) (fits TRX-4® 1979 Bronco and 1979
	steel) (assembled with hollow balls) (for use with #8140R TRX-4®		Blazer with 8855 winch) (217mm wide)
	Long Arm Lift Kit)	8859	Fairlead, winch
8145	Suspension links, rear lower (2) (5x115mm, steel) (assembled	8870X	Fairlead, winch, aluminum (blue-anodized) (use with front
8145X	with hollow balls) (for use with #8140 TRX-4® Long Arm Lift Kit) Suspension links, rear lower, blue (2) (5x115mm, powder coated		bumpers #8865, 8866, 8867, 8869, or 9224)
01437	steel) (assembled with hollow balls) (for use with #8140X TRX-4®	8870A	Fairlead, winch, aluminum (gray-anodized) (use with front bumpers #8865, 8866, 8867, 8869, or 9224)
	Long Arm Lift Kit)	8870G	Fairlead, winch, aluminum (green-anodized) (use with front
8145R	Suspension links, rear lower, red (2) (5x115mm, powder coated	00700	bumpers #8865, 8866, 8867, 8869, or 9224)
	steel) (assembled with hollow balls) (for use with #8140R TRX-4®	8870T	Fairlead, winch, aluminum (orange-anodized) (use with front
01.12	Long Arm Lift Kit)  Supposion links, rear upper (2) (5x445mm, steel) (cocombled		bumpers #8865, 8866, 8867, 8869, or 9224)
8142	Suspension links, rear upper (2) (5x115mm, steel) (assembled with hollow balls) (for use with #8140 TRX-4® Long Arm Lift Kit)	8870R	Fairlead, winch, aluminum (red-anodized) (use with front
8142X	Suspension links, rear upper, blue (2) (5x115mm, powder coated	8862	bumpers #8865, 8866, 8867, 8869, or 9224) Gearmotor, winch
	steel) (assembled with hollow balls) (for use with #8140X TRX-4®	8863	Hook, winch (steel)
	Long Arm Lift Kit)	8858	Housings (front & rear), winch/ decal
8142R	Suspension links, rear upper, red (2) (5x115mm, powder coated steel) (assembled with hollow balls) (for use with #8140R TRX-4®	8864X	Line, winch (blue)
	Long Arm Lift Kit)	8864	Line, winch (gray)
8172	Tires and wheels, assembled (Method 105 2.2" black chrome	8864R	Line, winch (red)
	beadlock wheels, Canyon Trail 5.3x2.2" tires, foam inserts) (1	8860	Spool shaft assembly, winch
0404	left, 1 right)	8861 8855	Spool, winch Winch kit with wireless controller, TRX-4
8181	Tires and wheels, assembled, glued (TRX-4® Sport 2.2" wheels, Canyon Trail 5.3x2.2" tires) (2)	8856	Winch, TRX-4® (requires #8857 wireless remote)
8170	Tires, Canyon Trail 5.3x2.2" (foam inserts (2)	8857	Wireless remote, winch, TRX-4®
8171	Wheels, Method 105 2.2" (black chrome, beadlock) (beadlock		Radio System, Batteries & Chargers
	rings sold separately)	200024	
8171A	Wheels, Method 105 2.2" (charcoal gray, beadlock) (beadlock	2823X	1400mAh 11.1v 3-Cell 25C LiPo Battery
	rings sold separately)	2820X 2849X	2200mAh 7.4v 2-Cell 25C LiPo Battery 4000mAh 11.1v 3-Cell 25C LiPo Battery
	Motors & Electronics	2872X	5000mAh 11.1v 3-Cell 25C LiPo Battery
1926	Antenna caps, vinyl (2)/ antenna spool	2842X	5000mAh 7.4v 2-Cell 25C LiPo Battery
1726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)	2843X	5800mAh 7.4v 2-Cell 25C LiPo Battery
2262	BEC, complete (includes receiver box cover and seals)	2869X	7600mAh 7.4v 2-Cell 25C LiPo Battery
2064	Gear set (for 2065 waterproof sub-micro servo)	2976	AC to DC converter, 40W
2064A	Gear set (for 2065A waterproof sub-micro servo)		

2938X	Adapter, Traxxas® iD® LiPo battery (adapts Traxxas iD batteries to separate balance ports)	6507R	TQi 2.4 GHz High Output radio system, 4-channel with Traxxas Link™ Wireless Module, TSM (4-ch transmitter, 5-ch micro
1726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)		receiver)
2943	Battery charge indicators (green (4), blue (4), gray (4))	6530	Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 4-
6548	Battery door, transmitter (replacement for #6516, 6517, 6528, 6529,		channel (transmitter only)
0000	6530 transmitters)	6511	Traxxas Link™ Wireless Module
8222 2914	Battery strap (for 2200 2-cell and 1400 3-cell LiPo batteries)  Battery, Power Cell AA Alkaline (4)	2261	Y-harness, BEC
2923X	Battery, Power Cell, 3000mAh (NiMH, 7-C flat, 8.4V)		Ready-To-Race Model
2940X	Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C flat, 8.4V)	82046-4	TRX-4® Scale and Trail® Crawler with 1979 Ford® Bronco Body:
2950X 2960X	Battery, Series 4 Power Cell, 4200mAh (NiMH, 7-C flat, 8.4V) Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C flat, 8.4V)		4WD Electric Truck with TQi™ Traxxas Link™ Enabled 2.4GHz Radio System
2983	Battery/charger completer pack (includes #2969 2-amp NiMH		<b>Scale Details</b>
	peak detecting AC charger (1), #2923X 3000mAh 8.4V 7-cell NiMH	8022T	Fuel canisters (black) (2)/ 3x8 FCS (1)
2992	battery (1))  Pattery (sharger completer peek (includes #2070 iD® charger (1))	8022R	Fuel canisters (blue) (2)/ 3x8 FCS (1)
2332	Battery/charger completer pack (includes #2970 iD® charger (1), #2843X 5800mAh 7.4V 2-cell 25C LiPo battery (1))	8022 8022X	Fuel canisters (red) (2)/ 3x8 FCS (1) Fuel canisters (white) (2)/ 3x8 FCS (1)
2994	Battery/charger completer pack (includes #2970 iD® charger (1),	8022A	Fuel canisters (write) (2)/ 3x8 FCS (1)
	#2849X 4000mAh 11.1v 3-Cell 25C LiPo Battery (1))	8023T	Jack (black) (1)/ 2x8 BCS (1)
2991	Battery/charger completer pack (includes #2972 Dual iD®	8023	Jack (red) (1)/ 2x8 BCS (1)
2262	charger (1), #2869X 7600mAh 7.4V 2-cell 25C LiPo battery (2)) BEC, complete (includes receiver box cover and seals)		Shock Oil
2975	Charger, DC, 4 amp (6 - 7 cell, 7.2 - 8.4 volt, NiMH)	5031	Oil, shock (20 wt, 200 cSt, 60cc) (silicone)
2972	Charger, EZ-Peak® Dual, 100W, NiMH/LiPo with iD® Auto Battery	5032	Oil, shock (30 wt, 350 cSt, 60cc) (silicone)
	Identification	5033	Oil, shock (40 wt, 500 cSt, 60cc) (silicone)
2973	Charger, EZ-Peak® Live Dual, 200W, NiMH/LiPo with iD® Auto	5034	Oil, shock (50 wt, 600 cSt, 60cc) (silicone)
2074	Battery Identification  Charger F7 Book® Live 400W NIME// iBo with iD® Auto Battery	5035	Oil, shock (60 wt, 700 cSt, 60cc) (silicone)
2971	Charger, EZ-Peak® Live, 100W, NiMH/LiPo with iD® Auto Battery Identification	5036	Oil, shock (70 wt, 900 cSt, 60cc) (silicone)
2981	Charger, EZ-Peak® Plus 4s, 8 amp, NiMH/LiPo with iD® Auto	5037 5029	Oil, shock (80 wt, 1,000 cSt, 60cc) (silicone) Shock oil bottle (60cc) (for mixing shock oil)
	Battery Identification	5029 5038X	Shock oil set (includes 20 wt, 30 wt, 40 wt, 50 wt, 60 wt, 70 wt, &
2970	Charger, EZ-Peak® Plus, 4 amp, NiMH/LiPo with iD® Auto	000070	80 wt premium shock oils with spinning carousel rack)
	Battery Identification	1667	Silicone shock oil (30 wt), 60cc
6525	Communication link, telemetry expander	5038	Spinning carousel rack
6512 <b>2978</b>	Cover plate, Traxxas Link™ Wireless Module Fuse, charger, 5A (2) (for #2974, 2975, 2977)		Shocks (GTS)
2064	Gear set (for 2065 waterproof sub-micro servo)	8266	Body, GTS shock (aluminum, silver-anodized) (1)
2064A	Gear set (for 2065A waterproof sub-micro servo)	8266X	Body, GTS shock (hard-anodized, PTFE-coated aluminum) (1)
2064R	Gear set, metal (for 2065R waterproof sub-micro servo)	8266A	Body, GTS shock, aluminum (blue-anodized) (1)
2064X	Gear set, metal (for 2065X waterproof sub-micro servo)	8266G	Body, GTS shock, aluminum (green-anodized) (1)
2072X	Gear set, metal (for 2070, 2075 servos)	8266R	Body, GTS shock, aluminum (red-anodized) (1)
2252	Gear set, metal (for 2250, 2255 servos)	8264	Caps & spring retainers, GTS shocks (upper cap (2)/ hollow balls (4)/
2072R	Gear set, metal, high speed (for 2070, 2075 servos)	8274	bottom cap (2)/ upper retainer (2)/ lower retainer (2)) Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated)
2968X	LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® iD® batteries)	5475	Multi-tool (plastic)
2968	LiPo cell voltage checker/balancer (requires #2938X adapter for	8261	Piston, damper (red) (4)/ e-clips (8)
	Traxxas® iD® batteries)	8262	Rebuild kit, GTS shocks (x-rings, o-rings, pistons, bushings, e-clips,
6561	Mount, telemetry expander (fits TRX-4®)		and rod ends)
6535	Mount, temperature sensor (electric motors)/ wire tie/ thermal	8263	Shock shaft, 3x47mm (GTS) (2)
6533	pad Receiver, micro, TQi 2.4GHz with telemetry & TSM (5-channel)	8263T 8260X	Shock shaft, 3x47mm (GTS) (titanium nitride-coated) (2) Shocks, GTS hard-anodized, PTFE-coated aluminum bodies with
6552	Seal kit, expander box (includes o-ring, seals, and silicone	0200X	TiN shafts (assembled with spring retainers) (2)
****	grease)	8260A	Shocks, GTS, aluminum (blue-anodized) (assembled with spring
6526	Sensor, auto-detectable, temperature		retainers) (2)
6527	Sensor, auto-detectable, voltage	8260G	Shocks, GTS, aluminum (green-anodized) (assembled with
6521	Sensor, temperature and voltage (long)	00000	spring retainers) (2)
2254	Servo case, aluminum (blue-anodized) (middle) (for 2250 servo)	8260R	Shocks, GTS, aluminum (red-anodized) (assembled with spring retainers) (2)
2253 2251	Servo case, aluminum (red-anodized) (middle) (for 2255 servo) Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for	8260	Shocks, GTS, silver aluminum (assembled with spring retainers) (2)
2201	2250, 2255 servos)		Slipper Clutch Components
2063A	Servo case/gaskets (for 2065A waterproof sub-micro servo)	9202	<u> </u>
2063R	Servo case/gaskets (for 2065R metal gear, waterproof, sub-micro	8292 8286	Input shaft/ output shaft (transmission) Output shafts (transfer case), front & rear
	servo)	8254	Rebuild kit, slipper clutch (steel disc (2)/ friction insert (2)/ 4.0mm NL
2063X	Servo case/gaskets (for 2065X metal gear, waterproof, sub-micro servo)		(1)/ spring washers (4), metal washer (1))
2075R	Servo, digital high-speed, metal gear (ball bearing), waterproof	8249	Slipper eliminator plate
2250	Servo, digital high-torque 330 coreless, metal gear (ball bearing),		Springs
	waterproof (#2262 external BEC and #8247X metal servo horn	8042	Springs, shock (natural finish) (GTS) (0.22 rate, yellow stripe) (2)
	recommended for optimal performance)	8043	Springs, shock (natural finish) (GTS) (0.30 rate, white stripe) (2)
2255	Servo, digital high-torque 400 brushless, metal gear (ball	8044	Springs, shock (natural finish) (GTS) (0.39 rate, orange stripe) (2)
	bearing), waterproof (#2262 external BEC and #8247X metal servo horn recommended for optimal performance)	8041	Springs, shock (natural finish) (GTS) (0.45 rate) (2)
2075X	Servo, digital high-torque, metal gear (ball bearing), waterproof	8040	Springs, shock (natural finish) (GTS) (0.54 rate, green stripe) (2)
2065A	Servo, sub-micro, waterproof	8045	Springs, shock (natural finish) (GTS) (0.61 rate, blue stripe) (2)
2065R	Servo, sub-micro, waterproof, metal gear		Spur Gears & Pinion Gears
6553X	Telemetry expander 2.0 and GPS module 2.0, TQi radio system	6746	Gear, 10-T pinion (32-p) (steel) (fits 3mm shaft)/ set screw
6550X	Telemetry expander 2.0, TQi radio system (for use only with	6747	Gear, 11-T pinion (32-p) (steel) (fits 3mm shaft)/ set screw
6551X	#6551X GPS module) Telemetry GPS module 2.0, TQi radio system (for use only with	3942X	Gear, 12-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw
	#6550X telemetry expander)	3943X	Gear, 13-T pinion (32-p), heavy duty (machined, hardened steel)
CEAOD	TQi 2.4 GHz High Output radio system, 2-channel, Traxxas		(fits 3mm shaft)/ set screw
6509R	Link™ enabled, TSM (2-ch transmitter, 5-ch micro receiver)	3944X	Gear, 14-T pinion (32-p), heavy duty (machined, hardened steel)

Page 6	TRX-4® 1979 Ford® Bronco: TQi™ Traxxas Link™ I	Enabled	2.4GHz Radio (Model 82046-4) Parts List
3945X	Gear, 15-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw	<b>8168</b> 8176	Beadlock rings, satin (2.2") (aluminum) (4)/ 2x10 CS (48) Center caps, wheel (chrome) (4)/ decal sheet (requires #8255A
3946X	Gear, 16-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw	1747R	extended thread stub axle)  Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4)
3947X	Gear, 17-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw	1747G	Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4)
3948X	Gear, 18-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw	1747T 1747P	Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (pink-anodized) (4)
3949X	Gear, 19-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw	1747A 8174	Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4) Tires and wheels, assembled (Method 105 1.9" black chrome
3950X	Gear, 20-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw	21-2	beadlock wheels, Canyon Trail 4.6x1.9" tires, foam inserts) (1 left, 1 right)
3951X	Gear, 21-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw	8172	Tires and wheels, assembled (Method 105 2.2" black chrome beadlock wheels, Canyon Trail 5.3x2.2" tires, foam inserts) (1
3952X	Gear, 22-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw	8166X	left, 1 right) (for use with TRX-4 Long Arm Lift Kit) Tires and wheels, assembled, glued (1.9" chrome wheels, Canyon Trail 4.6x1.9" tires) (4)/ center caps (4)/ decal sheet
6745	Gear, 9-T pinion (32-p) (steel) (fits 3mm shaft)/ set screw		(requires #8255A extended thread stub axle)
8279	Ring gear, differential/pinion gear, differential	8166	Tires and wheels, assembled, glued (1.9" chrome wheels,
<b>8052</b> 8053	Spur gear, 39-tooth (32-pitch) Spur gear, 45-tooth (32-pitch)		Canyon Trail 4.6x1.9" tires) (2)/ center caps (2)/ decal sheet (requires #8255A extended thread stub axle)
	Steering Components	8177	Tires and wheels, assembled, glued (1.9" chrome wheels, Canyon
8232	Caster blocks (portal drive), left & right/ kingpin bushings (4)		Trail 4.6x1.9" tires) (2)/ center caps (2)/ decal sheet (requires #8255A extended thread stub axle)
8232X	Caster blocks, 6061-T6 aluminum (blue-anodized), left and right	8183X	Tires and wheels, assembled, glued (1.9" classic chrome wheels,
8232A	Caster blocks, 6061-T6 aluminum (charcoal gray-anodized), left		Canyon Trail 4.6x1.9" tires) (4)/ center caps (4) (requires #8255A
8232G	and right Caster blocks, 6061-T6 aluminum (green-anodized), left and right	8182	extended thread stub axle) Tires and wheels, assembled, glued (Method 105 1.9" black
8232R	Caster blocks, 6061-T6 aluminum (red-anodized), left and right	0102	chrome, blue beadlock style wheels, Canyon Trail 4.6x1.9" tires,
2072X	Gear set, metal (for 2070, 2075 servos)	0070	foam inserts) (1 left, 1 right)
2072R 8274	Gear set, metal, high speed (for 2070, 2075 servos) Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated)	8273	Tires and wheels, assembled, glued (Tactical 1.9" wheels, Canyon Trail 4.6x1.9" tires) (2)
5355	Hollow ball, tall centered (2)/ tall offset hollow ball (2)/ bump steer	8272X	Tires and wheels, assembled, glued (TRX-4® 1.9" satin beadlock
0075	adjustment shims; 3.5mm (2), 1.17mm (2)	8272	wheels, Canyon Trail 4.6x1.9" tires) (2) Tires and wheels, assembled, glued (TRX-4® 1.9" wheels,
8275	Rod end set, complete (standard (10), angled 10-degrees (8), offset (4))	02/2	Canyon Trail 4.6x1.9" tires) (2)
8276	Rod ends (10)	8181	Tires and wheels, assembled, glued (TRX-4® Sport 2.2" wheels,
8277	Rod ends, angled 10-degrees (8)		Canyon Trail 5.3x2.2" tires) (2) (for use with TRX-4 Long Arm Lift Kit)
2742 8278	Rod ends, long (6)/ hollow ball connectors (6) Rod ends, offset (4)	8270	Tires, Canyon Trail 4.6x1.9" (S1 compound)/ foam inserts (2)
8247X	Servo horn, steering, metal/ 3x14 BCS (1)	8170	Tires, Canyon Trail 5.3x2.2"/ foam inserts (2) (for use with TRX-4
2075R	Servo, digital high-speed, metal gear (ball bearing), waterproof	8269	Long-Arm Lift Kit) Wheel hubs, 12mm hex (2)/ stub axle pins (2) (steel)
2075X 5529	Servo, digital high-torque, metal gear (ball bearing), waterproof Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls, captured (4)	8269X	Wheel hubs, 12mm hex, 6061-T6 aluminum (blue-anodized) (4)/ screw pin (4)
8246 8243	Steering link, 5x60mm (1)/ draglink, 5x117mm (1) (steel) Suspension link, front, 5x100mm (lower) (steel) (2)	8269A	Wheel hubs, 12mm hex, 6061-T6 aluminum (charcoal gray- anodized) (4)/ screw pin (4)
8244	Suspension link, front, 5x63mm (upper) (steel) (2)	8269G	Wheel hubs, 12mm hex, 6061-T6 aluminum (green-anodized) (4)/ screw pin (4)
8248 <b>8245</b>	Suspension link, rear, 5x109mm (upper or lower) (steel) (2) Suspension link, rear, 5x121mm (upper or lower) (steel) (2)	8269R	Wheel hubs, 12mm hex, 6061-T6 aluminum (red-anodized) (4)/
0245	Suspension Linkage	8175	screw pin (4) Wheels, 1.9", chrome (2)/ center caps (2)/ decal sheet (requires
8274	Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated)		#8255A extended thread stub axle)
5355	Hollow ball, tall centered (2)/ tall offset hollow ball (2)/ bump steer adjustment shims; 3.5mm (2), 1.17mm (2)	8173	Wheels, Method 105 1.9" (black chrome, beadlock) (beadlock rings sold separately)
8275	Rod end set, complete (standard (10), angled 10-degrees (8), offset (4))	8173A	Wheels, Method 105 1.9" (charcoal gray, beadlock) (beadlock rings sold separately)
8276	Rod ends (10)	8171	Wheels, Method 105 2.2" (black chrome, beadlock) (beadlock rings sold separately) (for use with TRX-4 Long Arm Lift Kit)
8277 2742	Rod ends, angled 10-degrees (8) Rod ends, long (6)/ hollow ball connectors (6)	8171A	Wheels, Method 105 2.2" (charcoal gray, beadlock) (beadlock
8278	Rod ends, offset (4)	0000	rings sold separately) (for use with TRX-4 Long Arm Lift Kit)
5529	Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls,	8268 8271	Wheels, Tactical 1.9 (2) Wheels, TRX-4® 1.9 (2)
8243	captured (4) Suspension link, front, 5x100mm (lower) (steel) (2)	8271X	Wheels, TRX-4® 1.9 (satin beadlock) (2)
8244	Suspension link, front, 5x63mm (upper) (steel) (2)		Transmission Components
8248	Suspension link, rear, 5x109mm (upper or lower) (steel) (2)	8283	Cable, T-lock (front)
8245	Suspension link, rear, 5x121mm (upper or lower) (steel) (2)	8284	Cable, T-lock (rear)
0544	Team Traxxas Items	8289 <b>8293X</b>	Drive hub, 2-speed/ shift dog/ shift fork/ 2-speed linkage Gear set, transmission, metal (includes 18T, 30T input gears, 36T
2514 6160X	Decal sheet, racing sponsors DVD, Maxx® Power! Full Throttle Action (sleeve)		output gear, 2x9.8 pins (5))
9950	Official Team Traxxas® racing decal set (flag logo/ 6-color)	8291	Gearbox housing (includes main housing, front housing, & cover)
9909	Traxxas® racing banner, red & black (3x7 feet)	8285 5041	Gears, transfer case (3) Grease, premium high performance (20cc)
	Tires & Wheels	8292	Input shaft/ output shaft (transmission)
8169T	Beadlock rings, black (1.9") (aluminum) (4)/ 2x10 CS (48)	8290X	Motor mount plate, 6061-T6 aluminum (blue-anodized)
8168T	Beadlock rings, black (2.2") (aluminum) (4)/ 2x10 CS (48)	8290A 8290G	Motor mount plate, 6061-T6 aluminum (charcoal gray-anodized)
8169X 8168X	Beadlock rings, blue (1.9") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, blue (2.2") (aluminum) (4)/ 2x10 CS (48)	8290G 8290R	Motor mount plate, 6061-T6 aluminum (green-anodized)  Motor mount plate, 6061-T6 aluminum (red-anodized)
8169G	Beadlock rings, blue (2.2.) (aluminum) (4)/ 2x10 CS (48)	8295	Output drive, transmission or differential (pin retainer (1)/ drive cup
8168G	Beadlock rings, green (2.2") (aluminum) (4)/ 2x10 CS (48)		(1)/ drive ball (1)/ drive pin (1)/ 3x11 screw pin (1)/ cross pin (black)
8169R 8168R	Beadlock rings, red (1.9") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, red (2.2") (aluminum) (4)/ 2x10 CS (48)	8294	(1) 3x6 BCS with threadlock (1)) Output gear, high range, 24T (metal)
8169	Beadlock rings, red (2.2.) (aluminum) (4)/ 2x10 CS (46)  Beadlock rings, satin (1.9") (aluminum) (4)/ 2x10 CS (48)	8286	Output shafts (transfer case), front & rear
	• , , , , , , , , , , , , , , , , , , ,		

## TRX-4® 1979 Ford® Bronco: TQi™ Traxxas Link™ Enabled 2.4GHz Radio (Model 82046-4) Parts List Page 7

Plate, motor/ upper spur gear cover **Slipper eliminator plate** 8249 8296 Transmission gears, single speed, metal

100V D. I	
	Traxxas Tool

8290

3415

driver handle

	Traxxas Tools
3433X	Body reamer (aluminum handle)
3433	Body reamer (plastic handle)
3436	Cap, body reamer
3432	Scissors, curved tip
3431	Scissors, straight tip
8712	Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive
8721	Speed bit handle, medium (one piece)
8720	Speed bit handle, premium, large (rubber overmold)
8722	Speed bit handle, premium, medium (rubber overmold)
8710	Speed Bit Master Set, hex and nut driver, 13-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm, 3.0mm), and nut drivers (4.00mm, 4.50mm, 5.00mm, 5.50mm, 7.00mm, 8.00mm),
8711	Speed Bit Master Set, hex driver, 7-piece straight and ball end, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm, 2.5mm, 3.0mm), 1/4" drive
8719	Speed Bit Master Set, nut driver, 6-piece, includes premium handle (medium), travel pouch, and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive
8716	Speed Bit Set, hex driver, 2-piece ball-end (2.0mm, 2.5mm), 1/4" drive
8716X	Speed Bit Set, hex driver, 3-piece ball-end (2.0mm, 2.5mm, 3.0mm), 1/4" drive
8715	Speed Bit Set, hex driver, 3-piece straight (1.5mm, 2.0mm, 2.5mm), 1/4" drive
8715X	Speed Bit Set, hex driver, 4-piece straight (1.5mm, 2.0mm, 2.5mm, 3.0mm), 1/4" drive
2748R	Tool set (includes 1.5mm hex wrench / 2.0mm hex wrench / 2.5mm hex wrench/ 4-way wrench/ 8mm & 4mm wrench/ U-joint wrench)
A 4 4 E	T I

## TRX-4® Traxx®

Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm, 3.5mm, 4mm drivers/ 4mm, 5mm, 5.5mm, 7mm and 8mm nut drivers/ 2mm, 4mm, and 5mm slotted screwdrivers/ #00 Phillips, #0 Phillips, and #1 Phillips screwdrivers/ 4mm and 8mm wrench/

8889	Bearing retainers, inner (2), outer (2)
8890	Drive wheel (1)
8885	Shock mounts (frame, left (2), frame, right (2))/ portal mounts (1 each, front (left & right), rear (left & right))
8888	Spring (4)
8887	Stub axle (1)
8886	Stub axle nut (4)
8891	Tension wheels (6)/ road wheels (4)
8881	Traxx®, front, left (assembled) (requires #8887 stub axle, #7061 GTR shock, & #8878 or #8895 rubber track)
8882	Traxx®, front, right (assembled) (requires #8887 stub axle, #7061 GTR shock, & #8878 or #8895 rubber track)
8883	Traxx®, rear, left (assembled) (requires #8887 stub axle, #7061 GTR shock, & #8879 or #8896 rubber track)
8884	Traxx®, rear, right (assembled) (requires #8887 stub axle, #7061 GTR shock, & #8879 or #8896 rubber track)
8880	Traxx®, TRX-4® (4) (complete set, front & rear)
8895	Treads, All-Terrain, TRX-4® Traxx® (front, left or right) (rubber) (1)
8896	Treads, All-Terrain, TRX-4® Traxx® (rear, left or right) (rubber) (1)

If you have questions or need technical assistance, call Traxxas at:

## 1-888-TRAXXAS

(1-888-872-9927) (U.S. residents only)

For orders, calls outside the U.S., and other information, call 972-549-3000, or fax to 972-549-3011 e-mail Traxxas at support@Traxxas.com

TRAXXAS.COM