



Stampede® VXL (Model 36076-74) Parts List

Parts shown in bold are optional accessories. Part categories and individual part listings are arranged alphabetically.

Bearings & Bushings

- 5116 Ball bearings, blue rubber sealed (5x11x4mm) (2)
- 1985 PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings)

Body & Accessories

- 1926 Antenna caps, vinyl (2)/ antenna spool
- 1726 Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
- 1834 Body Clips (12) (standard size)
- 3934 Body clips, heavy duty (12)
- 1914R **Body mount, front & rear (black)/ body posts, 52mm (2), 38mm (2), 25mm (2), 6.5mm (2)/ body post extensions (4)/ hardware**
- 3614 Body mounts (front & rear)
- 3619 **Body mounts, front & rear/ body mount posts, front & rear (adjustable)/ 2.5x18mm screw pins (4)**
- 1815 Body washers (8)
- 6716 **Body Washers, Foam, 2mm/3mm/4mm**
- 3651X **Body, Stampede® (also fits Stampede® VXL), blue (painted, decals applied)**
- 3651G **Body, Stampede® (also fits Stampede® VXL), green (painted, decals applied)**
- 3651T **Body, Stampede® (also fits Stampede® VXL), orange (painted, decals applied)**
- 3651P **Body, Stampede® (also fits Stampede® VXL), purple (painted, decals applied)**
- 3651 **Body, Stampede® (also fits Stampede® VXL), red (painted, decals applied)**
- 3617 **Body, Stampede® (clear, requires painting) (requires #3614 to mount)/window, lights, grill decal sheet**
- 3620G **Body, Stampede® VXL, green & blue (painted, decals applied)**
- 3620T **Body, Stampede® VXL, orange & blue (painted, decals applied)**
- 2514 Decal sheet, racing sponsors
- 3613R Decal sheets, Stampede® VXL
- 9950 **Official Team Traxxas® racing decal set(flag logo/ 6-color)**

Chassis & Attachments

- 9463X **Axle, wheelie bar, 6061-T6 aluminum (blue-anodized) (1)/ 3x12 BCS (with threadlock) (2)**
- 9463 **Axle, wheelie bar, 6061-T6 aluminum (gray-anodized) (1)/ 3x12 BCS (with threadlock) (2)**
- 9463G **Axle, wheelie bar, 6061-T6 aluminum (green-anodized) (1)/ 3x12 BCS (with threadlock) (2)**
- 9463A **Axle, wheelie bar, 6061-T6 aluminum (orange-anodized) (1)/ 3x12 BCS (with threadlock) (2)**
- 9463P **Axle, wheelie bar, 6061-T6 aluminum (pink-anodized) (1)/ 3x12 BCS (with threadlock) (2)**
- 9463R **Axle, wheelie bar, 6061-T6 aluminum (red-anodized) (1)/ 3x12 BCS (with threadlock) (2)**
- 3725X **Battery expansion kit (allows for installation of taller multi-cell battery packs) (Rustler®, Bandit, Stampede®)**
- 3627X Battery hold-down (grey) (1) / receiver hold-down (grey) (1) / metal posts (2)/ spacers (2)/ body clips (2)/ servo tape/ adhesive foam pad
- 3650 **Body, Stampede®, orange (painted, decals applied)**
- 3628 Box, receiver (sealed)/ foam pad/2.5x8mm CS (4)/ 3x10mm CS (2)
- 2735 Bumper (front)
- 2735P **Bumper (front) (pink)**
- 3735 **Bumper, front/ 4x12 CCS (2) (fits 2WD Rustler® or Bandit®) (for LED light kit installation)**
- 3635 **Bumper, front/ bumper mount/ 4x12 CCS (2)/ 4x22 BCS (2)/ 3x12 BCS (2) (fits 2WD Stampede®) (for LED light kit installation)**
- 3622X **Main chassis (black) (164mm long battery compartment) (fits both flat and hump style battery packs) (use only with #3626R ESC mounting plate)**
- 3622R **Main chassis (grey) (164mm long battery compartment) (fits both flat and hump style battery packs) (use only with #3626R ESC mounting plate)**
- 3626R **Mounting plate, electronic speed control/receiver box (for installation of XL-5/VXL and waterproof receiver box into Stampede®)**
- 3629 Seal kit, receiver box (includes o-ring, seals, and silicone grease)
- 9462X **Side plates, wheelie bar, blue (aluminum) (2)**
- 9462 **Side plates, wheelie bar, charcoal gray (aluminum) (2)**
- 9462G **Side plates, wheelie bar, green (aluminum) (2)**
- 9462A **Side plates, wheelie bar, orange (aluminum) (2)**
- 9462P **Side plates, wheelie bar, pink (aluminum) (2)**
- 9462R **Side plates, wheelie bar, red (aluminum) (2)**
- 3623 Skid plates, front & rear (black)
- 3623X **Skid plates, front & rear (blue)**
- 3623A **Skid plates, front & rear (green)**
- 3623P **Skid plates, front & rear (pink)**

- 5185 Tires, rubber (2) (fits Traxxas® wheelie bar wheels)
- 9464 **Wheelie bar mount (heavy duty)**
- 3650 **Wheelie bar mount w/ LED housings (for use with #9495 Magnum 272R™ transmission) (requires light kit #3794 (2WD Rustler or Bandit) or #3694 (2WD Stampede), or #3795 light harness and #2263 BEC Y-harness (2WD Rustler, Bandit, or Stampede)**
- 2477 **Wheelie bar mount/ 3x40 BCS (1)/ 3x30 BCS (1)/ 3x12 BCS (1) (for LED light kit installation)**
- 3678 **Wheelie bar, assembled (black) (fits Slash®, Stampede®, Rustler®, Bandit® series)**
- 3678X **Wheelie bar, assembled (blue) (fits Stampede®, Rustler®, Bandit series)**
- 3678A **Wheelie bar, assembled (green) (fits Slash®, Stampede®, Rustler®, Bandit® series)**
- 3678T **Wheelie bar, assembled (orange) (fits Slash®, Stampede®, Rustler®, Bandit® series)**
- 3678P **Wheelie bar, assembled (pink) (fits Slash, Stampede®, Rustler®, Bandit series)**
- 3678R **Wheelie bar, assembled (red) (fits Slash®, Stampede®, Rustler®, Bandit® series)**
- 9460 **Wheelie bar, black (assembled)/ wheelie bar mount**
- 9460X **Wheelie bar, black chrome (assembled)/ wheelie bar mount**
- 9465 **Wheelie bar, side plates, (plastic) (2)**
- 4976 **Wheels (4)/ axles (2) (for T-Maxx®/E-Maxx wheelie bar)**
- 4976 **Wheels (4)/ Axles (2), for Maxx® Wheelie Bar**
- 5186A **Wheels, aluminum (blue-anodized) (2)/ 5x8mm ball bearings (4)/ axles (2)/ rubber tires (2)**
- 5186 **Wheels, aluminum (red-anodized) (2)/ 5x8mm ball bearings (4)/ axles (2)/ rubber tires (2)**
- 9461X **Wheels, wheelie bar, 6061-T6 aluminum (blue-anodized) (2)/ 5x8x2.5mm ball bearings (4)/ o-rings (2)/ 5x8x0.3mm TW (2)**
- 9461T **Wheels, wheelie bar, 6061-T6 aluminum (gray-anodized) (2)/ 5x8x2.5mm ball bearings (4)/ o-rings (2)/ 5x8x0.3mm TW (2)**
- 9461G **Wheels, wheelie bar, 6061-T6 aluminum (green-anodized) (2)/ 5x8x2.5mm ball bearings (4)/ o-rings (2)/ 5x8x0.3mm TW (2)**
- 9461A **Wheels, wheelie bar, 6061-T6 aluminum (orange-anodized) (2)/ 5x8x2.5mm ball bearings (4)/ o-rings (2)/ 5x8x0.3mm TW (2)**
- 9461P **Wheels, wheelie bar, 6061-T6 aluminum (pink-anodized) (2)/ 5x8x2.5mm ball bearings (4)/ o-rings (2)/ 5x8x0.3mm TW (2)**
- 9461R **Wheels, wheelie bar, 6061-T6 aluminum (red-anodized) (2)/ 5x8x2.5mm ball bearings (4)/ o-rings (2)/ 5x8x0.3mm TW (2)**
- 9461 **Wheels, wheelie bar, black (26mm (2), 18mm (2))**
- 9461X **Wheels, wheelie bar, blue (2)**
- 9461G **Wheels, wheelie bar, green (2)**
- 9461A **Wheels, wheelie bar, orange (2)**
- 9461P **Wheels, wheelie bar, pink (2)**
- 9461R **Wheels, wheelie bar, red (2)**

Differential Components

- 9480A **Differential assembly (complete) (fits Pro Series Magnum 272R™ Transmission)**
- 9482 **Differential gasket/ x-rings (2)**
- 9481 **Differential with steel ring gear/ side cover plate/ gasket/ x-rings (2)/ 2.5x10mm BCS (4)**
- 2380 **Differential, complete (fits 1/10-scale 2WD Rustler®, Bandit, Stampede®, Slash®)**
- 9492 **Idler gear, 30-tooth/ idler gear shaft (steel)**
- 2381X **Main diff with steel ring gear/ side cover plate/ screws (Bandit, Stampede®, Rustler®)**
- 9483 **Output gears, differential (2)**
- 2382 **Planet gears (4)/ planet shafts (4)/ sun gears (2)/sun gear alignment shaft (1) all hardened steel**
- 2388X **Planetary gear differential with steel ring gear (complete) (fits Bandit, Stampede®, Rustler®)**
- 5169 **Screws, 2.6x8mm countersunk machine (6) (EZ Start 2 motor)**
- 1647 **Silicone Grease**

Driveline Components

- 6828A **Differential output yoke assembly, extreme heavy duty (2) (left or right, front or rear) (assembled with external-splined half shaft)/ screw pin (2)**
- 4628R **Differential output yokes, black (2)/ 3x5mm countersunk screws (2)/ screw pin (2)**
- 4628X **Differential output yokes, hardened steel (w/ U-joints) (2)**
- 6828X **Differential output yokes, heavy duty (2)/ screw pin (2)**
- 1951R **Driveshafts, rear, steel-spline constant-velocity (complete assembly) (2) (fits 2WD Rustler®/Stampede®)**
- 1953 **Half shaft pro-pack (internal-splined (6)/ external-splined (6) (plastic shafts only)**

- 6752 Half shaft, external splined (steel-spline constant velocity) (1) (fits 2WD Rustler®/Stampede®)
- 6751 Half shaft, internal splined (steel-spline constant velocity) (1)
- 6850X Half shafts, heavy duty (external splined (2)/ internal splined (2))/ metal u-joints (4)
- 1951 Half shafts, long truck (external-splined (2) & internal-splined (2))/ metal U-joints (4)
- 6757 Rebuild kit, steel-splined constant-velocity driveshafts (includes pins, dustboots, lube, and hardware)
- 3752 Stub axle carriers (2) (requires 5x11x4mm bearings)
- 3652A Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (blue-anodized)/ 5x11mm ball bearings (4)
- 3652G Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (green-anodized)/ 5x11mm ball bearings (4)
- 3652T Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (orange-anodized)/ 5x11mm ball bearings (4)
- 3652P Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (pink-anodized)/ 5x11mm ball bearings (4)
- 3652X Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (red-anodized)/ 5x11mm ball bearings (4)
- 2754 Stub axle pins (4)
- 6753 Stub axle, rear, steel-splined constant velocity (1)
- 2753X Stub axles, rear (2)
- 6853X Stub axles, rear, heavy duty (2)/pins (2)

Front Suspension & Steering

- 3637 Axles (front) (2)
- 5116 Ball bearings, blue rubber sealed (5x11x4mm) (2)
- 2530 Bulkhead (front) (black)
- 2530A Bulkhead (front) (grey)
- 3632 Caster blocks (l&r) (30-degree)
- 3632A Caster blocks, 30-degree, blue-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2)
- 3632G Caster blocks, 30-degree, green-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2)
- 3632T Caster blocks, 30-degree, orange-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2)
- 3632P Caster blocks, 30-degree, pink-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2)
- 3632X Caster blocks, 30-degree, red-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2)
- 3646 Screws, 3x15mm flat-head machine (hex drive) (6)
- 1844 Servo saver
- 3639 Shock tower (front)
- 3736 Steering blocks, left & right (2) (requires 5x11x4mm bearings)
- 3636A Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (blue-anodized)/ 5x11mm ball bearings (4)
- 3636G Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (green-anodized)/ 5x11mm ball bearings (4)
- 3636T Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (orange-anodized)/ 5x11mm ball bearings (4)
- 3636P Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (pink-anodized)/ 5x11mm ball bearings (4)
- 3636X Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (red-anodized)/ 5x11mm ball bearings (4)
- 3631 Suspension arms (front) (2)
- 3631X Suspension arms, black, front, heavy duty (2)
- 3631A Suspension arms, blue, front, heavy duty (2)
- 3631G Suspension arms, green, front, heavy duty (2)
- 3631T Suspension arms, orange, front, heavy duty (2)
- 3631R Suspension arms, red, front, heavy duty (2)
- 2640 Suspension pins, 44mm (2) w/ E-clips
- 3640 Suspension screw pin set, steel (hex drive) (requires part # 2640 for a complete suspension pin set) (Rustler®, Stampede®, Bandit)
- 2532 Tie bar, fiberglass
- 3741A Turnbuckles, aluminum (blue-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench
- 3741G Turnbuckles, aluminum (green-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench
- 3741T Turnbuckles, aluminum (orange-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench
- 3741P Turnbuckles, aluminum (pink-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench
- 3741X Turnbuckles, aluminum (red-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/ rod ends & hollow balls)/wrench
- 3644 Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right)
- 3645 Turnbuckles, toe link, 61mm (96mm center to center) (2) (assembled with rod ends and hollow balls) (fits Stampede®)

Hardware

- 1552 3x8mm Hex Cap Screws (6)/ Washers (6)/ Wrench (1)
- 1926 Antenna caps, vinyl (2)/ antenna spool
- 1726 Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
- 1834 Body Clips (12) (standard size)
- 3934 Body clips, heavy duty (12)
- 4859 CS 3x10 flathead (hex drive)
- 1633 E-clips/ C-rings
- 2745 Nuts, 3mm nylon locking (12)
- 1747P Nuts, 4mm flanged nylon locking (aluminum, pink anodized) (4)
- 3647 Nuts, 4mm flanged nylon locking (steel, serrated) (8)
- 1747 Nuts, 4mm nylon locking (10)
- 1747R Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4)
- 1747G Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4)
- 1747T Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4)
- 1747A Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4)
- 1985 PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings)
- 5525 Rod ends (12)/ hollow balls (12)
- 5347 Rod ends, Revo® (large) with hollow balls (12)
- 2742X Rod ends, short (6)/ hollow balls (6)
- 3236 Screws, 2.5x12mm cap-head machine (6)
- 3347 Screws, 2.5x5mm button-head machine (hex drive) (6)
- 2577 Screws, 3x10mm button-head machine (hex drive) (6)
- 2578 Screws, 3x12mm button-head machine (hex drive) (6)
- 2552 Screws, 3x12mm countersunk machine (6) (hex drive)
- 2579 Screws, 3x15mm button-head machine (hex drive) (6)
- 2586 Screws, 3x15mm cap-head machine (hex drive) (6)
- 3646 Screws, 3x15mm flat-head machine (hex drive) (6)
- 2580 Screws, 3x20mm button-head machine (hex drive) (6)
- 2591 Screws, 3x23mm button-head machine (hex drive) (6)
- 2582 Screws, 3x30mm button-head machine (hex drive) (6)
- 2592 Screws, 3x40mm button-head machine (hex drive) (6)
- 2575 Screws, 3x6mm button-head machine (hex drive) (6)
- 2554 Screws, 3x6mm caphead machine (hex drive) (6)
- 3932 Screws, 3x6mm flat-head machine (hex drive) (6)
- 3931 Screws, 3x8mm flat-head machine (hex drive) (6)
- 3937 Screws, 4x12mm button-head machine (hex drive) (6)
- 2542 Screws, 4x12mm countersunk machine (hex drive) (6)
- 2743 Set (grub) screws, 3mm hardened (12)
- 5529 Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls, captured (4)
- 3642X Shoulder screws, Ultra Shocks (3x12 hex drive) (6)
- 2754 Stub axle pins (4)
- 2746 Washers, 3x6mm metal (12)

LED Lights

- 3690 Gear set, transmission (includes idler gear (1), diff gear (1), top gear(1)) (Bandit, Rustler®, Stampede®)
- 3690 LED light bar, front (assembled)/ 3x8 BCS (2)/ 2.5x8 BCS (2) (requires front bumper #5835X for 2WD Slash®, #3635 for 2WD Stampede®, #3630 for 2WD Bigfoot® No. 1, #6835X for 4WD Slash®, or #6735 for 4WD Stampede®)
- 3795 LED light harness, rear (requires #2477 wheelie bar mount)
- 2263 Y-harness, BEC to LED light set

Motors & Electronics

- 1552 3x8mm Hex Cap Screws (6)/ Washers (6)/ Wrench (1)
- 2260 BEC assembly (complete) (12.6 volts (3s LiPo) maximum input voltage)
- 3342 Bullet connectors, male, 3.5mm (3) / heat shrink
- 3340 Cooling fan, Velineon® VXL-3s ESC
- 3790 Gear adapter, fixed
- 2072A Gear set (for 2070, 2075 servos)
- 3354R Motor cover, endbell (Velineon® 3500)
- 3351R Motor, Velineon® 3500, brushless (assembled with 12-gauge wire and gold-plated bullet connectors)
- 3626R Mounting plate, electronic speed control/receiver box (for installation of XL-5/VXL and waterproof receiver box into Stampede®)
- 3352R Rebuild kit, Velineon® 3500 (includes plastic endbell, 5x11x4mm ball bearings (2), 2.5x5mm BCS (with threadlock) (4), rear bushing)
- 3347 Screws, 2.5x5mm button-head machine (hex drive) (6)
- 3931 Screws, 3x8mm flat-head machine (hex drive) (6)
- 2074 Servo case/gaskets (for 2056 and 2075 waterproof servos)
- 2075R Servo, digital high-speed, metal gear (ball bearing), waterproof
- 2075 Servo, digital high-torque (ball bearing), waterproof
- 2075X Servo, digital high-torque, metal gear (ball bearing), waterproof
- 3350R Velineon® VXL-3s Brushless Power System, waterproof (includes VXL-3s waterproof ESC , Velineon® 3500 motor, and speed control mounting plate (part #3725))
- 3355R VXL-3s Waterproof Electronic Speed Control (brushless) (fwd/rev/brake)
- 3343 Wire, 12-gauge, silicone (Maxx® Cable) (650mm or 26 inches) (Black)

Radio System, Batteries & Chargers

2849X	4000mah 11.1v 3-Cell 25C LiPo Battery
2872X	5000mah 11.1v 3-Cell 25C LiPo Battery
2842X	5000mah 7.4v 2-Cell 25C LiPo Battery
2843X	5800mah 7.4v 2-Cell 25C LiPo Battery
2857X	6400mah 11.1v 3-Cell 25C LiPo Battery
2869X	7600mah 7.4v 2-Cell 25C LiPo Battery
2914	Battery, Power Cell AA Alkaline (4)
2976	AC to DC adapter
2938X	Adapter, Traxxas® iD® LiPo battery (adapts Traxxas® iD® batteries to separate balance ports)
1726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
2943	Battery charge indicators, green (4), grey (4), blue (4)
6548	Battery door, TQ 2.4 transmitter (replacement for #6516, 6517 transmitter)
2922X	Battery, Power Cell, 3000mAh (NiMH, 6-C flat, 7.2V)
2923X	Battery, Power Cell, 3000mAh (NiMH, 7-C flat, 8.4V)
2926X	Battery, Power Cell, 3000mAh (NiMH, 7-C hump, 8.4V)
2942X	Battery, Series 3 Power Cell, 3300mAh (NiMH, 6-C flat, 7.2V)
2940X	Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C flat, 8.4V)
2941X	Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C hump, 8.4V)
2952X	Battery, Series 4 Power Cell, 4200mAh (NiMH, 6-C flat, 7.2V)
2950X	Battery, Series 4 Power Cell, 4200mAh (NiMH, 7-C flat, 8.4V)
2951X	Battery, Series 4 Power Cell, 4200mAh (NiMH, 7-C hump, 8.4V)
2960X	Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C flat, 8.4V)
2961X	Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C hump, 8.4V)
2963X	Battery, Series 5 Power Cell, 5000mAh (NiMH, 8-C hump, 9.6V)
2983	Battery/charger completer pack (includes #2969 2-amp NiMH peak detecting AC charger (1), #2923X 3000mAh 8.4V 7-cell NiMH iD® battery (1))
2984	Battery/charger completer pack (includes #2969 2-amp NiMH peak detecting AC charger (1), #2926X 3000mAh 8.4V 7-cell NiMH iD® battery (1))
2992	Battery/charger completer pack (includes #2970 iD® charger (1), #2843X 5800mAh 7.4V 2-cell 25C LiPo iD® battery (1))
2994	Battery/charger completer pack (includes #2970 iD® charger (1), #2849X 4000mAh 11.1v 3-Cell 25C LiPo iD® battery (1))
2260	BEC assembly (complete) (12.6 volts (3s LiPo) maximum input voltage)
2975	Charger, D/C, 4 amp (6 - 7 cell, 7.2 - 8.4 volt, NiMH)
2972	Charger, EZ-Peak Dual, 100W, NiMH/LiPo with iD Auto Battery Identification
2973	Charger, EZ-Peak Live Dual, 200W, NiMH/LiPo with iD Auto Battery Identification
2970	Charger, EZ-Peak Plus, 4 amp, NiMH/LiPo with iD Auto Battery Identification
2971	Charger, EZ-Peak® Live, 100W, NiMH/LiPo with iD® Auto Battery Identification
2981	Charger, EZ-Peak® Plus 4s, 8 amp, NiMH/LiPo with iD® Auto Battery Identification
6525	Communication link, telemetry expander
6512	Cover plate, Traxxas® Link Bluetooth® module
2978	Fuse, D/C charger, 5A (2) (for #2974, 2975, 2977)
2072A	Gear set (for 2070, 2075 servos)
2968X	LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® iD® batteries)
2968	LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries)
6557X	Mount, telemetry expander (fits Stampede® 2WD)
6535	Mount, temperature sensor (electric motors)/ wire tie/ thermal pad
6533	Receiver, micro, TQi 2.4GHz with telemetry & TSM® (5-channel)
6552	Seal kit, expander box (includes o-ring, seals, and silicone grease)
6526	Sensor, auto-detectable, temperature
6527	Sensor, auto-detectable, voltage
6522	Sensor, RPM (short)/ 3x4mm BCS (1)/ 3x4 GS (1)
6521	Sensor, temperature and voltage (long)
2074	Servo case/gaskets (for 2056 and 2075 waterproof servos)
2075R	Servo, digital high-speed, metal gear (ball bearing), waterproof
2075	Servo, digital high-torque (ball bearing), waterproof
2075X	Servo, digital high-torque, metal gear (ball bearing), waterproof
6553X	Telemetry Expander 2.0 and GPS module 2.0, TQi radio system
6550X	Telemetry expander 2.0, TQi radio system (for use only with #6551X GPS module)
6551X	Telemetry GPS module 2.0, TQi radio system (for use only with #6550X telemetry expander)
6538	Telemetry trigger magnet holders, spur gear/ magnet, 5x2mm (1)/ 3x8mm CCS (3)/ 3x10mm CCS (3)
6540	Telemetry trigger magnet, 5X2mm (1)
6509R	TQi 2.4 GHz High Output radio system, 2-channel, Traxxas® Link enabled, TSM® (2-ch transmitter, 5-ch micro receiver)

6507R	TQi 2.4 GHz High Output radio system, 4-channel with Traxxas® Link Bluetooth® module, TSM® (4-ch transmitter, 5-ch micro receiver)
6528	Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 2-channel (transmitter only)
6529	Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 3-channel (transmitter only)
6530	Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 4-channel (transmitter only)
6511	Traxxas® Link Bluetooth® module
3355R	VXL-3s Waterproof Electronic Speed Control (brushless) (fwd/rev/brake)
6537	Wire retainers, gear cover/ 3x4mm BCS (2)

Ready-To-Race Model

36076-74	Stampede® VXL: 1/10 Scale Monster Truck with TQi™ Traxxas Link™ Enabled 2.4GHz Radio System & Traxxas Stability Management (TSM®)
----------	---

Rear Suspension

5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)
3638	Shock tower (rear)
3752	Stub axle carriers (2) (requires 5x11x4mm bearings)
3652A	Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (blue-anodized)/ 5x11mm ball bearings (4)
3652G	Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (green-anodized)/ 5x11mm ball bearings (4)
3652T	Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (orange-anodized)/ 5x11mm ball bearings (4)
3652P	Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (pink-anodized)/ 5x11mm ball bearings (4)
3652X	Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (red-anodized)/ 5x11mm ball bearings (4)
2753X	Stub axles, rear (2)
3655P	Suspension arms, blue, front/rear (left & right), heavy duty (2)
3655R	Suspension arms, front/rear (left & right), heavy duty (2)
3655G	Suspension arms, green, front/rear (left & right), heavy duty (2)
3655X	Suspension arms, left & right
3655T	Suspension arms, orange, front/rear (left & right), heavy duty (2)
3655L	Suspension arms, red, front/rear (left & right), heavy duty (2)
3640	Suspension screw pin set, steel (hex drive) (requires part # 2640 for a complete suspension pin set) (Rustler®, Stampede®, Bandit)

Shock Oil

5031	Oil, shock (20 wt, 200 cSt, 60cc) (silicone)
5032	Oil, shock (30 wt, 350 cSt, 60cc) (silicone)
5033	Oil, shock (40 wt, 500 cSt, 60cc) (silicone)
5034	Oil, shock (50 wt, 600 cSt, 60cc) (silicone)
5035	Oil, shock (60 wt, 700 cSt, 60cc) (silicone)
5036	Oil, shock (70 wt, 900 cSt, 60cc) (silicone)
5037	Oil, shock (80 wt, 1,000 cSt, 60cc) (silicone)
5029	Shock oil bottle (60cc) (for mixing shock oil)
5038X	Shock oil set (includes 20 wt, 30 wt, 40 wt, 50 wt, 60 wt, 70 wt, & 80 wt premium shock oils with spinning carousel rack)
5038	Spinning carousel rack

Shocks (Pro-level Aluminum)

2664	Big Bore shock cylinder (long) (1)
5862	Big Bore shocks (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts and springs) (front & rear) (4)
2660	Big-bore shocks (long) (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts) w/o springs (rear) (2)
2662	Big-bore shocks (xx-long) (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts) w/o springs (rear) (2)
2669	Piston head set (2-hole (2)/ 3-hole (2))/ shock mounting bushings & washers (2) (Big Bore Shocks)
1942	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)
2742X	Rod ends, short (6)/ hollow balls (6)
2667	Shock caps, aluminum (2) (Big Bore Shocks)
2362	Shock rebuild kit (for 2 shocks)
1664T	Shock shafts, hardened steel, titanium nitride coated (long) (2)
2656T	Shock shafts, hardened steel, titanium nitride coated (xx-long) (2)
1664	Shock shafts, steel, chrome finish (long) (2)
2656	Shock shafts, steel, chrome finish (xx-long) (2)
1765	Silicone diaphragms (4)
2668	Spring retainers, upper & lower (2)/ spring pre-load spacers: 1mm (4)/ 1.5mm (2)/ 2mm (2)/ 4mm (2)/ 8mm (2) (Big Bore Shocks)
5860	Springs, front (white) (progressive rate) (2) (for Slash big bore shocks)
5859	Springs, rear (white) (progressive rate) (2) (for Slash big bore shocks)

Shocks (Ultra Shocks)

3642	Attachment screws, shock (3x12mm shoulder screws) (6)
3765A	Body, Ultra Shock (long) (grey) (2)
3766A	Body, Ultra Shock (XXL) (grey) (2)
1942	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)
2742X	Rod ends, short (6)/ hollow balls (6)
3767	Shock caps (2)/ shock bottoms (2)
8361	Shock caps (black) (4) (assembled with hollow balls)
3767A	Shock caps, aluminum (blue-anodized) (4) (fits all Ultra Shocks)
3767G	Shock caps, aluminum (green-anodized) (4) (fits all Ultra Shocks)
3767T	Shock caps, aluminum (orange-anodized) (4) (fits all Ultra Shocks)
3767P	Shock caps, aluminum (pink-anodized) (4) (fits all Ultra Shocks)
3767X	Shock caps, aluminum (red-anodized) (4) (fits all Ultra Shocks)
2362	Shock rebuild kit (for 2 shocks)
1664T	Shock shafts, hardened steel, titanium nitride coated (long) (2)
2656T	Shock shafts, hardened steel, titanium nitride coated (xx-long) (2)
1664	Shock shafts, steel, chrome finish (long) (2)
2656	Shock shafts, steel, chrome finish (xx-long) (2)
1765	Silicone diaphragms (4)
3769	Spring pre-load spacers: 1mm (4)/ 2mm (2)/ 4mm (2)/ 8mm (2)
3768	Spring retainers, upper & lower (2)/ piston head set (2-hole (2)/ 3-hole (2))
3758	Springs (front) (2)
3758T	Springs, blue (front) (2)
3757T	Springs, blue (rear) (2)
3758A	Springs, green (front) (2)
3757A	Springs, green (rear) (2)
3758P	Springs, pink (front) (2)
3757P	Springs, pink (rear) (2)
3757	Springs, rear (black) (2)
3757R	Springs, rear (red) (2.9 rate) (2)
4957	Springs, red (for Ultra Shocks only) (2.5 rate) (f/r) (2)
3758X	Springs, white (front) (2)
3757X	Springs, white (rear) (2)
3760	Ultra Shocks (black) (long) (complete w/ spring pre-load spacers & springs) (front) (2)
3762	Ultra Shocks (black) (xx-long) (complete w/ spring pre-load spacers & springs) (rear) (2)
3760A	Ultra Shocks (grey) (long) (complete w/ spring pre-load spacers & springs) (2)
3762A	Ultra Shocks (grey) (xx-long) (complete w/ spring pre-load spacers & springs) (rear) (2)

Slipper Clutch Components

9494	Input gear, 22-tooth/ input shaft (transmission) (heavy duty) (fits Bandit®, Rustler®, Stampede®, Slash® 2WD)
3793	Input shaft (slipper shaft) / spring pin
5552X	Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/ 4.0mm NL (1)/ 5.0mm NL (1))
2554	Screws, 3x6mm caphead machine (hex drive) (6)
5556	Slipper pressure plate & hub (aluminum alloy)

Spur Gears & Pinion Gears

9491	Gear adapter set, fixed (48-pitch)
2416	Gear, 16-T pinion (48-pitch) / set screw
1918	Gear, 18-T pinion (48-pitch) / set screw
2419	Gear, 19-T pinion (48-pitch) / set screw
2422	Gear, 22-T pinion (48-p) (fits 3mm shaft)/ set screw
2423	Gear, 23-T pinion (48-pitch) (fits 3mm shaft)/ set screw
2426	Gear, 26-T pinion (48-pitch) (fits 3mm shaft)/ set screw
4728	Gear, 28-T pinion (48-pitch) (fits 3mm shaft)/ set screw
2429	Gear, 29-T pinion (48-pitch) (fits 3mm shaft)/ set screw
2431	Gear, 31-T pinion (48-pitch) (fits 3mm shaft)/ set screw
4725	Gear, pinion (25-tooth) (48-pitch) / set screw
4676	Spur gear, 76-tooth (48-pitch) (for models with Torque Control slipper clutch)
4683	Spur gear, 83-tooth (48-pitch) (for models with Torque Control slipper clutch)
4686	Spur gear, 86-tooth (48-pitch) (for models with Torque-Control slipper clutch)
4690	Spur gear, 90-tooth (48-pitch) (for models with Torque-Control slipper clutch)

Steering Components

5347	Rod ends, Revo® (large) with hollow balls (12)
1844	Servo saver
2336A	Turnbuckles, aluminum (blue-anodized), toe links, 61mm (2) (assembled w/ rod ends & hollow balls) (fits Stampede®) (requires 5mm aluminum wrench #5477)

2336X	Turnbuckles, aluminum (red-anodized), toe links, 61mm (2)(assembled with rod ends & hollow balls) (fits Stampede®) (requires 5mm aluminum wrench #5477)
3645	Turnbuckles, toe link, 61mm (96mm center to center) (2) (assembled with rod ends and hollow balls) (fits Stampede®)

Suspension Linkage

5525	Rod ends (12)/ hollow balls (12)
5347	Rod ends, Revo® (large) with hollow balls (12)
1844	Servo saver
2640	Suspension pins, 44mm (2) w/ E-clips
3640	Suspension screw pin set, steel (hex drive) (requires part # 2640 for a complete suspension pin set) (Rustler®, Stampede®, Bandit)
3737A	Turnbuckle, aluminum (blue-anodized), camber link, front, 39mm (1)(assembled w/rod ends)/hollow balls (2)(See part 3741A for complete camber link set)
3738A	Turnbuckle, aluminum (blue-anodized), camber link, rear, 49mm (1) (assembled with rod ends & hollow balls) (See part 3741X for complete camber link set)
3737	Turnbuckle, aluminum (red-anodized), camber link, front, 39mm (1) (assembled w/rod ends)/hollow balls (2)(See part 3741X for complete camber link set)
3738	Turnbuckle, aluminum (red-anodized), camber link, rear, 49mm (1) (assembled with rod ends & hollow balls) (See part 3741X for complete camber link set)
3741A	Turnbuckles, aluminum (blue-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench
2336A	Turnbuckles, aluminum (blue-anodized), toe links, 61mm (2) (assembled w/ rod ends & hollow balls) (fits Stampede®) (requires 5mm aluminum wrench #5477)
3741G	Turnbuckles, aluminum (green-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench
3741T	Turnbuckles, aluminum (orange-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench
3741P	Turnbuckles, aluminum (pink-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench
3741X	Turnbuckles, aluminum (red-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/ rod ends & hollow balls)/wrench
2336X	Turnbuckles, aluminum (red-anodized), toe links, 61mm (2)(assembled with rod ends & hollow balls) (fits Stampede®) (requires 5mm aluminum wrench #5477)
3644	Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right)
3643	Turnbuckles, camber link, 49mm (82mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right)
3645	Turnbuckles, toe link, 61mm (96mm center to center) (2) (assembled with rod ends and hollow balls) (fits Stampede®)

Team Traxxas Items

2514	Decal sheet, racing sponsors
6160X	DVD, Maxx® Power! Full Throttle Action (sleeve)
9950	Official Team Traxxas® racing decal set(flag logo/ 6-color)
9909	Traxxas® racing banner, red & black (3x7 feet)

Tires & Wheels

5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)
5854	Hub retainer, 17mm hubs, M4 X 0.7 (4) (use with #5853X, #6856X, #6469)
3647	Nuts, 4mm flanged nylon locking (steel, serrated) (8)
1985	PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings)
1647	Silicone Grease
2754	Stub axle pins (4)
3689	Tires & wheels, assembled, glued (2.8") (All-Star black chrome wheels, paddle tires, foam inserts) (electric rear) (2) (TSM® rated)
3668A	Tires & wheels, assembled, glued (2.8") (All-Star black chrome wheels, Talon tires, foam inserts) (electric rear) (2) (TSM® rated)
3669A	Tires & wheels, assembled, glued (2.8") (All-Star black chrome wheels, Talon tires, foam inserts) (nitro rear/electric front) (2) (TSM® rated)
3668	Tires & wheels, assembled, glued (2.8") (All-Star chrome wheels, Talon tires, foam inserts) (electric rear) (2)
3669	Tires & wheels, assembled, glued (2.8") (All-Star chrome wheels, Talon tires, foam inserts) (nitro rear/electric front) (2)
6792	Tires & wheels, assembled, glued (black 2.8" wheels, Sledgehammer® tires, foam inserts) (2) (TSM® rated)
3778	Tires & wheels, assembled, glued (black 2.8" wheels, Sledgehammer® tires, foam inserts) (electric rear) (2) (TSM® rated)

Page 5 Stampede® VXL: TQi™ Traxxas Link™ Enabled 2.4GHz Radio & TSM® (Model 36076-74) Parts List

- 3663X Tires & wheels, assembled, glued (chrome wheels, Terra Groove dual profile tires, foam inserts) (electric rear) (2)
- 3665X Tires & wheels, assembled, glued (chrome wheels, Terra Groove dual profile tires, foam inserts) (nitro rear/ electric front) (2)
- 3663 Tires & wheels, assembled, glued (satin chrome wheels, Terra Groove dual profile tires, foam inserts) (electric rear) (2)
- 3665 Tires & wheels, assembled, glued (satin chrome wheels, Terra Groove dual profile tires, foam inserts) (nitro rear/ electric front) (2)
- 4791 Tires, Pro-Trax mini-spiked 2.2" (rear) (2)
- 1870 Tires, Sledgehammer® terra-spiked (2)
- 4790R Tires, Spiked 2.2 (R(2) (Soft Compound) w/inserts
- 3671 Tires, Talon 2.8" (2) foam inserts (2)
- 1654 Wheel hubs, hex (2) stub axle pins (2)
- 3654 Wheel hubs, hex (front) (tall offset) (2) axle pins (2.5x10mm) (2)
- 5853X Wheel hubs, splined, 17mm, short (2), long (2) (blue-anodized) / wheel nuts, splined, 17mm (blue-anodized) (4) / hub retainer M4 X 0.7 (4) axle pin (4) (Slash 2WD)
- 5353 Wheel nuts, splined, 17mm (blue-anodized) (4)
- 5480X Wheel wrench, splined, 17mm
- 3772A Wheels, All-Star 2.8" (black chrome) (electric rear)
- 5576A Wheels, All-Star 2.8" (black chrome) (nitro rear / electric front) (2)
- 5576 Wheels, All-Star 2.8" (chrome) (nitro rear / electric front) (2)
- 3772 Wheels, All-Star 2.8" (chrome) (Rustler®, Stampede® rear only)
- 3672 Wheels, chrome (2.2") (rear) (2)
- 3673 Wheels, chrome 2.2" (front) (2)
- 3674 Wheels, dyeable nylon 2.2" (rear) (2)
- 3675 Wheels, dyeable nylon 2.2 (front) (2)
- 3774 Wheels, Jato® Twin-Spoke 2.8" (chrome) (electric rear) (2)
- 5572 Wheels, Jato® twin-spoke 2.8" (chrome) (rear) (2)

- 8710 Speed Bit Master Set, hex and nut driver, 13-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm, 3.0mm), and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive
- 8711 Speed Bit Master Set, hex driver, 7-piece straight and ball end, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm, 2.5mm, 3.0mm), 1/4" drive
- 8719 Speed Bit Master Set, nut driver, 6-piece, includes premium handle (medium), travel pouch, and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive
- 8716 Speed Bit Set, hex driver, 2-piece ball-end (2.0mm, 2.5mm), 1/4" drive
- 8716X Speed Bit Set, hex driver, 3-piece ball-end (2.0mm, 2.5mm, 3.0mm) 1/4" drive
- 8715 Speed Bit Set, hex driver, 3-piece straight (1.5mm, 2.0mm, 2.5mm), 1/4" drive
- 8715X Speed Bit Set, hex driver, 4-piece straight (1.5mm, 2.0mm, 2.5mm, 3.0mm), 1/4" drive
- 2748R Tool set (includes 1.5mm hex wrench / 2.0mm hex wrench / 2.5mm hex wrench/ 4-way wrench/ 8mm & 4mm wrench/ U-joint wrench)
- 3415 Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm, 3.5mm, 4mm drivers/4mm, 5mm, 5.5mm, 7mm, and 8mm nut drivers/ 2mm, 3mm, and 4mm slotted screwdrivers/ #00 Phillips, #0 Phillips, and #1 Phillips screwdrivers/ 4mm and 8mm wrenches/ driver handle)

Transmission Components

- 5116 Ball bearings, blue rubber sealed (5x11x4mm) (2)
- 9489 Cover, gear
- 3792 Cover, gear/ rubber gear cover plug/ 3x6 RM (2)
- 9480A Differential assembly (complete) (fits Pro Series Magnum 272R™ Transmission)
- 9482 Differential gasket/ x-rings (2)
- 9481 Differential with steel ring gear/ side cover plate/ gasket/ x-rings (2) / 2.5x10mm BCS (4)
- 6783 Gear set, differential (spider gears (4) / spider gear shaft (2))
- 9493 Gearbox halves, left & right/ differential cover (charcoal gray)
- 5148 Grease, white lithium
- 9492 Idler gear, 30-tooth/ idler gear shaft (steel)
- 9494 Input gear, 22-tooth/ input shaft (transmission) (heavy duty) (fits Bandit®, Rustler®, Stampede®, Slash® 2WD)
- 9483 Output gears, differential (2)
- 9490 Plate, motor, 6061-T6 aluminum (blue-anodized) (3.2mm thick)
- 9490X Plate, motor, 6061-T6 aluminum (blue-anodized) (4mm thick) / 3x10mm CS with split and flat washer (2)
- 9490G Plate, motor, 6061-T6 aluminum (green-anodized) (4mm thick) / 3x10mm CS with split and flat washer (2)
- 9490A Plate, motor, 6061-T6 aluminum (orange-anodized) (4mm thick) / 3x10mm CS with split and flat washer (2)
- 9490P Plate, motor, 6061-T6 aluminum (pink-anodized) (4mm thick) / 3x10mm CS with split and flat washer (2)
- 9490R Plate, motor, 6061-T6 aluminum (red-anodized) (4mm thick) / 3x10mm CS with split and flat washer (2)
- 9495 Pro Series Magnum 272R™ Transmission, complete (assembled) (fits 1/10-scale 2WD Rustler®, Bandit®, Stampede®, Slash®)
- 5552X Rebuild kit, slipper clutch (steel disc/ friction pads (3) / spring (2) / pin/ 4.0mm NL (1) / 5.0mm NL (1))
- 2554 Screws, 3x6mm caphead machine (hex drive) (6)
- 3931 Screws, 3x8mm flat-head machine (hex drive) (6)
- 1647 Silicone Grease
- 5556 Slipper pressure plate & hub (aluminum alloy)
- 9464 Wheelie bar mount (heavy duty)

Turnbuckles & Threaded Rods

- 5525 Rod ends (12) / hollow balls (12)
- 5347 Rod ends, Revo® (large) with hollow balls (12)
- 3737A Turnbuckle, aluminum (blue-anodized), camber link, front, 39mm (1)(assembled w/rod ends)/hollow balls (2)(See part 3741A for complete camber link set)
- 3738A Turnbuckle, aluminum (blue-anodized), camber link, rear, 49mm (1) (assembled with rod ends & hollow balls) (See part 3741X for complete camber link set)
- 3737 Turnbuckle, aluminum (red-anodized), camber link, front, 39mm (1) (assembled w/rod ends)/hollow balls (2)(See part 3741X for complete camber link set)
- 3738 Turnbuckle, aluminum (red-anodized), camber link, rear, 49mm (1) (assembled with rod ends & hollow balls) (See part 3741X for complete camber link set)
- 3741A Turnbuckles, aluminum (blue-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls) / wrench
- 2336A Turnbuckles, aluminum (blue-anodized), toe links, 61mm (2) (assembled w/ rod ends & hollow balls) (fits Stampede®) (requires 5mm aluminum wrench #5477)
- 3741G Turnbuckles, aluminum (green-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls) / wrench
- 3741T Turnbuckles, aluminum (orange-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls) / wrench
- 3741P Turnbuckles, aluminum (pink-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls) / wrench
- 3741X Turnbuckles, aluminum (red-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/ rod ends & hollow balls) / wrench
- 2336X Turnbuckles, aluminum (red-anodized), toe links, 61mm (2)(assembled with rod ends & hollow balls) (fits Stampede®) (requires 5mm aluminum wrench #5477)
- 3644 Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right)
- 3643 Turnbuckles, camber link, 49mm (82mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right)
- 3645 Turnbuckles, toe link, 61mm (96mm center to center) (2) (assembled with rod ends and hollow balls) (fits Stampede®)

Traxxas Tools

- 3433X Body reamer (aluminum handle)
- 3433 Body reamer (plastic handle)
- 3436 Cap, body reamer
- 3432 Scissors, curved tip
- 3431 Scissors, straight tip
- 8712 Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive
- 8720 Speed bit handle, large (overmolded)
- 8721 Speed bit handle, medium (one piece)
- 8722 Speed bit handle, premium (rubber overmold)

If you have questions or need technical assistance, call Traxxas at:

1-888-TRAXXAS

(1-888-872-9927) (U.S. residents only)

For orders, calls outside the U.S., and other information, call 972-549-3000, or fax to 972-549-3011 e-mail Traxxas at support@Traxxas.com

TRAXXAS.COM