

Bandit® (Model 24054-61) Parts List

Parts shown in bold are optional accessories. Part categories and individual part listings are arranged alphabetically.

	Dooringo o Duohingo	3729	Upper chassis (black)
	Bearings & Bushings	3723	Upper chassis (black)
5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)	3729A	Upper chassis (gray)
5114	Ball bearings, blue rubber shield (5x8x2.5mm) (2)	3723A	Upper chassis (grey)
2545 1675	Bushings (plastic) (5x8x2.5mm) (4) Bushings colf lubricating (5x11x4mm) (14)	4974	Wheelie Bar arm (1)/ connector (1)/ 3x12 SS (hex drive) (4)
3775	Bushings, self-lubricating (5x11x4mm) (14) Bushings, self-lubricating (5x8x2.5mm) (12)	3677X	Wheelie bar mount (1) / hardware (blue)
1985	PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings)	3677A	Wheelie bar mount (1) / hardware (green)
1900		3677P	Wheelie bar mount (1) / hardware (pink)
	Body & Accessories	3677	Wheelie bar mount (1)/ hardware (Stampede®, Rustler®, Bandit
1926	Antenna caps, vinyl (2)/ antenna spool	0.477	series)
1726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)	2477	Wheelie bar mount/ 3x40 BCS (1)/ 3x30 BCS (1)/ 3x12 BCS (1) (for LED light kit installation)
1834	Body Clips (12) (standard size)	3678	Wheelie bar, assembled (black) (fits Slash®, Stampede®,
1815	Body washers (8)	••••	Rustler®, Bandit® series)
6716 2417	Body Washers, Foam, 2mm/3mm/4mm Body, Bandit (front & rear) (clear, requires painting)/ window,	3678X	Wheelie bar, assembled (blue) (fits Stampede®, Rustler®, Bandit
2417	lights, grille decal sheet		series)
2420	Body, Bandit, ProGraphix® (replacement for the painted body.	3678A	Wheelie bar, assembled (green) (fits Slash®, Stampede®,
	Graphics are printed, requires paint & final color application)/		Rustler®, Bandit® series)
	decal sheet	3678T	Wheelie bar, assembled (orange) (fits Slash®, Stampede®,
2450	Body, Bandit® (also fits Bandit® VXL), black & red (painted,	3678P	Rustler®, Bandit® series) Wheelie bar, assembled (pink) (fits Slash, Stampede®, Rustler®,
	decals applied)	3070F	Bandit series)
2450X	Body, Bandit® (also fits Bandit® VXL), green (painted, decals	3678R	Wheelie bar, assembled (red) (fits Slash®, Stampede®, Rustler®,
24E0T	applied)		Bandit® series)
2450T	Body, Bandit® (also fits Bandit® VXL), orange (painted, decals applied)	9460	Wheelie bar, black (assembled)/ wheelie bar mount
2450L	Body, Bandit®, ProGraphix® (graphics are printed, requires	4976	Wheels (4)/ axles (2) (for T-Maxx®/E-Maxx wheelie bar)
24002	paint & final color application)/ decal sheet	4976	Wheels (4)/ Axles (2), for Maxx® Wheelie Bar
2514	Decal sheet, racing sponsors	5186A	Wheels, aluminum (blue-anodized) (2)/ 5x8mm ball bearings (4)/
9950	Official Team Traxxas® racing decal set(flag logo/ 6-color)		axles (2)/ rubber tires (2)
3931	Screws, 3x8mm flat-head machine (hex drive) (6)	5186	Wheels, aluminum (red-anodized) (2)/ 5x8mm ball bearings (4)/
5185	Tires, rubber (2) (fits Traxxas® wheelie bar wheels)	04647	axles (2)/ rubber tires (2) Wheels, wheelie bar, 6061-T6 aluminum (blue-anodized) (2)/
4974	Wheelie Bar arm (1)/ connector (1)/ 3x12 SS (hex drive) (4)	9461X	5x8x2.5mm ball bearings (4)/ o-rings (2)/ 5x8x0.3mm TW (2)
3677X	Wheelie bar mount (1) / hardware (blue)	9461G	Wheels, wheelie bar, 6061-T6 aluminum (green-anodized) (2)/
3677A	Wheelie bar mount (1) / hardware (green)		5x8x2.5mm ball bearings (4)/ o-rings (2)/ 5x8x0.3mm TW (2)
3677P	Wheelie bar mount (1) / hardware (pink)	9461A	Wheels, wheelie bar, 6061-T6 aluminum (orange-anodized) (2)/
3677	Wheelie bar mount (1)/ hardware (Stampede®, Rustler®, Bandit		5x8x2.5mm ball bearings (4)/ o-rings (2)/ 5x8x0.3mm TW (2)
3678	series) Wheelie bar, assembled (black) (fits Slash®, Stampede®,	9461P	Wheels, wheelie bar, 6061-T6 aluminum (pink-anodized) (2)/
3070	Rustler®, Bandit® series)		5x8x2.5mm ball bearings (4)/ o-rings (2)/ 5x8x0.3mm TW (2)
3678X	Wheelie bar, assembled (blue) (fits Stampede®, Rustler®, Bandit	9461R	Wheels, wheelie bar, 6061-T6 aluminum (red-anodized) (2)/
	series)	9461X	5x8x2.5mm ball bearings (4)/ o-rings (2)/ 5x8x0.3mm TW (2)
3678A	Wheelie bar, assembled (green) (fits Slash®, Stampede®,	9461G	Wheels, wheelie bar, blue (2) Wheels, wheelie bar, green (2)
	Rustler®, Bandit® series)		vinceis, wheele but, green (2)
		9461A	Wheels wheelie har orange (2)
3678T	Wheelie bar, assembled (orange) (fits Slash®, Stampede®,	9461A 9461P	Wheels, wheelie bar, orange (2) Wheels, wheelie bar, pink (2)
	Rustler®, Bandit® series)	9461P	Wheels, wheelie bar, orange (2) Wheels, wheelie bar, pink (2) Wheels, wheelie bar, red (2)
3678T 3678P	Rustler®, Bandit® series) Wheelie bar, assembled (pink) (fits Slash, Stampede®, Rustler®,		Wheels, wheelie bar, pink (2) Wheels, wheelie bar, red (2)
3678P	Rustler®, Bandit® series) Wheelie bar, assembled (pink) (fits Slash, Stampede®, Rustler®, Bandit series)	9461P 9461R	Wheels, wheelie bar, pink (2) Wheels, wheelie bar, red (2) Differential Components
	Rustler®, Bandit® series) Wheelie bar, assembled (pink) (fits Slash, Stampede®, Rustler®, Bandit series) Wheelie bar, assembled (red) (fits Slash®, Stampede®, Rustler®,	9461P	Wheels, wheelie bar, pink (2) Wheels, wheelie bar, red (2) Differential Components Differential, complete (fits 1/10-scale 2WD Rustler®, Bandit,
3678P	Rustler®, Bandit® series) Wheelie bar, assembled (pink) (fits Slash, Stampede®, Rustler®, Bandit series) Wheelie bar, assembled (red) (fits Slash®, Stampede®, Rustler®, Bandit® series)	9461P 9461R 2380	Wheels, wheelie bar, pink (2) Wheels, wheelie bar, red (2) Differential, complete (fits 1/10-scale 2WD Rustler®, Bandit, Stampede®, Slash®)
3678P 3678R	Rustler®, Bandit® series) Wheelie bar, assembled (pink) (fits Slash, Stampede®, Rustler®, Bandit series) Wheelie bar, assembled (red) (fits Slash®, Stampede®, Rustler®,	9461P 9461R	Wheels, wheelie bar, pink (2) Wheels, wheelie bar, red (2) Differential, complete (fits 1/10-scale 2WD Rustler®, Bandit, Stampede®, Slash®) Main diff with steel ring gear/ side cover plate/ screws (Bandit,
3678P 3678R 4976	Rustler®, Bandit® series) Wheelie bar, assembled (pink) (fits Slash, Stampede®, Rustler®, Bandit series) Wheelie bar, assembled (red) (fits Slash®, Stampede®, Rustler®, Bandit® series) Wheels (4)/ axles (2) (for T-Maxx®/E-Maxx wheelie bar) Wheels (4)/ Axles (2), for Maxx® Wheelie Bar	9461P 9461R 2380 2381X	Wheels, wheelie bar, pink (2) Wheels, wheelie bar, red (2) Differential, complete (fits 1/10-scale 2WD Rustler®, Bandit, Stampede®, Slash®) Main diff with steel ring gear/ side cover plate/ screws (Bandit, Stampede®, Rustler®)
3678P 3678R 4976 4976	Rustler®, Bandit® series) Wheelie bar, assembled (pink) (fits Slash, Stampede®, Rustler®, Bandit series) Wheelie bar, assembled (red) (fits Slash®, Stampede®, Rustler®, Bandit® series) Wheels (4)/ axles (2) (for T-Maxx®/E-Maxx wheelie bar) Wheels (4)/ Axles (2), for Maxx® Wheelie Bar Wheels, aluminum (blue-anodized) (2)/ 5x8mm ball bearings (4)/ axles (2)/ rubber tires (2)	9461P 9461R 2380	Wheels, wheelie bar, pink (2) Wheels, wheelie bar, red (2) Differential, complete (fits 1/10-scale 2WD Rustler®, Bandit, Stampede®, Slash®) Main diff with steel ring gear/ side cover plate/ screws (Bandit,
3678P 3678R 4976 4976	Rustler®, Bandit® series) Wheelie bar, assembled (pink) (fits Slash, Stampede®, Rustler®, Bandit series) Wheelie bar, assembled (red) (fits Slash®, Stampede®, Rustler®, Bandit® series) Wheels (4)/ axles (2) (for T-Maxx®/E-Maxx wheelie bar) Wheels (4)/ Axles (2), for Maxx® Wheelie Bar Wheels, aluminum (blue-anodized) (2)/ 5x8mm ball bearings (4)/ axles (2)/ rubber tires (2) Wheels, aluminum (red-anodized) (2)/ 5x8mm ball bearings (4)/	9461P 9461R 2380 2381X	Wheels, wheelie bar, pink (2) Wheels, wheelie bar, red (2) Differential, complete (fits 1/10-scale 2WD Rustler®, Bandit, Stampede®, Slash®) Main diff with steel ring gear/ side cover plate/ screws (Bandit, Stampede®, Rustler®) Planet gears (4)/ planet shafts (4)/ sun gears (2)/sun gear alignment shaft (1) all hardened steel Planetary gear differential with steel ring gear (complete) (fits Bandit,
3678P 3678R 4976 4976 5186A 5186	Rustler®, Bandit® series) Wheelie bar, assembled (pink) (fits Slash, Stampede®, Rustler®, Bandit series) Wheelie bar, assembled (red) (fits Slash®, Stampede®, Rustler®, Bandit® series) Wheels (4)/ axles (2) (for T-Maxx®/E-Maxx wheelie bar) Wheels (4)/ Axles (2), for Maxx® Wheelie Bar Wheels, aluminum (blue-anodized) (2)/ 5x8mm ball bearings (4)/ axles (2)/ rubber tires (2) Wheels, aluminum (red-anodized) (2)/ 5x8mm ball bearings (4)/ axles (2)/ rubber tires (2)	9461P 9461R 2380 2381X 2382 2388X	Wheels, wheelie bar, pink (2) Wheels, wheelie bar, red (2) Differential, complete (fits 1/10-scale 2WD Rustler®, Bandit, Stampede®, Slash®) Main diff with steel ring gear/ side cover plate/ screws (Bandit, Stampede®, Rustler®) Planet gears (4)/ planet shafts (4)/ sun gears (2)/sun gear alignment shaft (1) all hardened steel Planetary gear differential with steel ring gear (complete) (fits Bandit, Stampede®, Rustler®)
3678P 3678R 4976 4976 5186A 5186	Rustler®, Bandit® series) Wheelie bar, assembled (pink) (fits Slash, Stampede®, Rustler®, Bandit series) Wheelie bar, assembled (red) (fits Slash®, Stampede®, Rustler®, Bandit® series) Wheels (4)/ axles (2) (for T-Maxx®/E-Maxx wheelie bar) Wheels (4)/ Axles (2), for Maxx® Wheelie Bar Wheels, aluminum (blue-anodized) (2)/ 5x8mm ball bearings (4)/ axles (2)/ rubber tires (2) Wheels, aluminum (red-anodized) (2)/ 5x8mm ball bearings (4)/ axles (2)/ rubber tires (2) Wing buttons (2)/ set screws (2)/ spacers (2)/ 3x8mm CS (2)	9461P 9461R 2380 2381X 2382	Wheels, wheelie bar, pink (2) Wheels, wheelie bar, red (2) Differential, complete (fits 1/10-scale 2WD Rustler®, Bandit, Stampede®, Slash®) Main diff with steel ring gear/ side cover plate/ screws (Bandit, Stampede®, Rustler®) Planet gears (4)/ planet shafts (4)/ sun gears (2)/sun gear alignment shaft (1) all hardened steel Planetary gear differential with steel ring gear (complete) (fits Bandit, Stampede®, Rustler®) Silicone Grease
3678P 3678R 4976 4976 5186A 5186	Rustler®, Bandit® series) Wheelie bar, assembled (pink) (fits Slash, Stampede®, Rustler®, Bandit series) Wheelie bar, assembled (red) (fits Slash®, Stampede®, Rustler®, Bandit® series) Wheels (4)/ axles (2) (for T-Maxx®/E-Maxx wheelie bar) Wheels (4)/ Axles (2), for Maxx® Wheelie Bar Wheels, aluminum (blue-anodized) (2)/ 5x8mm ball bearings (4)/ axles (2)/ rubber tires (2) Wheels, aluminum (red-anodized) (2)/ 5x8mm ball bearings (4)/ axles (2)/ rubber tires (2) Wing buttons (2)/ set screws (2)/ spacers (2)/ 3x8mm CS (2) Wing wire	9461P 9461R 2380 2381X 2382 2388X	Wheels, wheelie bar, pink (2) Wheels, wheelie bar, red (2) Differential, complete (fits 1/10-scale 2WD Rustler®, Bandit, Stampede®, Slash®) Main diff with steel ring gear/ side cover plate/ screws (Bandit, Stampede®, Rustler®) Planet gears (4)/ planet shafts (4)/ sun gears (2)/sun gear alignment shaft (1) all hardened steel Planetary gear differential with steel ring gear (complete) (fits Bandit, Stampede®, Rustler®)
3678P 3678R 4976 4976 5186A 5186	Rustler®, Bandit® series) Wheelie bar, assembled (pink) (fits Slash, Stampede®, Rustler®, Bandit series) Wheelie bar, assembled (red) (fits Slash®, Stampede®, Rustler®, Bandit® series) Wheels (4)/ axles (2) (for T-Maxx®/E-Maxx wheelie bar) Wheels (4)/ Axles (2), for Maxx® Wheelie Bar Wheels, aluminum (blue-anodized) (2)/ 5x8mm ball bearings (4)/ axles (2)/ rubber tires (2) Wheels, aluminum (red-anodized) (2)/ 5x8mm ball bearings (4)/ axles (2)/ rubber tires (2) Wing buttons (2)/ set screws (2)/ spacers (2)/ 3x8mm CS (2)	9461P 9461R 2380 2381X 2382 2388X 1647	Wheels, wheelie bar, pink (2) Wheels, wheelie bar, red (2) Differential, complete (fits 1/10-scale 2WD Rustler®, Bandit, Stampede®, Slash®) Main diff with steel ring gear/ side cover plate/ screws (Bandit, Stampede®, Rustler®) Planet gears (4)/ planet shafts (4)/ sun gears (2)/sun gear alignment shaft (1) all hardened steel Planetary gear differential with steel ring gear (complete) (fits Bandit, Stampede®, Rustler®) Silicone Grease
3678P 3678R 4976 4976 5186A 5186	Rustler®, Bandit® series) Wheelie bar, assembled (pink) (fits Slash, Stampede®, Rustler®, Bandit series) Wheelie bar, assembled (red) (fits Slash®, Stampede®, Rustler®, Bandit® series) Wheels (4)/ axles (2) (for T-Maxx®/E-Maxx wheelie bar) Wheels (4)/ Axles (2), for Maxx® Wheelie Bar Wheels, aluminum (blue-anodized) (2)/ 5x8mm ball bearings (4)/ axles (2)/ rubber tires (2) Wheels, aluminum (red-anodized) (2)/ 5x8mm ball bearings (4)/ axles (2)/ rubber tires (2) Wing buttons (2)/ set screws (2)/ spacers (2)/ 3x8mm CS (2) Wing wire	9461P 9461R 2380 2381X 2382 2388X	Wheels, wheelie bar, pink (2) Wheels, wheelie bar, red (2) Differential, complete (fits 1/10-scale 2WD Rustler®, Bandit, Stampede®, Slash®) Main diff with steel ring gear/ side cover plate/ screws (Bandit, Stampede®, Rustler®) Planet gears (4)/ planet shafts (4)/ sun gears (2)/sun gear alignment shaft (1) all hardened steel Planetary gear differential with steel ring gear (complete) (fits Bandit, Stampede®, Rustler®) Silicone Grease
3678P 3678R 4976 4976 5186A 5186 2615 2414	Rustler®, Bandit® series) Wheelie bar, assembled (pink) (fits Slash, Stampede®, Rustler®, Bandit series) Wheelie bar, assembled (red) (fits Slash®, Stampede®, Rustler®, Bandit® series) Wheels (4)/ axles (2) (for T-Maxx®/E-Maxx wheelie bar) Wheels (4)/ Axles (2), for Maxx® Wheelie Bar Wheels, aluminum (blue-anodized) (2)/ 5x8mm ball bearings (4)/ axles (2)/ rubber tires (2) Wheels, aluminum (red-anodized) (2)/ 5x8mm ball bearings (4)/ axles (2)/ rubber tires (2) Wing buttons (2)/ set screws (2)/ spacers (2)/ 3x8mm CS (2) Wing wire Chassis & Attrohumans Battery hold-down plate (black)/ metal posts (2)/body clips (2) Battery hold-down plate (grey) / metal posts (2) / body clips (2)	9461P 9461R 2380 2381X 2382 2388X 1647	Wheels, wheelie bar, pink (2) Wheels, wheelie bar, red (2) Differential, complete (fits 1/10-scale 2WD Rustler®, Bandit, Stampede®, Slash®) Main diff with steel ring gear/ side cover plate/ screws (Bandit, Stampede®, Rustler®) Planet gears (4)/ planet shafts (4)/ sun gears (2)/sun gear alignment shaft (1) all hardened steel Planetary gear differential with steel ring gear (complete) (fits Bandit, Stampede®, Rustler®) Silicone Grease Differential output yokes, black (2)/ 3x5mm countersunk screws (2)/
3678P 3678R 4976 4976 5186A 5186 2615 2414 3727 3727A 3628	Rustler®, Bandit® series) Wheelie bar, assembled (pink) (fits Slash, Stampede®, Rustler®, Bandit series) Wheelie bar, assembled (red) (fits Slash®, Stampede®, Rustler®, Bandit® series) Wheels (a)/ axles (2) (for T-Maxx®/E-Maxx wheelie bar) Wheels (4)/ Axles (2), for Maxx® Wheelie Bar Wheels, aluminum (blue-anodized) (2)/ 5x8mm ball bearings (4)/ axles (2)/ rubber tires (2) Wheels, aluminum (red-anodized) (2)/ 5x8mm ball bearings (4)/ axles (2)/ rubber tires (2) Wing buttons (2)/ set screws (2)/ spacers (2)/ 3x8mm CS (2) Wing wire Plassis & Attrollication Battery hold-down plate (black)/ metal posts (2)/body clips (2) Battery hold-down plate (grey) / metal posts (2) / body clips (2) Box, receiver (sealed)/ foam pad/2.5x8mm CS (4)/ 3x10mm CS (2)	9461P 9461R 2380 2381X 2382 2388X 1647 4628R	Wheels, wheelie bar, pink (2) Wheels, wheelie bar, red (2) Differential, complete (fits 1/10-scale 2WD Rustler®, Bandit, Stampede®, Slash®) Main diff with steel ring gear/ side cover plate/ screws (Bandit, Stampede®, Rustler®) Planet gears (4)/ planet shafts (4)/ sun gears (2)/sun gear alignment shaft (1) all hardened steel Planetary gear differential with steel ring gear (complete) (fits Bandit, Stampede®, Rustler®) Silicone Grease Differential output yokes, black (2)/ 3x5mm countersunk screws (2)/ screw pin (2)
3678P 3678R 4976 4976 5186A 5186 2615 2414 3727 3727A	Rustler®, Bandit® series) Wheelie bar, assembled (pink) (fits Slash, Stampede®, Rustler®, Bandit series) Wheelie bar, assembled (red) (fits Slash®, Stampede®, Rustler®, Bandit® series) Wheels (4)/ axles (2) (for T-Maxx®/E-Maxx wheelie bar) Wheels (4)/ Axles (2), for Maxx® Wheelie Bar Wheels, aluminum (blue-anodized) (2)/ 5x8mm ball bearings (4)/ axles (2)/ rubber tires (2) Wheels, aluminum (red-anodized) (2)/ 5x8mm ball bearings (4)/ axles (2)/ rubber tires (2) Wing buttons (2)/ set screws (2)/ spacers (2)/ 3x8mm CS (2) Wing wire ### ### ############################	2380 2381X 2382 2388X 1647 4628R 4628X 9450	Wheels, wheelie bar, pink (2) Wheels, wheelie bar, red (2) Differential, complete (fits 1/10-scale 2WD Rustler®, Bandit, Stampede®, Slash®) Main diff with steel ring gear/ side cover plate/ screws (Bandit, Stampede®, Rustler®) Planet gears (4)/ planet shafts (4)/ sun gears (2)/sun gear alignment shaft (1) all hardened steel Planetary gear differential with steel ring gear (complete) (fits Bandit, Stampede®, Rustler®) Silicone Grease Differential output yokes, black (2)/ 3x5mm countersunk screws (2)/ screw pin (2) Differential output yokes, hardened steel (w/ U-joints) (2) Driveshaft assembly (1), left or right (fully assembled, ready to install)/ screw pin (1)
3678P 3678R 4976 4976 5186A 5186 2615 2414 3727 3727A 3628 3735	Rustler®, Bandit® series) Wheelie bar, assembled (pink) (fits Slash, Stampede®, Rustler®, Bandit series) Wheelie bar, assembled (red) (fits Slash®, Stampede®, Rustler®, Bandit® series) Wheelie bar, assembled (red) (fits Slash®, Stampede®, Rustler®, Bandit® series) Wheels (4)/ axles (2) (for T-Maxx®/E-Maxx wheelie bar) Wheels (4)/ Axles (2), for Maxx® Wheelie Bar Wheels, aluminum (blue-anodized) (2)/ 5x8mm ball bearings (4)/ axles (2)/ rubber tires (2) Wheels, aluminum (red-anodized) (2)/ 5x8mm ball bearings (4)/ axles (2)/ rubber tires (2) Wing buttons (2)/ set screws (2)/ spacers (2)/ 3x8mm CS (2) Wing wire HISSIS & ATTICHINGTS Battery hold-down plate (black)/ metal posts (2)/ body clips (2) Battery hold-down plate (grey) / metal posts (2) / body clips (2) Box, receiver (sealed)/ foam pad/2.5x8mm CS (4)/ 3x10mm CS (2) Bumper, front/ 4x12 CCS (2) (fits 2WD Rustler® or Bandit®) (for LED light kit installation)	2380 2381X 2382 2388X 1647 4628R	Wheels, wheelie bar, pink (2) Wheels, wheelie bar, red (2) Differential, complete (fits 1/10-scale 2WD Rustler®, Bandit, Stampede®, Slash®) Main diff with steel ring gear/ side cover plate/ screws (Bandit, Stampede®, Rustler®) Planet gears (4)/ planet shafts (4)/ sun gears (2)/sun gear alignment shaft (1) all hardened steel Planetary gear differential with steel ring gear (complete) (fits Bandit, Stampede®, Rustler®) Silicone Grease Differential output yokes, black (2)/ 3x5mm countersunk screws (2)/ screw pin (2) Differential output yokes, hardened steel (w/ U-joints) (2) Driveshaft assembly (1), left or right (fully assembled, ready to install)/ screw pin (1) Driveshafts, rear, steel-spline constant-velocity (complete
3678P 3678R 4976 4976 5186A 5186 2615 2414 3727 3727A 3628	Rustler®, Bandit® series) Wheelie bar, assembled (pink) (fits Slash, Stampede®, Rustler®, Bandit series) Wheelie bar, assembled (red) (fits Slash®, Stampede®, Rustler®, Bandit® series) Wheels (4)/ axles (2) (for T-Maxx®/E-Maxx wheelie bar) Wheels (4)/ Axles (2), for Maxx® Wheelie Bar Wheels, aluminum (blue-anodized) (2)/ 5x8mm ball bearings (4)/ axles (2)/ rubber tires (2) Wheels, aluminum (red-anodized) (2)/ 5x8mm ball bearings (4)/ axles (2)/ rubber tires (2) Wing buttons (2)/ set screws (2)/ spacers (2)/ 3x8mm CS (2) Wing wire HIRSS & ATTRETITIONS Battery hold-down plate (grey) / metal posts (2)/body clips (2) Battery hold-down plate (grey) / metal posts (2)/ body clips (2) Box, receiver (sealed)/ foam pad/2.5x8mm CS (4)/ 3x10mm CS (2) Bumper, front/ 4x12 CCS (2) (fits 2WD Rustler® or Bandit®) (for LED light kit installation) Lower chassis (black) (166mm long battery compartment) (fits	2380 2381X 2382 2388X 1647 4628R 4628X 9450	Wheels, wheelie bar, pink (2) Wheels, wheelie bar, red (2) Differential, complete (fits 1/10-scale 2WD Rustler®, Bandit, Stampede®, Slash®) Main diff with steel ring gear/ side cover plate/ screws (Bandit, Stampede®, Rustler®) Planet gears (4)/ planet shafts (4)/ sun gears (2)/sun gear alignment shaft (1) all hardened steel Planetary gear differential with steel ring gear (complete) (fits Bandit, Stampede®, Rustler®) Silicone Grease Differential output yokes, black (2)/ 3x5mm countersunk screws (2)/ screw pin (2) Differential output yokes, hardened steel (w/ U-joints) (2) Driveshaft assembly (1), left or right (fully assembled, ready to install)/ screw pin (1) Driveshafts, rear, steel-spline constant-velocity (complete assembly) (2)
3678P 3678R 4976 4976 5186A 5186 2615 2414 3727 3727A 3628 3735 3728	Rustler®, Bandit® series) Wheelie bar, assembled (pink) (fits Slash, Stampede®, Rustler®, Bandit series) Wheelie bar, assembled (red) (fits Slash®, Stampede®, Rustler®, Bandit® series) Wheels (a)/ axles (2) (for T-Maxx®/E-Maxx wheelie bar) Wheels (a)/ Axles (2), for Maxx® Wheelie Bar Wheels, aluminum (blue-anodized) (2)/ 5x8mm ball bearings (4)/ axles (2)/ rubber tires (2) Wheels, aluminum (red-anodized) (2)/ 5x8mm ball bearings (4)/ axles (2)/ rubber tires (2) Wing buttons (2)/ set screws (2)/ spacers (2)/ 3x8mm CS (2) Wing wire Hassis & Attachilleris Battery hold-down plate (black)/ metal posts (2)/body clips (2) Battery hold-down plate (grey) / metal posts (2) / body clips (2) Box, receiver (sealed)/ foam pad/2.5x8mm CS (4)/ 3x10mm CS (2) Bumper, front/ 4x12 CCS (2) (fits 2WD Rustler® or Bandit®) (for LED light kit installation) Lower chassis (black) (166mm long battery compartment) (fits both flat and hump style battery packs)	2380 2381X 2382 2388X 1647 4628R 4628X 9450	Wheels, wheelie bar, pink (2) Wheels, wheelie bar, red (2) Differential, complete (fits 1/10-scale 2WD Rustler®, Bandit, Stampede®, Slash®) Main diff with steel ring gear/ side cover plate/ screws (Bandit, Stampede®, Rustler®) Planet gears (4)/ planet shafts (4)/ sun gears (2)/sun gear alignment shaft (1) all hardened steel Planetary gear differential with steel ring gear (complete) (fits Bandit, Stampede®, Rustler®) Silicone Grease Differential output yokes, black (2)/ 3x5mm countersunk screws (2)/ screw pin (2) Differential output yokes, hardened steel (w/ U-joints) (2) Driveshaft assembly (1), left or right (fully assembled, ready to install)/ screw pin (1) Driveshafts, rear, steel-spline constant-velocity (complete assembly) (2) Half shaft, external splined (steel-spline constant velocity) (1)
3678P 3678R 4976 4976 5186A 5186 2615 2414 3727 3727A 3628 3735	Rustler®, Bandit® series) Wheelie bar, assembled (pink) (fits Slash, Stampede®, Rustler®, Bandit series) Wheelie bar, assembled (red) (fits Slash®, Stampede®, Rustler®, Bandit® series) Wheels (a)/ axles (2) (for T-Maxx®/E-Maxx wheelie bar) Wheels (4)/ axles (2), for Maxx® Wheelie Bar Wheels, aluminum (blue-anodized) (2)/ 5x8mm ball bearings (4)/ axles (2)/ rubber tires (2) Wheels, aluminum (red-anodized) (2)/ 5x8mm ball bearings (4)/ axles (2)/ rubber tires (2) Wing buttons (2)/ set screws (2)/ spacers (2)/ 3x8mm CS (2) Wing wire Plassis & Attrolling S Battery hold-down plate (black)/ metal posts (2)/body clips (2) Box, receiver (sealed)/ foam pad/2.5x8mm CS (4)/ 3x10mm CS (2) Bumper, front/ 4x12 CCS (2) (fits 2WD Rustler® or Bandit®) (for LED light kit installation) Lower chassis (black) (166mm long battery compartment) (fits both flat and hump style battery packs) Lower chassis (black) (166mm long battery compartment) (fits	2380 2381X 2382 2388X 1647 4628R 4628X 9450	Wheels, wheelie bar, pink (2) Wheels, wheelie bar, red (2) Differential, complete (fits 1/10-scale 2WD Rustler®, Bandit, Stampede®, Slash®) Main diff with steel ring gear/ side cover plate/ screws (Bandit, Stampede®, Rustler®) Planet gears (4)/ planet shafts (4)/ sun gears (2)/sun gear alignment shaft (1) all hardened steel Planetary gear differential with steel ring gear (complete) (fits Bandit, Stampede®, Rustler®) Silicone Grease Differential output yokes, black (2)/ 3x5mm countersunk screws (2)/ screw pin (2) Differential output yokes, hardened steel (w/ U-joints) (2) Driveshaft assembly (1), left or right (fully assembled, ready to install)/ screw pin (1) Driveshafts, rear, steel-spline constant-velocity (complete assembly) (2) Half shaft, external splined (steel-spline constant velocity) (1) (fits #9450R rear steel CV driveshaft) (for Bandit®, Bandit® VXL,
3678P 3678R 4976 4976 5186A 5186 2615 2414 3727 3727A 3628 3735 3728	Rustler®, Bandit® series) Wheelie bar, assembled (pink) (fits Slash, Stampede®, Rustler®, Bandit series) Wheelie bar, assembled (red) (fits Slash®, Stampede®, Rustler®, Bandit® series) Wheels (a)/ axles (2) (for T-Maxx®/E-Maxx wheelie bar) Wheels (4)/ axles (2), for Maxx® Wheelie Bar Wheels, aluminum (blue-anodized) (2)/ 5x8mm ball bearings (4)/ axles (2)/ rubber tires (2) Wheels, aluminum (red-anodized) (2)/ 5x8mm ball bearings (4)/ axles (2)/ rubber tires (2) Wing buttons (2)/ set screws (2)/ spacers (2)/ 3x8mm CS (2) Wing wire **Plassis & Attachiller Battery hold-down plate (black)/ metal posts (2)/body clips (2) Battery hold-down plate (grey) / metal posts (2) / body clips (2) Box, receiver (sealed)/ foam pad/2.5x8mm CS (4)/ 3x10mm CS (2) Bumper, front/ 4x12 CCS (2) (fits 2WD Rustler® or Bandit®) (for LED light kit installation) Lower chassis (black) (166mm long battery compartment) (fits both flat and hump style battery packs) Lower chassis (black) (166mm long battery compartment) (fits both flat and hump style battery packs)(use only with #3725R	2380 2381X 2382 2388X 1647 4628R 4628R 4628X 9450 9450R	Wheels, wheelie bar, pink (2) Wheels, wheelie bar, red (2) Differential, complete (fits 1/10-scale 2WD Rustler®, Bandit, Stampede®, Slash®) Main diff with steel ring gear/ side cover plate/ screws (Bandit, Stampede®, Rustler®) Planet gears (4)/ planet shafts (4)/ sun gears (2)/sun gear alignment shaft (1) all hardened steel Planetary gear differential with steel ring gear (complete) (fits Bandit, Stampede®, Rustler®) Silicone Grease Differential output yokes, black (2)/ 3x5mm countersunk screws (2)/ screw pin (2) Differential output yokes, hardened steel (w/ U-joints) (2) Driveshaft assembly (1), left or right (fully assembled, ready to install)/ screw pin (1) Driveshafts, rear, steel-spline constant-velocity (complete assembly) (2) Half shaft, external splined (steel-spline constant velocity) (1) (fits #9450R rear steel CV driveshaft) (for Bandit®, Bandit® VXL, Drag Slash®)
3678P 3678R 4976 4976 5186A 5186 2615 2414 3727 3727A 3628 3735 3728	Rustler®, Bandit® series) Wheelie bar, assembled (pink) (fits Slash, Stampede®, Rustler®, Bandit series) Wheelie bar, assembled (red) (fits Slash®, Stampede®, Rustler®, Bandit® series) Wheels (a)/ axles (2) (for T-Maxx®/E-Maxx wheelie bar) Wheels (4)/ axles (2), for Maxx® Wheelie Bar Wheels, aluminum (blue-anodized) (2)/ 5x8mm ball bearings (4)/ axles (2)/ rubber tires (2) Wheels, aluminum (red-anodized) (2)/ 5x8mm ball bearings (4)/ axles (2)/ rubber tires (2) Wing buttons (2)/ set screws (2)/ spacers (2)/ 3x8mm CS (2) Wing wire Plassis & Attrolling S Battery hold-down plate (black)/ metal posts (2)/body clips (2) Box, receiver (sealed)/ foam pad/2.5x8mm CS (4)/ 3x10mm CS (2) Bumper, front/ 4x12 CCS (2) (fits 2WD Rustler® or Bandit®) (for LED light kit installation) Lower chassis (black) (166mm long battery compartment) (fits both flat and hump style battery packs) Lower chassis (black) (166mm long battery compartment) (fits	2380 2381X 2382 2388X 1647 4628R 4628X 9450	Wheels, wheelie bar, pink (2) Wheels, wheelie bar, red (2) Differential, complete (fits 1/10-scale 2WD Rustler®, Bandit, Stampede®, Slash®) Main diff with steel ring gear/ side cover plate/ screws (Bandit, Stampede®, Rustler®) Planet gears (4)/ planet shafts (4)/ sun gears (2)/sun gear alignment shaft (1) all hardened steel Planetary gear differential with steel ring gear (complete) (fits Bandit, Stampede®, Rustler®) Silicone Grease Differential output yokes, black (2)/ 3x5mm countersunk screws (2)/ screw pin (2) Differential output yokes, hardened steel (w/ U-joints) (2) Driveshaft assembly (1), left or right (fully assembled, ready to install)/ screw pin (1) Driveshafts, rear, steel-spline constant-velocity (complete assembly) (2) Half shaft, external splined (steel-spline constant velocity) (1) (fits #9450R rear steel CV driveshaft) (for Bandit®, Bandit® VXL,
3678P 3678R 4976 4976 5186A 5186 2615 2414 3727 3727A 3628 3735 3728 3728A	Rustler®, Bandit® series) Wheelie bar, assembled (pink) (fits Slash, Stampede®, Rustler®, Bandit series) Wheelie bar, assembled (red) (fits Slash®, Stampede®, Rustler®, Bandit® series) Wheels (a)/ axles (2) (for T-Maxx®/E-Maxx wheelie bar) Wheels (4)/ axles (2), for Maxx® Wheelie Bar Wheels, aluminum (blue-anodized) (2)/ 5x8mm ball bearings (4)/ axles (2)/ rubber tires (2) Wheels, aluminum (red-anodized) (2)/ 5x8mm ball bearings (4)/ axles (2)/ rubber tires (2) Wing buttons (2)/ set screws (2)/ spacers (2)/ 3x8mm CS (2) Wing wire HISSIS & AITACHITCHITCHIS Battery hold-down plate (black)/ metal posts (2)/body clips (2) Box, receiver (sealed)/ foam pad/2.5x8mm CS (4)/ 3x10mm CS (2) Bumper, front/ 4x12 CCS (2) (fits 2WD Rustler® or Bandit®) (for LED light kit installation) Lower chassis (black) (166mm long battery compartment) (fits both flat and hump style battery packs) Lower chassis (black) (166mm long battery compartment) (fits both flat and hump style battery packs)(use only with #3725R ESC mounting plate) Lower chassis (gray) (166mm long battery compartment) (fits both flat and hump style battery packs)	2380 2381X 2382 2388X 1647 4628R 4628R 4628X 9450 9450R	Wheels, wheelie bar, pink (2) Wheels, wheelie bar, red (2) Differential, complete (fits 1/10-scale 2WD Rustler®, Bandit, Stampede®, Slash®) Main diff with steel ring gear/ side cover plate/ screws (Bandit, Stampede®, Rustler®) Planet gears (4)/ planet shafts (4)/ sun gears (2)/sun gear alignment shaft (1) all hardened steel Planetary gear differential with steel ring gear (complete) (fits Bandit, Stampede®, Rustler®) Silicone Grease Differential output yokes, black (2)/ 3x5mm countersunk screws (2)/ screw pin (2) Differential output yokes, hardened steel (w/ U-joints) (2) Driveshaft assembly (1), left or right (fully assembled, ready to install)/ screw pin (1) Driveshafts, rear, steel-spline constant-velocity (complete assembly) (2) Half shaft, external splined (steel-spline constant velocity) (1) (fits #9450R rear steel CV driveshaft) (for Bandit®, Bandit® VXL, Drag Slash®) Half-shaft pro-pack (intemal-splined (6)/extemal (6)) (plastic
3678P 3678R 4976 4976 5186A 5186 2615 2414 3727 3727A 3628 3735 3728	Rustler®, Bandit® series) Wheelie bar, assembled (pink) (fits Slash, Stampede®, Rustler®, Bandit series) Wheelie bar, assembled (red) (fits Slash®, Stampede®, Rustler®, Bandit® series) Wheels (a)/ axles (2) (for T-Maxx®/E-Maxx wheelie bar) Wheels (4)/ axles (2), for Maxx® Wheelie Bar Wheels, aluminum (blue-anodized) (2)/ 5x8mm ball bearings (4)/ axles (2)/ rubber tires (2) Wheels, aluminum (red-anodized) (2)/ 5x8mm ball bearings (4)/ axles (2)/ rubber tires (2) Wing buttons (2)/ set screws (2)/ spacers (2)/ 3x8mm CS (2) Wing wire Chassis & Attrohiments Battery hold-down plate (black)/ metal posts (2)/body clips (2) Box, receiver (sealed)/ foam pad/2.5x8mm CS (4)/ 3x10mm CS (2) Bumper, front/ 4x12 CCS (2) (fits 2WD Rustler® or Bandit®) (for LED light kit installation) Lower chassis (black) (166mm long battery compartment) (fits both flat and hump style battery packs) Lower chassis (gray) (166mm long battery compartment) (fits both flat and hump style battery packs) Lower chassis (gray) (166mm long battery compartment) (fits both flat and hump style battery packs) Lower chassis (gray) (166mm long battery compartment) (fits both flat and hump style battery packs) Lower chassis (grey) (166mm long battery compartment) (fits both flat and hump style battery packs) Lower chassis (grey) (166mm long battery compartment) (fits both flat and hump style battery packs) Lower chassis (grey) (166mm long battery compartment) (fits	9461P 9461R 2380 2381X 2382 2388X 1647 4628R 4628R 9450 9450R 9451 2751	Wheels, wheelie bar, pink (2) Wheels, wheelie bar, red (2) Differential, complete (fits 1/10-scale 2WD Rustler®, Bandit, Stampede®, Slash®) Main diff with steel ring gear/ side cover plate/ screws (Bandit, Stampede®, Rustler®) Planet gears (4)/ planet shafts (4)/ sun gears (2)/sun gear alignment shaft (1) all hardened steel Planetary gear differential with steel ring gear (complete) (fits Bandit, Stampede®, Rustler®) Silicone Grease Differential output yokes, black (2)/ 3x5mm countersunk screws (2)/ screw pin (2) Differential output yokes, hardened steel (w/ U-joints) (2) Driveshaft assembly (1), left or right (fully assembled, ready to install)/ screw pin (1) Driveshafts, rear, steel-spline constant-velocity (complete assembly) (2) Half shaft, external splined (steel-spline constant velocity) (1) (fits #9450R rear steel CV driveshaft) (for Bandit®, Bandit® VXL, Drag Slash®) Half-shaft pro-pack (intemal-splined (6)/extemal (6)) (plastic shafts only) Half-shafts (internal-splined (2)/external-splined (2))/ metal U-joints (4)
3678P 3678R 4976 4976 5186A 5186 2615 2414 3727 3727A 3628 3735 3728 3728A	Rustler®, Bandit® series) Wheelie bar, assembled (pink) (fits Slash, Stampede®, Rustler®, Bandit series) Wheelie bar, assembled (red) (fits Slash®, Stampede®, Rustler®, Bandit® series) Wheels (a)/ axles (2) (for T-Maxx®/E-Maxx wheelie bar) Wheels (4)/ axles (2), for Maxx® Wheelie Bar Wheels, aluminum (blue-anodized) (2)/ 5x8mm ball bearings (4)/ axles (2)/ rubber tires (2) Wheels, aluminum (red-anodized) (2)/ 5x8mm ball bearings (4)/ axles (2)/ rubber tires (2) Wing buttons (2)/ set screws (2)/ spacers (2)/ 3x8mm CS (2) Wing wire Chassis & Attrohimatis Battery hold-down plate (black)/ metal posts (2)/body clips (2) Box, receiver (sealed)/ foam pad/2.5x8mm CS (4)/ 3x10mm CS (2) Bumper, front/ 4x12 CCS (2) (fits 2WD Rustler® or Bandit®) (for LED light kit installation) Lower chassis (black) (166mm long battery compartment) (fits both flat and hump style battery packs) Lower chassis (gray) (166mm long battery compartment) (fits both flat and hump style battery packs) Lower chassis (gray) (166mm long battery compartment) (fits both flat and hump style battery packs) Lower chassis (gray) (166mm long battery compartment) (fits both flat and hump style battery packs) Lower chassis (grey) (166mm long battery compartment) (fits both flat and hump style battery packs) Lower chassis (grey) (166mm long battery compartment) (fits both flat and hump style battery packs) (use only with #3725R	2380 2381X 2382 2388X 1647 4628R 4628R 4628X 9450 9451 2751 1651 3652	Wheels, wheelie bar, pink (2) Wheels, wheelie bar, red (2) Differential, complete (fits 1/10-scale 2WD Rustler®, Bandit, Stampede®, Slash®) Main diff with steel ring gear/ side cover plate/ screws (Bandit, Stampede®, Rustler®) Planet gears (4)/ planet shafts (4)/ sun gears (2)/sun gear alignment shaft (1) all hardened steel Planetary gear differential with steel ring gear (complete) (fits Bandit, Stampede®, Rustler®) Silicone Grease Differential output yokes, black (2)/ 3x5mm countersunk screws (2)/ screw pin (2) Differential output yokes, hardened steel (w/ U-joints) (2) Driveshaft assembly (1), left or right (fully assembled, ready to install)/ screw pin (1) Driveshafts, rear, steel-spline constant-velocity (complete assembly) (2) Half shaft, external splined (steel-spline constant velocity) (1) (fits #9450R rear steel CV driveshaft) (for Bandit®, Bandit® VXL, Drag Slash®) Half-shaft pro-pack (intemal-splined (6)/extemal (6)) (plastic shafts only) Half-shafts (internal-splined (2)/external-splined (2))/ metal U-joints (4) Stub axle carriers (2)
3678P 3678R 4976 4976 5186A 5186 2615 2414 3727 3727A 3628 3735 3728 3722X 3728A 3722R	Rustler®, Bandit® series) Wheelie bar, assembled (pink) (fits Slash, Stampede®, Rustler®, Bandit series) Wheelie bar, assembled (red) (fits Slash®, Stampede®, Rustler®, Bandit® series) Wheels (a)/ axles (2) (for T-Maxx®/E-Maxx wheelie bar) Wheels (4)/ axles (2), for Maxx® Wheelie Bar Wheels, aluminum (blue-anodized) (2)/ 5x8mm ball bearings (4)/ axles (2)/ rubber tires (2) Wheels, aluminum (red-anodized) (2)/ 5x8mm ball bearings (4)/ axles (2)/ rubber tires (2) Wing buttons (2)/ set screws (2)/ spacers (2)/ 3x8mm CS (2) Wing wire **PIRSSS & ATTRIBUTION** Battery hold-down plate (black)/ metal posts (2)/body clips (2) Box, receiver (sealed)/ foam pad/2.5x8mm CS (4)/ 3x10mm CS (2) Bumper, front/ 4x12 CCS (2) (fits 2WD Rustler® or Bandit®) (for LED light kit installation) Lower chassis (black) (166mm long battery compartment) (fits both flat and hump style battery packs) Lower chassis (gray) (166mm long battery compartment) (fits both flat and hump style battery packs) Lower chassis (gray) (166mm long battery compartment) (fits both flat and hump style battery packs) Lower chassis (gray) (166mm long battery compartment) (fits both flat and hump style battery packs) Lower chassis (gray) (166mm long battery compartment) (fits both flat and hump style battery packs) Lower chassis (gray) (166mm long battery compartment) (fits both flat and hump style battery packs) Lower chassis (grey) (166mm long battery compartment) (fits both flat and hump style battery packs) Lower chassis (grey) (166mm long battery compartment) (fits both flat and hump style battery packs) (use only with #3725R ESC mounting plate)	2380 2381X 2382 2388X 1647 4628R 4628R 4628X 9450 9451 2751 1651 3652 3752	Wheels, wheelie bar, pink (2) Wheels, wheelie bar, red (2) Differential, complete (fits 1/10-scale 2WD Rustler®, Bandit, Stampede®, Slash®) Main diff with steel ring gear/ side cover plate/ screws (Bandit, Stampede®, Rustler®) Planet gears (4)/ planet shafts (4)/ sun gears (2)/sun gear alignment shaft (1) all hardened steel Planetary gear differential with steel ring gear (complete) (fits Bandit, Stampede®, Rustler®) Silicone Grease Differential output yokes, black (2)/ 3x5mm countersunk screws (2)/ screw pin (2) Differential output yokes, hardened steel (w/ U-joints) (2) Driveshaft assembly (1), left or right (fully assembled, ready to install)/ screw pin (1) Driveshafts, rear, steel-spline constant-velocity (complete assembly) (2) Half shaft, external splined (steel-spline constant velocity) (1) (fits #9450R rear steel CV driveshaft) (for Bandit®, Bandit® VXL, Drag Slash®) Half-shaft pro-pack (intemal-splined (6)/extemal (6)) (plastic shafts only) Half-shafts (internal-splined (2)/external-splined (2))/ metal U-joints (4) Stub axle carriers (2) (requires 5x11x4mm bearings)
3678P 3678R 4976 4976 5186A 5186 2615 2414 3727 3727A 3628 3735 3728 3728A	Rustler®, Bandit® series) Wheelie bar, assembled (pink) (fits Slash, Stampede®, Rustler®, Bandit series) Wheelie bar, assembled (red) (fits Slash®, Stampede®, Rustler®, Bandit® series) Wheelie bar, assembled (red) (fits Slash®, Stampede®, Rustler®, Bandit® series) Wheels (4)/ axles (2) (for T-Maxx®/E-Maxx wheelie bar) Wheels (4)/ Axles (2), for Maxx® Wheelie Bar Wheels, aluminum (blue-anodized) (2)/ 5x8mm ball bearings (4)/ axles (2)/ rubber tires (2) Wheels, aluminum (red-anodized) (2)/ 5x8mm ball bearings (4)/ axles (2)/ rubber tires (2) Wing buttons (2)/ set screws (2)/ spacers (2)/ 3x8mm CS (2) Wing wire HIRSS & ATTRIBUTES Battery hold-down plate (black)/ metal posts (2)/body clips (2) Battery hold-down plate (grey) / metal posts (2)/body clips (2) Battery hold-down plate (grey) / metal posts (2)/body clips (2) Box, receiver (sealed)/ foam pad/2.5x8mm CS (4)/ 3x10mm CS (2) Bumper, front/ 4x12 CCS (2) (fits 2WD Rustler® or Bandit®) (for LED light kit installation) Lower chassis (black) (166mm long battery compartment) (fits both flat and hump style battery packs) Lower chassis (black) (166mm long battery compartment) (fits both flat and hump style battery packs)(use only with #3725R ESC mounting plate) Lower chassis (grey) (166mm long battery compartment) (fits both flat and hump style battery packs) Lower chassis (grey) (166mm long battery compartment) (fits both flat and hump style battery packs) Lower chassis (grey) (166mm long battery compartment) (fits both flat and hump style battery packs) (use only with #3725R ESC mounting plate) Mounting plate, electronic speed control (for installation of XL-5/VXL	2380 2381X 2382 2388X 1647 4628R 4628R 4628X 9450 9451 2751 1651 3652	Wheels, wheelie bar, pink (2) Wheels, wheelie bar, red (2) Differential, complete (fits 1/10-scale 2WD Rustler®, Bandit, Stampede®, Slash®) Main diff with steel ring gear/ side cover plate/ screws (Bandit, Stampede®, Rustler®) Planet gears (4)/ planet shafts (4)/ sun gears (2)/sun gear alignment shaft (1) all hardened steel Planetary gear differential with steel ring gear (complete) (fits Bandit, Stampede®, Rustler®) Silicone Grease Differential output yokes, black (2)/ 3x5mm countersunk screws (2)/ screw pin (2) Differential output yokes, hardened steel (w/ U-joints) (2) Driveshaft assembly (1), left or right (fully assembled, ready to install)/ screw pin (1) Driveshafts, rear, steel-spline constant-velocity (complete assembly) (2) Half shaft, external splined (steel-spline constant velocity) (1) (fits #9450R rear steel CV driveshaft) (for Bandit®, Bandit® VXL, Drag Slash®) Half-shaft pro-pack (intemal-splined (6)/extemal (6)) (plastic shafts only) Half-shafts (internal-splined (2)/external-splined (2))/ metal U-joints (4) Stub axle carriers (2) (requires 5x11x4mm bearings) Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6
3678P 3678R 4976 4976 5186A 5186 2615 2414 3727 3727A 3628 3735 3728 3722X 3728A 3722R	Rustler®, Bandit® series) Wheelie bar, assembled (pink) (fits Slash, Stampede®, Rustler®, Bandit series) Wheelie bar, assembled (red) (fits Slash®, Stampede®, Rustler®, Bandit® series) Wheels (a)/ axles (2) (for T-Maxx®/E-Maxx wheelie bar) Wheels (a)/ Axles (2), for Maxx® Wheelie Bar Wheels, aluminum (blue-anodized) (2)/ 5x8mm ball bearings (a)/ axles (2)/ rubber tires (2) Wheels, aluminum (red-anodized) (2)/ 5x8mm ball bearings (4)/ axles (2)/ rubber tires (2) Wing buttons (2)/ set screws (2)/ spacers (2)/ 3x8mm CS (2) Wing wire HIRSS 8. ATTRETIMENTS Battery hold-down plate (black)/ metal posts (2)/body clips (2) Box, receiver (sealed)/ foam pad/2.5x8mm CS (4)/ 3x10mm CS (2) Bumper, front/ 4x12 CCS (2) (fits 2WD Rustler® or Bandit®) (for LED light kit installation) Lower chassis (black) (166mm long battery compartment) (fits both flat and hump style battery packs) Lower chassis (black) (166mm long battery compartment) (fits both flat and hump style battery packs)(use only with #3725R ESC mounting plate) Lower chassis (gray) (166mm long battery compartment) (fits both flat and hump style battery packs) Lower chassis (gray) (166mm long battery compartment) (fits both flat and hump style battery packs) Lower chassis (gray) (166mm long battery compartment) (fits both flat and hump style battery packs) Lower chassis (gray) (166mm long battery compartment) (fits both flat and hump style battery packs) Lower chassis (gray) (166mm long battery compartment) (fits both flat and hump style battery packs) Lower chassis (grey) (166mm long battery compartment) (fits both flat and hump style battery packs) Lower chassis (grey) (166mm long battery compartment) (fits both flat and hump style battery packs)	2380 2381X 2382 2388X 1647 4628R 4628X 9450 9450R 9451 2751 1651 3652 3752 3652A	Wheels, wheelie bar, pink (2) Wheels, wheelie bar, red (2) Differential, complete (fits 1/10-scale 2WD Rustler®, Bandit, Stampede®, Slash®) Main diff with steel ring gear/ side cover plate/ screws (Bandit, Stampede®, Rustler®) Planet gears (4)/ planet shafts (4)/ sun gears (2)/sun gear alignment shaft (1) all hardened steel Planetary gear differential with steel ring gear (complete) (fits Bandit, Stampede®, Rustler®) Silicone Grease Differential output yokes, black (2)/ 3x5mm countersunk screws (2)/ screw pin (2) Differential output yokes, hardened steel (w/ U-joints) (2) Driveshaft assembly (1), left or right (fully assembled, ready to install)/ screw pin (1) Driveshafts, rear, steel-spline constant-velocity (complete assembly) (2) Half shaft, external splined (steel-spline constant velocity) (1) (fits #9450R rear steel CV driveshaft) (for Bandit®, Bandit® VXL, Drag Slash®) Half-shaft pro-pack (intemal-splined (6)/extemal (6)) (plastic shafts only) Half-shafts (internal-splined (2)/external-splined (2))/ metal U-joints (4) Stub axle carriers (2) Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (blue-anodized)/ 5x11mm ball bearings (4)
3678P 3678R 4976 4976 5186A 5186 2615 2414 3727 3727A 3628 3735 3728 3722X 3728A 3722R	Rustler®, Bandit® series) Wheelie bar, assembled (pink) (fits Slash, Stampede®, Rustler®, Bandit series) Wheelie bar, assembled (red) (fits Slash®, Stampede®, Rustler®, Bandit® series) Wheelie bar, assembled (red) (fits Slash®, Stampede®, Rustler®, Bandit® series) Wheels (4)/ axles (2) (for T-Maxx®/E-Maxx wheelie bar) Wheels (4)/ Axles (2), for Maxx® Wheelie Bar Wheels, aluminum (blue-anodized) (2)/ 5x8mm ball bearings (4)/ axles (2)/ rubber tires (2) Wheels, aluminum (red-anodized) (2)/ 5x8mm ball bearings (4)/ axles (2)/ rubber tires (2) Wing buttons (2)/ set screws (2)/ spacers (2)/ 3x8mm CS (2) Wing wire HIRSS & ATTRIBUTES Battery hold-down plate (black)/ metal posts (2)/body clips (2) Battery hold-down plate (grey) / metal posts (2)/body clips (2) Battery hold-down plate (grey) / metal posts (2)/body clips (2) Box, receiver (sealed)/ foam pad/2.5x8mm CS (4)/ 3x10mm CS (2) Bumper, front/ 4x12 CCS (2) (fits 2WD Rustler® or Bandit®) (for LED light kit installation) Lower chassis (black) (166mm long battery compartment) (fits both flat and hump style battery packs) Lower chassis (black) (166mm long battery compartment) (fits both flat and hump style battery packs)(use only with #3725R ESC mounting plate) Lower chassis (grey) (166mm long battery compartment) (fits both flat and hump style battery packs) Lower chassis (grey) (166mm long battery compartment) (fits both flat and hump style battery packs) Lower chassis (grey) (166mm long battery compartment) (fits both flat and hump style battery packs) (use only with #3725R ESC mounting plate) Mounting plate, electronic speed control (for installation of XL-5/VXL	2380 2381X 2382 2388X 1647 4628R 4628R 4628X 9450 9451 2751 1651 3652 3752	Wheels, wheelie bar, pink (2) Wheels, wheelie bar, red (2) Differential, complete (fits 1/10-scale 2WD Rustler®, Bandit, Stampede®, Slash®) Main diff with steel ring gear/ side cover plate/ screws (Bandit, Stampede®, Rustler®) Planet gears (4)/ planet shafts (4)/ sun gears (2)/sun gear alignment shaft (1) all hardened steel Planetary gear differential with steel ring gear (complete) (fits Bandit, Stampede®, Rustler®) Silicone Grease Differential output yokes, black (2)/ 3x5mm countersunk screws (2)/ screw pin (2) Differential output yokes, hardened steel (w/ U-joints) (2) Driveshaft assembly (1), left or right (fully assembled, ready to install)/ screw pin (1) Driveshafts, rear, steel-spline constant-velocity (complete assembly) (2) Half shaft, external splined (steel-spline constant velocity) (1) (fits #9450R rear steel CV driveshaft) (for Bandit®, Bandit® VXL, Drag Slash®) Half-shaft pro-pack (intemal-splined (6)/extemal (6)) (plastic shafts only) Half-shafts (internal-splined (2)/external-splined (2))/ metal U-joints (4) Stub axle carriers (2) (requires 5x11x4mm bearings) Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6

Page 2	Bandit®: TQ™ 2.4GHz Radio (Model 24054-61) Part	s List	
3652T	Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (orange-anodized)/ 5x11mm ball bearings (4)	2742X	Rod ends, short (6)/ hollow balls (6)
3652P	Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6	3739 3288	Screw pin set (Rustler®/ Bandit/ Stampede®) Screw, 3x15mm washerhead self-tapping (6)
3652X	aluminum (pink-anodized)/ 5x11mm ball bearings (4) Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6	3229 3965	Screws, 2.5x10mm cap-head machine (hex drive) (6) Screws, 2.5x8mm cap-head machine (6)
0754	aluminum (red-anodized)/ 5x11mm ball bearings (4)	2587	Screws, 3x10mm caphead machine (6) (no washer)
2754 2753X	Stub axle pins (4) Stub axles, rear (2)	2675	Screws, 3x10mm roundhead self-tapping (6)
2700%	Front Suspension & Steering	2578 2648	Screws, 3x12mm button-head machine (hex drive) (6) Screws, 3x12mm countersunk self-tapping (6)
2537	3mm threaded rods: 1 each of 20mm,25mm&44mm	2676	Screws, 3x12mm roundhead self-tapping (6)
5114	Ball bearings, blue rubber shield (5x8x2.5mm) (2)	3186	Screws, 3x12mm washerhead machine (6)
2530	Bulkhead (front) (black)	3286 2649	Screws, 3x12mm washerhead self-tapping (6) Screws, 3x15mm countersunk self-tapping (6)
2530A 2545	Bulkhead (front) (grey) Bushings (plastic) (5x8x2.5mm) (4)	2563	Screws, 3x15mm roundhead machine (6)
2432	Caster blocks (left & right) (30-degree)	3187	Screws, 3x15mm washerhead machine (6)
2437	Front axles (2)	2566 2567	Screws, 3x20mm roundhead machine (6) Screws, 3x23mm roundhead machine (6)
1942	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)	2582	Screws, 3x30mm button-head machine (hex drive) (6)
5525R	Rod ends, heavy duty (Jato®/Slayer) (8)	2592	Screws, 3x40mm button-head machine (hex drive) (6)
2742	Rod ends, long (6)/ hollow ball connectors (6)	2554 2558	Screws, 3x6mm caphead machine (hex drive) (6) Screws, 3x6mm roundhead machine (6)
5347 2742X	Rod ends, Revo® (large) with hollow balls (12) Rod ends, short (6)/ hollow balls (6)	3185X	Screws, 3x8mm washerhead machine (large head for motor mount)
3744	Servo saver w/ adapters		(6)
3639	Shock tower (front)	3290 2548	Screws, 3x8mm washerhead self-tapping (6) Screws, 4x12mm countersunk machine (100-degree) (6)
3636	Steering blocks (L&R)	3167	Screws, 4x15mm countersunk machine (100-degree) (0)
3736 3636A	Steering blocks, left & right (2) (requires 5x11x4mm bearings) Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6	2743	Set (grub) screws, 3mm hardened (12)
	aluminum (blue-anodized)/ 5x11mm ball bearings (4)	3742	Shoulder screws, steering bellcranks (3x30mm cap-head machine)
3636G	Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6	2754	(2)/ draglink shoulder screws (chrome) (2) Stub axle pins (4)
3636T	aluminum (green-anodized)/ 5x11mm ball bearings (4) Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6	3740	Suspension pins, 2.5x31.5mm (king pins) w/ E-clips (2) (strengthens
	aluminum (orange-anodized)/ 5x11mm ball bearings (4)	2637	caster blocks)
3636P	Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (pink-anodized)/ 5x11mm ball bearings (4)	2037 2746	Suspension pins, 31.5mm, chrome (2) w/ E-clips (4) Washers, 3x6mm metal (12)
3636X	Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6	2615	Wing buttons (2)/ set screws (2)/ spacers (2)/ 3x8mm CS (2)
	aluminum (red-anodized)/ 5x11mm ball bearings (4)		LED Lights
2531X 2531A	Suspension arms (front) (2) Suspension arms, black, front, heavy duty (2) (requires #3632	3791	LED light bar, front (assembled)/ 3x8 BCS (2)/ 2.5x8 BCS (2)
2001A	series caster block and #3640 screw pin set)	3795	(requires #3735 front bumper for 2WD Rustler® or Bandit®)
2531L	Suspension arms, blue, front, heavy duty (2) (requires #3632	3793 3794	LED light harness, rear (requires #2477 wheelie bar mount) LED light set, complete (includes front and rear bumpers with LED
2531G	series caster block and #3640 screw pin set) Suspension arms, green, front, heavy duty (2) (requires #3632		light bar, rear LED harness, & BEC Y-harness) (fits 2WD Rustler® or
	series caster block and #3640 screw pin set)	2263	Bandit®) Y-harness, BEC to LED light set
2531T	Suspension arms, orange, front, heavy duty (2) (requires #3632 series caster block and #3640 screw pin set)	2200	Motors & Electronics
2531R	Suspension arms, red, front, heavy duty (2) (requires #3632	1552	3x8mm Hex Cap Screws (6)/ Washers (6)/ Wrench (1)
	series caster block and #3640 screw pin set)	1726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
3740	Suspension pins, 2.5x31.5mm (king pins) w/ E-clips (2) (strengthens caster blocks)	2260	BEC assembly (complete) (12.6 volts (3s LiPo) maximum input
2640	Suspension pins, 44mm (2) w/ E-clips	3790	voltage) Gear adapter, fixed
3640	Suspension screw pin set, steel (hex drive) (requires part # 2640	2053	Gear set (for 2055, 2056 servos)
	for a complete suspension pin set) (Rustler®, Stampede®, Bandit)	2072A	Gear set (for 2070, 2075 servos)
2532	Tie bar, fiberglass	2252 1275	Gear set, metal (for 2250, 2255 servos) Motor, Stinger (20-turn, 540 size)
2444	Turnbuckles, camber link, 47mm (67mm center to center) (front)	3785	Motor, Titan® 12T (12-Turn, 550 size)
2445	(assembled with rod ends and hollow balls) (1 left, 1 right) Turnbuckles, toe link, 55mm (75mm center to center) (2)	3351R	Motor, Velineon® 3500, brushless (assembled with 12-gauge
	(assembled with rod ends and hollow balls)	3725R	wire and gold-plated bullet connectors) Mounting plate, electronic speed control (for installation of XL-5/VXL
	Hardware	072011	into Bandit or Rustler®)
2537	3mm threaded rods: 1 each of 20mm,25mm&44mm	2254	Servo case, aluminum (middle) (blue-anodized) (for 2250 servo)
1552 3642	3x8mm Hex Cap Screws (6)/ Washers (6)/ Wrench (1) Attachment screws, shock (3x12mm shoulder screws) (6)	2253 2251	Servo case, aluminum (middle) (red-anodized) (for 2255 servo) Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for
4363	Ball screws (3x12mm) (lower shock attachment screws) (6)		2250, 2255 servos)
1834	Body Clips (12) (standard size)	2074	Servo case/gaskets (for 2056 and 2075 waterproof servos)
3934	Body clips, heavy duty (12)	2075R 2075	Servo, digital high-speed, metal gear (ball bearing), waterproof Servo, digital high-torque (ball bearing), waterproof
3980 1747P	Glow plug wrench (Universal wrench) Nuts, 4mm flanged nylon locking (aluminum, pink anodized) (4)	2250	Servo, digital high-torque 300 coreless, metal gear (ball bearing),
3647	Nuts, 4mm flanged nylon locking (steel, serrated) (8)	0055	waterproof
1747	Nuts, 4mm nylon locking (10)	2255	Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof
1747R 1747G	Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4)	2075X	Servo, digital high-torque, metal gear (ball bearing), waterproof
1747T	Nuts, aluminum, flanged, serrated (4mm) (green-unouized) (4)	2056	Servo, high-torque, waterproof (blue case)
1747A	Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4)	3350R	Velineon® VXL-3s Brushless Power System, waterproof (includes VXL-3s waterproof ESC , Velineon® 3500 motor, and
1985 1942	PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings) Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws		speed control mounting plate (part #3725))
1074	(2)	3355R	VXL-3s Waterproof Electronic Speed Control (brushless) (fwd/rev/brake)
5525R	Rod ends, heavy duty (Jato®/Slayer) (8)	3018R	XL-5 Electronic Speed Control, waterproof (land version, low-voltage
2742 5347	Rod ends, long (6)/ hollow ball connectors (6) Rod ends, Revo® (large) with hollow balls (12)		detection, fwd/rev/brake)
	J		

	Radio System, Batteries & Chargers	6507R	TQi 2.4 GHz High Output radio system, 4-channel with Traxxas® Link Bluetooth® module, TSM® (4-ch transmitter, 5-ch micro
2842X	5000mah 7.4v 2-Cell 25C LiPo Battery		receiver)
2843X	5800mah 7.4v 2-Cell 25C LiPo Battery	6516	Transmitter, TQ 2.4GHz, 2-channel (transmitter only)
2869X	7600mah 7.4v 2-Cell 25C LiPo Battery	6528	Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 2-
2914	Battery, Power Cell AA Alkaline (4)	0500	channel (transmitter only)
2976 2938X	AC to DC adapter Adapter, Traxxas® iD® LiPo battery (adapts Traxxas® iD®	6529	Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 3- channel (transmitter only)
2943	batteries to separate balance ports) Battery charge indicators, green (4), grey (4), blue (4)	6530	Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 4- channel (transmitter only)
6548	Battery door, TQ 2.4 transmitter (replacement for #6516, 6517	6511	Traxxas® Link Bluetooth® module
	transmitter)	6537	Wire retainers, gear cover/ 3x4mm BCS (2)
2923X	Battery, Power Cell, 3000mAh (NiMH, 7-C flat, 8.4V)	3018R	XL-5 Electronic Speed Control, waterproof (land version, low-voltage
2926X	Battery, Power Cell, 3000mAh (NiMH, 7-C hump, 8.4V)		detection, fwd/rev/brake)
2942X 2940X	Battery, Series 3 Power Cell, 3300mAh (NiMH, 6-C flat, 7.2V) Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C flat, 8.4V)		Ready-To-Race Model
2941X	Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C hump, 8.4V)	24054-61	Bandit®: 1/10 Scale Off-Road Buggy with TQ™ 2.4GHz radio system
2952X	Battery, Series 4 Power Cell, 4200mAh (NiMH, 6-C flat, 7.2V)		and LED lights
2950X	Battery, Series 4 Power Cell, 4200mAh (NiMH, 7-C flat, 8.4V)		Rear Suspension
2951X	Battery, Series 4 Power Cell, 4200mAh (NiMH, 7-C hump, 8.4V)	9450	Driveshaft assembly (1), left or right (fully assembled, ready to
2960X	Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C flat, 8.4V)		install)/ screw pin (1)
2961X	Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C hump, 8.4V)	3638	Shock tower (rear)
2983	Battery/charger completer pack (includes #2969 2-amp NiMH	3652	Stub axle carriers (2)
	peak detecting AC charger (1), #2923X 3000mAh 8.4V 7-cell NiMH iD® battery (1))	3752	Stub axle carriers (2) (requires 5x11x4mm bearings)
2984	Battery/charger completer pack (includes #2969 2-amp NiMH	3652A	Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (blue-anodized)/ 5x11mm ball bearings (4)
	peak detecting AC charger (1), #2926X 3000mAh 8.4V 7-cell NiMH	3652G	Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6
	iD® battery (1))		aluminum (green-anodized)/ 5x11mm ball bearings (4)
2992	Battery/charger completer pack (includes #2970 iD® charger (1),	3652T	Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6
2260	#2843X 5800mAh 7.4V 2-cell 25C LiPo iD® battery (1))		aluminum (orange-anodized)/ 5x11mm ball bearings (4)
2200	BEC assembly (complete) (12.6 volts (3s LiPo) maximum input voltage)	3652P	Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6
2975	Charger, D/C, 4 amp (6 - 7 cell, 7.2 - 8.4 volt, NiMH)	3652X	aluminum (pink-anodized)/ 5x11mm ball bearings (4)
2972	Charger, EZ-Peak Dual, 100W, NiMH/LiPo with iD Auto Battery	3032X	Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (red-anodized)/ 5x11mm ball bearings (4)
	Identification	2753X	Stub axles, rear (2)
2973	Charger, EZ-Peak Live Dual, 200W, NiMH/LiPo with iD Auto	2750A	Suspension arms, black, rear (left & right), heavy duty (2)
2970	Battery Identification Charger E7 Book Blue 4 amp. NiMH/I iBo with iD Auto Battery	2750X	Suspension arms, blue, rear (left & right), heavy duty (2)
29/0	Charger, EZ-Peak Plus, 4 amp, NiMH/LiPo with iD Auto Battery Identification	2750G	Suspension arms, green, rear (left & right), heavy duty (2)
2971	Charger, EZ-Peak® Live, 100W, NiMH/LiPo with iD® Auto Battery	2750T	Suspension arms, orange, rear (left & right), heavy duty (2)
	Identification	2750L	Suspension arms, red, rear (left & right), heavy duty (2)
2981	Charger, EZ-Peak® Plus 4s, 8 amp, NiMH/LiPo with iD® Auto	3640	Suspension screw pin set, steel (hex drive) (requires part # 2640 for a complete suspension pin set) (Rustler®, Stampede®,
0070	Battery Identification		Bandit)
2978 2053	Fuse, D/C charger, 5A (2) (for #2974, 2975, 2977) Gear set (for 2055, 2056 servos)		Shock Oil
2072A	Gear set (for 2000, 2000 servos)	5031	Oil, shock (20 wt, 200 cSt, 60cc) (silicone)
2252	Gear set, metal (for 2250, 2255 servos)	5032	Oil, shock (30 wt, 350 cSt, 60cc) (silicone)
2968X	LiPo cell voltage checker/balancer (includes #2938X adapter for	5033	Oil, shock (40 wt, 500 cSt, 60cc) (silicone)
	Traxxas® iD® batteries)	5034	Oil, shock (50 wt, 600 cSt, 60cc) (silicone)
2968	LiPo cell voltage checker/balancer (requires #2938X adapter for	5035	Oil, shock (60 wt, 700 cSt, 60cc) (silicone)
CEEAV	Traxxas® iD® batteries)	5036	Oil, shock (70 wt, 900 cSt, 60cc) (silicone)
6554X 6535	Mount, telemetry expander (fits Rustler®, Bandit, Slash 2WD) Mount, temperature sensor (electric motors)/ wire tie/ thermal	5037	Oil, shock (80 wt, 1,000 cSt, 60cc) (silicone)
0333	pad	5029	Shock oil bottle (60cc) (for mixing shock oil)
6519	Receiver, micro, TQ 2.4GHz (3-channel)	5038X	Shock oil set (includes 20 wt, 30 wt, 40 wt, 50 wt, 60 wt, 70 wt, & 80 wt premium shock oils with spinning carousel rack)
6526	Sensor, auto-detectable, temperature	5038	Spinning carousel rack
6527	Sensor, auto-detectable, voltage		Shocks (Pro-level Aluminum)
6520	Sensor, RPM (long)/ 3x4mm BCS (1)/ 3x4 GS (1)	0004	
6521	Sensor, temperature and voltage (long)	2664 5862	Big Bore shock cylinder (long) (1) Big Bore shocks (hard-anodized & PTFE-coated T6 aluminum)
2254	Servo case, aluminum (middle) (blue-anodized) (for 2250 servo)	3002	(assembled with TiN shafts and springs) (front & rear) (4)
2253 2251	Servo case, aluminum (middle) (red-anodized) (for 2255 servo) Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for	2660	Big-bore shocks (long) (hard-anodized & PTFE-coated T6
2201	2250, 2255 servos)		aluminum) (assembled with TiN shafts) w/o springs (rear) (2)
2074	Servo case/gaskets (for 2056 and 2075 waterproof servos)	2662	Big-bore shocks (xx-long) (hard-anodized & PTFE-coated T6
2075R	Servo, digital high-speed, metal gear (ball bearing), waterproof	0000	aluminum) (assembled with TiN shafts) w/o springs (rear) (2)
2075	Servo, digital high-torque (ball bearing), waterproof	2669	Piston head set (2-hole (2)/ 3-hole (2))/ shock mounting bushings & washers (2) (Big Bore Shocks)
2250	Servo, digital high-torque 300 coreless, metal gear (ball bearing),	1942	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)
2255	waterproof Servo, digital high-torque 400 brushless, metal gear (ball	2742X	Rod ends, short (6)/ hollow balls (6)
2255	bearing), waterproof	2667	Shock caps, aluminum (2) (Big Bore Shocks)
2075X	Servo, digital high-torque, metal gear (ball bearing), waterproof	2362	Shock rebuild kit (for 2 shocks)
2056	Servo, high-torque, waterproof (blue case)	1664T	Shock shafts, hardened steel, titanium nitride coated (long) (2)
6553X	Telemetry Expander 2.0 and GPS module 2.0, TQi radio system	2765	Shock shafts, hardened steel, titanium nitride coated (X-long) (2)
6550X	Telemetry expander 2.0, TQi radio system (for use only with	2656T	Shock shafts, hardened steel, titanium nitride coated (xx-long) (2)
055437	#6551X GPS module)	1664 1765	Shock shafts, steel, chrome finish (long) (2)
6551X	Telemetry GPS module 2.0, TQi radio system (for use only with #6550X telemetry expander)	1765 2668	Silicone diaphragms (4) Spring retainers, upper & lower (2)/ spring pre-load spacers:
6538	Telemetry trigger magnet holders, spur gear/ magnet, 5x2mm (1)/		1mm (4)/ 1.5mm (2)/ 2mm (2)/ 4mm (2)/ 8mm (2) (Big Bore
	3x8mm CCS (3)/ 3x10mm CCS (3)		Shocks)
6540	Telemetry trigger magnet, 5X2mm (1)	5860	Springs, front (white) (progressive rate) (2) (for Slash big bore
6509R	TQi 2.4 GHz High Output radio system, 2-channel, Traxxas® Link	EQEO	Shocks) Springs roar (white) (progressive rate) (2) (for Slash hig bore
	enabled, TSM® (2-ch transmitter, 5-ch micro receiver)	5859	Springs, rear (white) (progressive rate) (2) (for Slash big bore shocks)

Page 4 Bandit®: TQ™ 2.4GHz Radio (Model 24054-61) Parts List

3642	Shocks (Ultra Shocks) Attachment screws, shock (3x12mm shoulder screws) (6)	27420	aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled)
3765A	Body, Ultra Shock (long) (grey) (2)	3743P	Steering bellcranks, drag link (pink-anodized 6061-T6 aluminum) 5x8mm ball bearings (4)/ hardware (assembled)
3766A 1942	Body, Ultra Shock (XXL) (grey) (2) Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws	3743X	Steering bellcranks, drag link (red-anodized 6061-T6 aluminum)/
1042	(2)	6845X	5x8mm ball bearings (4)/ hardware (assembled) Steering bellcranks/ servo saver/ servo saver spring/ servo
2742X 3767	Rod ends, short (6)/ hollow balls (6)	1007	spring retainer/servo horn, steering
8361	Shock caps (2)/ shock bottoms (2) Shock caps (black) (4) (assembled with hollow balls)	1937	Turnbuckles (54mm) (2)/ 3x6x4mm aluminum spacers (rear camber links)
3767A	Shock caps, aluminum (blue-anodized) (4) (fits all Ultra Shocks)	2445	Turnbuckles, toe link, 55mm (75mm center to center) (2)
3767G 3767T	Shock caps, aluminum (green-anodized) (4) (fits all Ultra Shocks) Shock caps, aluminum (orange-anodized) (4) (fits all Ultra		(assembled with rod ends and hollow balls)
0.0	Shocks)	2642	Suspension Linkage
3767P 3767X	Shock caps, aluminum (pink-anodized) (4) (fits all Ultra Shocks)	3642 2441A	Attachment screws, shock (3x12mm shoulder screws) (6) Camber link set for Bandit (grey) (plastic/ non-adjustable)
2362	Shock caps, aluminum (red-anodized) (4) (fits all Ultra Shocks) Shock rebuild kit (for 2 shocks)	2441	Camber link set for Bandit® (plastic/ non-adjustable)
1664T	Shock shafts, hardened steel, titanium nitride coated (long) (2)	2444X	Camber links, front (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow
2765 2765T	Shock shafts, hardened steel, titanium nitride coated (X-long) (2) Shock shafts, hardened steel, titanium nitride coated (X-long) (2)		balls)/ aluminum wrench (1)
1664	Shock shafts, steel, chrome finish (long) (2)	2444A	Camber links, front (TUBES charcoal gray-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends
1765	Silicone diaphragms (4) Spring pre-load spacers: 1mm (4)/ 2mm (2)/ 4mm (2)/ 8mm (2)		and hollow balls)/ aluminum wrench (1)
3769 3768	Spring retainers, upper & lower (2)/ piston head set (2-hole (2)/ 3-hole (2))	2444G	Camber links, front (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)
2457 2458P	Spring, rear(black) (2)	2444T	Camber links, front (TUBES orange-anodized, 7075-T6 aluminum
2458A	Springs (front) (pink) (2) Springs (front) (white) (2)		stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)
2457P	Springs, (rear) (pink) (2)	2444P	Camber links, front (TUBES pink-anodized, 7075-T6 aluminum,
2458 2457A	Springs, front (black) (2) Springs, rear (white) (2)		stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)
3760	Ultra Shocks (black) (long) (complete w/ spring pre-load spacers	2444R	Camber links, front (TUBES red-anodized, 7075-T6 aluminum,
3762	& springs) (front) (2) Ultra Shocks (black) (xx-long) (complete w/ spring pre-load		stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)
3702	spacers & springs) (rear) (2)	2443X	Camber links, rear (TUBES blue-anodized, 7075-T6 aluminum,
3760A	Ultra Shocks (grey) (long) (complete w/ spring pre-load spacers &		stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)
3762A	springs) (2) Ultra Shocks (grey) (xx-long) (complete w/ spring pre-load spacers &	2443A	Camber links, rear (TUBES charcoal gray-anodized, 7075-T6
	springs) (rear) (2)		aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)
	Slipper Clutch Components	2443G	Camber links, rear (TUBES green-anodized, 7075-T6 aluminum,
3793 5552X	Input shaft (slipper shaft) / spring pin Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/		stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)
3332X	4.0mm NL (1)/ 5.0mm NL (1))	2443T	Camber links, rear (TUBES orange-anodized, 7075-T6 aluminum,
2554 5556	Screws, 3x6mm caphead machine (hex drive) (6)		stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)
5556	Slipper pressure plate & hub (aluminum alloy) Spur Gears & Pinion Gears	2443P	Camber links, rear (TUBES pink-anodized, 7075-T6 aluminum,
3790	Gear adapter, fixed		stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)
2416	Gear, 16-T pinion (48-pitch) / set screw	2443R	Camber links, rear (TUBES red-anodized, 7075-T6 aluminum,
1918 2419	Gear, 18-T pinion (48-pitch) / set screw		stronger than titanium) (2) (assembled with rod ends and hollow
2419	Gear, 19-T pinion (48-pitch) / set screw Gear, 21-T pinion (48-pitch) / set screw	1942	balls)/ aluminum wrench (1) Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws
2423	Gear, 23-T pinion (48-pitch) (fits 3mm shaft)/ set screw		(2)
2426 2431	Gear, 26-T pinion (48-pitch) (fits 3mm shaft)/ set screw Gear, 31-T pinion (48-pitch) (fits 3mm shaft)/ set screw	5525R 2742	Rod ends, heavy duty (Jato®/Slayer) (8) Rod ends, long (6)/ hollow ball connectors (6)
4725	Gear, pinion (25-tooth) (48-pitch) / set screw	5347	Rod ends, Revo® (large) with hollow balls (12)
4676	Spur gear, 76-tooth (48-pitch) (for models with Torque Control	2742X	Rod ends, short (6)/ hollow balls (6)
4683	slipper clutch) Spur gear, 83-tooth (48-pitch) (for models with Torque Control slipper	3739 3740	Screw pin set (Rustler®/ Bandit/ Stampede®) Suspension pins, 2.5x31.5mm (king pins) w/ E-clips (2) (strengthens
	clutch)		caster blocks)
4686	Spur gear, 86-tooth (48-pitch) (for models with Torque-Control slipper clutch)	2637 2640	Suspension pins, 31.5mm, chrome (2) w/ E-clips (4) Suspension pins, 44mm (2) w/ E-clips
4690	Spur gear, 90-tooth (48-pitch) (for models with Torque-Control slipper clutch)	3640	Suspension screw pin set, steel (hex drive) (requires part # 2640 for a complete suspension pin set) (Rustler®, Stampede®,
	Steering Components	2445X	Bandit) Toe links, front (TUBES blue-anodized, 7075-T6 aluminum,
2537 5114	3mm threaded rods: 1 each of 20mm,25mm&44mm Ball bearings, blue rubber shield (5x8x2.5mm) (2)		stronger than titanium) (2) (assembled with rod ends and hollow
2545	Bushings (plastic) (5x8x2.5mm) (4)	2445A	balls)/ aluminum wrench (1) Toe links, front (TUBES charcoal gray-anodized, 7075-T6
1942	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)		aluminum, stronger than titanium) (2) (assembled with rod ends
2742	Rod ends, long (6)/ hollow ball connectors (6)	2445G	and hollow balls)/ aluminum wrench (1) Toe links, front (TUBES green-anodized, 7075-T6 aluminum,
5347	Rod ends, Revo® (large) with hollow balls (12)	-	stronger than titanium) (2) (assembled with rod ends and hollow
2742X 3744	Rod ends, short (6)/ hollow balls (6) Servo saver w/ adapters	2445T	balls)/ aluminum wrench (1) Toe links, front (TUBES orange-anodized, 7075-T6 aluminum,
3742	Shoulder screws, steering bellcranks (3x30mm cap-head machine) (2)/ draglink shoulder screws (chrome) (2)		stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)
3743 3743A	Steering bellcranks (\&r)/ draglink Steering bellcranks, drag link (blue-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled)	2445P	Toe links, front (TUBES pink-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)
3743G	Steering bellcranks, drag link (green-anodized 6061-T6	2445R	Toe links, front (TUBES red-anodized, 7075-T6 aluminum,

1937	Turnbuckles (54mm) (2)/ 3x6x4mm aluminum spacers (rear camber	2473	Wheels, Tracer 2.2" (chrome) (2) (Bandit front)
	links)	2472	Wheels, Tracer 2.2" (chrome) (2) (Bandit rear)
1935	Turnbuckles, 36mm (2)		Transmission Components
2443	Turnbuckles, camber link, 36mm (56mm center to center) (rear) (assembled with rod ends and hollow balls) (1 left, 1 right)	1552	3x8mm Hex Cap Screws (6)/ Washers (6)/ Wrench (1)
2444	Turnbuckles, camber link, 47mm (67mm center to center) (front)	5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)
	(assembled with rod ends and hollow balls) (1 left, 1 right)	3792	Cover, gear/ rubber gear cover plug/ 3x6 RM (2)
2445	Turnbuckles, toe link, 55mm (75mm center to center) (2)	5478	Flat wrench, 8mm (blue anodized aluminum)
	(assembled with rod ends and hollow balls)	3790	Gear adapter, fixed
	Team Traxxas Items	3691	Gearbox halves (L&R) (black) w/ idler gear shaft
2514	Decal sheet, racing sponsors	3691A 5148	Gearbox halves (L&R) (grey) w/ idler gear shaft
6160X	DVD, Maxx® Power! Full Throttle Action (sleeve)	3696	Grease, white lithium Idler gear, steel (30-tooth)
9950	Official Team Traxxas® racing decal set(flag logo/ 6-color)	3793	Input shaft (slipper shaft) / spring pin
9909	Traxxas® racing banner, red & black (3x7 feet)	2381X	Main diff with steel ring gear/ side cover plate/ screws (Bandit,
	Tires & Wheels	0000	Stampede®, Rustler®)
3775	Bushings, self-lubricating (5x8x2.5mm) (12)	2382	Planet gears (4)/ planet shafts (4)/ sun gears (2)/sun gear alignment shaft (1) all hardened steel
2475 1747P	Front wheels(2)(Bandit) Nuts, 4mm flanged nylon locking (aluminum, pink anodized) (4)	2388X	Planetary gear differential with steel ring gear (complete) (fits Bandit,
3647	Nuts, 4mm flanged nylon locking (steel, serrated) (8)	0.405	Stampede®, Rustler®)
1747R	Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4)	9495	Pro Series Magnum 272R™ Transmission, complete (assembled (fits 1/10-scale 2WD Rustler®, Bandit®, Stampede®, Slash®)
1747G	Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4)	5552X	Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/
1747T	Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4)	000270	4.0mm NL (1)/ 5.0mm NL (1))
1747A	Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4)	2554	Screws, 3x6mm caphead machine (hex drive) (6)
1985	PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings)	3185X	Screws, 3x8mm washerhead machine (large head for motor mount)
2474 1647	Rear wheels (2) (Bandit) Silicone Grease	4047	(6)
3471	Street tread tires, 2.15"Pro-trax (f)(2)	1647	Silicone Grease
2754	Stub axle pins (4)	5556 3195	Slipper pressure plate & hub (aluminum alloy) Top drive gear, steel (22-tooth)
1771	Tire, front 2.1" spike (2)	3695	Transmission, complete (fits 1/10-scale 2WD Rustler®, Bandit®,
2470T	Tires & wheels, assembled (2.2" black chrome wheels, Alias® 2.2" tires) (2) (Bandit® rear, medium compound with foam	0000	Stampede®, Slash®) Transastors Tools
04747	inserts)	3433X	Body reamer (aluminum handle)
2471T	Tires & wheels, assembled (2.2" black chrome wheels, Alias® ribbed 2.2" tires) (2) (Bandit® front, medium compound w/ foam	3433	Body reamer (plastic handle)
	inserts)	3436	Cap, body reamer
2479T	Tires & wheels, assembled (2.2" black chrome wheels,	3432	Scissors, curved tip
	Anaconda® 2.2" tires with foam inserts) (2) (Bandit® front))	3431	Scissors, straight tip
2478T	Tires & wheels, assembled (2.2" black chrome wheels, Anaconda® 2.2" tires with foam inserts) (2) (Bandit® rear)	8712	Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight:
2470G	Tires & wheels, assembled (2.2" black, satin chrome beadlock wheels, Alias® 2.2" tires) (2) (Bandit® rear, medium compound with		1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive
	foam inserts)	8720	Speed bit handle, large (overmolded)
2471G	Tires & wheels, assembled (2.2" black, satin chrome beadlock	8721	Speed bit handle, medium (one piece)
	wheels, Alias® ribbed 2.2" tires) (2) (Bandit® front, medium	8722	Speed bit handle, premium (rubber overmold)
2479G	compound w/ foam inserts) Tires & wheels, assembled (2.2" black, satin chrome beadlock	8710	Speed Bit Master Set, hex and nut driver, 13-piece, includes
24/30	wheels, Anaconda® 2.2" tires with foam inserts) (2) (Bandit®		premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm,
2478G	front) Tires & wheels, assembled (2.2" black, satin chrome beadlock		3.0mm), and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm,
24700	wheels, Anaconda® 2.2" tires with foam inserts) (2) (Bandit®	8711	8.0mm), 1/4" drive Speed Bit Master Set, hex driver, 7-piece straight and ball end,
	rear)	07.11	includes premium handle (medium), travel pouch, hex drivers
2471A	Tires & wheels, assembled (Tracer 2.2" black chrome wheels, Alias® ribbed 2.2" tires) (2) (Bandit front, medium compound w/		(straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm, 2.5mm, 3.0mm), 1/4" drive
	foam inserts)	8719	Speed Bit Master Set, nut driver, 6-piece, includes premium
2478A	Tires & wheels, assembled (Tracer 2.2" black chrome wheels,	· -	handle (medium), travel pouch, and nut drivers (4.0mm, 4.5mm,
2470R	Anaconda® 2.2" tires with foam inserts) (2) (Bandit rear) Tires & wheels, assembled (Tracer 2.2" chrome wheels, Alias® 2.2" tires) (2) (Bandit rear, medium compound with foam inserts)	8716	5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive Speed Bit Set, hex driver, 2-piece ball-end (2.0mm, 2.5mm), 1/4"
2471R	Tires & wheels, assembled (Tracer 2.2" chrome wheels, Alias®	8716X	drive Speed Bit Set, hex driver, 3-piece ball-end (2.0mm, 2.5mm,
	ribbed 2.2" tires) (2) (Bandit front, medium compound w/ foam inserts)	8715	3.0mm) 1/4" drive Speed Bit Set, hex driver, 3-piece straight (1.5mm, 2.0mm,
2479R	Tires & wheels, assembled (Tracer 2.2" chrome wheels, Anaconda® 2.2" tires with foam inserts) (2) (Bandit front)		2.5mm), 1/4" drive
2478R	Tires & wheels, assembled (Tracer 2.2" chrome wheels,	8715X	Speed Bit Set, hex driver, 4-piece straight (1.5mm, 2.0mm, 2.5mm, 3.0mm), 1/4" drive
4740	Anaconda® 2.2" tires with foam inserts) (2) (Bandit rear) Tires, 2.1" Pro-Trax ribbed (front) (2)	2748R	Tool set (includes 1.5mm hex wrench / 2.0mm hex wrench / 2.5mm hex wrench/ 4-way wrench/ 8mm & 4mm wrench/ U-joint
1770	Tires, 2.15 spiked (rear) (2)		wrench)
2470	Tires, Alias® 2.2" (rear) (2)/ foam inserts (Bandit) (soft	3415	Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm,
2471	compound) Tires, Alias® ribbed 2.2" (wide, front) (2)/ foam inserts (Bandit)	-	3.5mm, 4mm drivers/4mm. 5mm, 5.5mm, 7mm, and 8mm nut drivers/ 2mm, 3mm, and 4mm slotted screwdrivers/ #00 Phillips,
	(soft compound)		#0 Phillips, and #1 Phillips screwdrivers/ 4mm and 8mm
2478	Tires, Anaconda® 2.2" (rear) (2)/ foam inserts (Bandit) (soft compound)		wrenches/ driver handle) Turnbuckles & Threaded Rods
2479	Tires, Anaconda® 2.2" (wide, front) (2)/foam inserts (Bandit) (soft	0507	
	compound)	2537 2444X	3mm threaded rods: 1 each of 20mm,25mm&44mm Camber links, front (TUBES blue-anodized, 7075-T6 aluminum,
3470	Tires, street slicks (rear) (2)	4 777 8	stronger than titanium) (2) (assembled with rod ends and hollow
2481A	Wheels, 2.2" (black chrome) (2) (Bandit® front)		Stronger than manning (2) rassembled with the ends and minute

2444A

Wheels, 2.2" (black chrome) (2) (Bandit® front) Wheels, 2.2" (black chrome) (2) (Bandit® rear)

Wheels, Tracer 2.2" (black chrome) (2) (Bandit rear)

Wheels, 2.2" (black, satin chrome beadlock) (2) (Bandit® front) Wheels, 2.2" (black, satin chrome beadlock) (2) (Bandit® rear) Wheels, Tracer 2.2" (black chrome) (2) (Bandit front)

2481A

2480A

2481

2480 **2473A 2472A**

REV. 221118 0246

balls)/ aluminum wrench (1)

Camber links, front (TUBES charcoal gray-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)

Page 6 Bandit®: TQ™ 2.4GHz Radio (Model 24054-61) Parts List 2444G Camber links, front (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) 2444T Camber links, front (TUBES orange-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) 2444P Camber links, front (TUBES pink-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES red-anodized, 7075-T6 aluminum, 2444R stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) 2443X Camber links, rear (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, rear (TUBES charcoal gray-anodized, 7075-T6 2443A aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, rear (TUBES green-anodized, 7075-T6 aluminum, 2443G stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) 2443T Camber links, rear (TUBES orange-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, rear (TUBES pink-anodized, 7075-T6 aluminum, 2443P stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, rear (TUBES red-anodized, 7075-T6 aluminum, 2443R stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws 1942 5525R Rod ends, heavy duty (Jato®/Slayer) (8) 2742 Rod ends, long (6)/ hollow ball connectors (6) Rod ends, Revo® (large) with hollow balls (12) 5347 2742X Rod ends, short (6)/ hollow balls (6) 2445X Toe links, front (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Toe links, front (TUBES charcoal gray-anodized, 7075-T6 2445A aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) 2445G Toe links, front (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) 2445T Toe links, front (TUBES orange-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Toe links, front (TUBES pink-anodized, 7075-T6 aluminum, 2445P stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) 2445R Toe links, front (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) 1937 Turnbuckles (54mm) (2)/ 3x6x4mm aluminum spacers (rear camber 1935 Turnbuckles, 36mm (2) 2443 Turnbuckles, camber link, 36mm (56mm center to center) (rear) (assembled with rod ends and hollow balls) (1 left, 1 right) Turnbuckles, camber link, 47mm (67mm center to center) (front) 2444 (assembled with rod ends and hollow balls) (1 left, 1 right) 2445 Turnbuckles, toe link, 55mm (75mm center to center) (2) (assembled with rod ends and hollow balls)

If you have questions or need technical assistance, call Traxxas at:

1-888-TRAXXAS

(1-888-872-9927) (U.S. residents only)

For orders, calls outside the U.S., and other information, call 972-549-3000, or fax to 972-549-3011 e-mail Traxxas at support@Traxxas.com

TRAXXAS.COM