

Toyota® GR Supra GT4® (Model 93064-4) Parts List

Parts shown in bold are optional accessories. Part categories and individual part listings are arranged alphabetically.

	Bearings & Bushings	8334R	Mounts, suspension arms, aluminum (red-anodized) (front & rear)/ hinge pin retainers (12)/ inserts (6)
5119	Ball bearings, blue rubber sealed (10x15x4mm) (2)	1985	PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings)
5120	Ball bearings, blue rubber sealed (12x18x4mm) (2)	8345	Servo saver nuts, aluminum, blue-anodized (hex (1), serrated (1)
5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)	8345G	Servo saver nuts, aluminum, green-anodized (hex (1), serrated
5114	Ball bearings, blue rubber sealed (5x8x2.5mm) (2)		(1))
5105	Ball bearings, blue rubber sealed (6x10x3mm) (2)	8345R	Servo saver nuts, aluminum, red-anodized (hex (1), serrated (1))
5118	Ball bearings, blue rubber sealed (8x16x5mm) (2)	8344	Serv o sav er/ serv o sav er spring/ serv o horn, steering
	Body & Accessories	8338	Shock towers, front & rear
9347	Body mount, rear/ 3x10 FCS (2) (for clipless body mounting)	8343	Steering bellcranks/ hardware
	(attaches to #9340 body)	8337	Steering block (2)
9340	Body, Toyota Supra GT4 (clear, trimmed, requires painting)/	2754	Stub axle pins (4)
	decal sheet (includes side mirrors, wing, grilles, vents,	8354	Stub axles (front or rear) (2)
	hardware, & clipless mounting)	8333	Suspension arms, front (left & right)
9340X	Body, Toy ota Supra GT4, complete (white) (painted, decals applied)	8340	Suspension pin set, complete (front & rear)
	(includes side mirrors, wing, grilles, vents, & clipless mounting)	8398	Sway bar kit, 4-Tec® 2.0 (front and rear) (includes front and rear
9344	Exhaust tips (2)/ exhaust tips mount (2)/ 2.6x8mm BCS (2)	00.40	sway bars and adjustable linkage)
9341	Grille, Toy ota Supra GT4 (center, left, right)/ splitter/ 2.6x8mm BCS	8342	Toe links, steel (34mm) (2)
9348	(6) Latch, body mount, front (for clipless body mounting) (attaches to	8341X	Turnbuckles, aluminum (blue-anodized), camber links, 32mm (front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/
20.40	#9340 body)	0244C	aluminum wrench
9343	Mirrors, side (left & right)/ mounts (left & right)/ hood vent/ mount/ 2.6x8mm BCS (4) Wing/ 2.6x8mm BCS (4)	8341G	Turnbuckles, aluminum (green-anodized), camber links, 32mm (front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/ aluminum wrench
342		8341R	Turnbuckles, aluminum (red-anodized), camber links, 32mm
	Brake Components	557 IIV	(front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/
367	Brake calipers (red), front (2)/ rear (2)		aluminum wrench
356	Wheel hubs, hex (disc brake rotors) (4)		Hardware
	Center Driveline	0047	
204		8347	Nuts, 4mm flanged ny lon locking, serrated (black) (10)
3381 3380	Housing, differential (front)	1985 3229	PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings) Screws, 2.5x10mm cap-head machine (hex drive) (6)
300	Housing, differential (rear)	3236	Screws, 2.5x10mm cap-nead machine (flex drive) (6) Screws, 2.5x12mm cap-head machine (6)
	Chassis & Attachments	3215	Screws, 2.5x6mm cap-head machine (by drive) (6)
346	Battery hold-down/ battery clip/ hold-down post/ foam spacer/ screw	2577	Screws, 3x10mm button-head machine (hex drive) (6)
	pin (fits #9345 chassis)	2587	
3324	Box, receiver (sealed) (steering serv o mount)/ receiver cover/ access	2551	Screws, 3x10mm cap-head machine (6) (no washer) Screws, 3x10mm countersunk machine (6) (hex drive)
	plug/ foam pads/ silicone grease/ 2.5x10 CS (3)	4859	Screws, 3x10mm flat-head machine (hex drive) (4)
9350	Bumper, front/ bumper mount/ bumper foam	2578	Screws, 3x12mm button-head machine (hex drive) (4)
9345	Chassis (for 272mm wheelbase)	2552	Screws, 3x12mm countersunk machine (filex drive)
3321	Chassis brace (front)	2593	Screws, 3x12mm button-head machine (by (flex drive) (6)
3323	Gear cov er (rear chassis brace)/ wire retainer	2579	Screws, 3x15mm button-head machine (hex drive) (6)
	Differential Components	2553	Screws, 3x15mm countersunk machine (6) (hex drive)
5381	Carrier, differential/x-ring gaskets (2)/ ring gear gasket/ 6x10x0.5 TW	8356	Wheel hubs, hex (disc brake rotors) (4)
5136X	Differential oil kit (50cc of 1 each: 10K, 30K, 50K weights)	0000	
3381	Housing, differential (front)		Motors & Electronics
3380	Housing, differential (rear)	2260	BEC assembly (complete) (12.6 volts (3s LiPo) maximum input
3379	Housing, spool / spool shaft/ bushing		voltage)
6879R	Ring gear, differential/ pinion gear, differential (machined, spiral	2072A	Gear set (for 2070, 2075 servos)
J07 J1	cut) (rear)	2272	Gear set (for 2270 waterproof servo)
879	Ring gear, differential/ pinion gear, differential (rear)	3785	Motor, Titan® 12T (12-Turn, 550 size)
		8390	Plate, motor
	Driveline Components	2271	Servo case/ gaskets (for 2270 waterproof servo)
353X	Drive cups, inner (2) (steel constant-velocity driveshafts)/ screw	2074	Serv o case/gaskets (for 2056 and 2075 waterproof serv os)
2252	pins (2)	8345	Servo saver nuts, aluminum, blue-anodized (hex (1), serrated (1)
3353	Driv e cups, inner (2)/ screw pins (2)	8345G	Servo saver nuts, aluminum, green-anodized (hex (1), serrated
9354	Driv eshaft, center, steel (249mm)/ pin/ support, center driv eshaft/	024ED	(1)) Save sever puts aluminum red anadized (box (1) serreted (1))
3350	5x11x4 bearing Driveshaft front (2)	8345R 8344	Servo saver nuts, aluminum, red-anodized (hex (1), serrated (1)) Servo saver/ servo saver spring/ servo horn, steering
	Driv eshaft, front (2) Driv eshaft, rear (2)		1 3
3351		2075R 2075	Servo, digital high-speed, metal gear (ball bearing), waterproof Servo, digital high-torque (ball bearing), waterproof
3350X 3351X	Driveshafts, steel constant-velocity (assembled), front (2)	2075 2075X	
3 351X 3382	Driveshafts, steel constant-velocity (assembled), rear (2) O-rings (12)	2075X 2270	Servo, digital high torque, metal gear (ball bearing), waterproof
2754	Stub axle pins (4)	3350R	Servo, digital high-torque, metal gear (ball bearing), waterproof Velineon® VXL-3s Brushless Power System, waterproof
3354	Stub axles (front or rear) (2)	0000A	(includes VXL-3s brusiness Power System, waterproof
3356	Wheel hubs, hex (disc brake rotors) (4)		speed control mounting plate (part #3725R))
		3355R	Velineon® VXL-3s Electronic Speed Control, waterproof
	Front Suspension & Steering		(brushless) (fwd/rev/brake)
3330	Bulkhead, front	3018R	XL-5 Electronic Speed Control, waterproof (land version, low-voltage
3341	Camber link/toe link set (plastic/ non-adjustable) (front & rear)		detection, fwd/rev/brake)
3332	Caster blocks (c-hubs) (2)/ kingpin bushings (4)		Radio System, Batteries & Chargers
3334	Mounts, suspension arms (front & rear)/ hinge pin retainers (4)	20.4224	
	Marinta arrangian arma alimpinim (blue anadinad) (frant 8	2842X	5000mAh 7.4v 2-Cell 25C LiPo iD® Battery
	Mounts, suspension arms, aluminum (blue-anodized) (front &	004034	
8334X	rear)/ hinge pin retainers (12)/ inserts (6)	2843X	5800mAh 7.4v 2-Cell 25C LiPo iD® Battery
		2843X 2869X 2976	5800mAh 7.4v 2-Cell 25C LiPo iD® Battery 7600mAh 7.4v 2-Cell 25C LiPo iD® Battery AC to DC converter, 40W

Page 2 Toyota® GR Supra GT4®: TQ 2.4GHz Radio (Model 93064-4) Parts List

2938X			
	Adapter, Traxxas® iD® LiPo battery (adapts Traxxas iD batteries to separate balance ports)		Ready-To-Race Model
2943 6548	Battery charge indicators (green (4), blue (4), gray (4)) Battery door, transmitter (replacement for #6516, 6517, 6528, 6529,	93064-4	Toy ota® GR Supra GT4®: 1/10 Scale AWD Race Car with TQ™ 2.4GHz Radio System
00.0	6530 transmitters)		Rear Suspension
2914	Battery, Power Cell AA Alkaline (4)	8329	Bulkhead, rear
2923X	Battery, Power Cell iD®, 3000mAh (NiMH, 7-C flat, 8.4V)	8352	Carriers, stub axle (left & right)
2940X	Battery, Series 3 Power Cell iD®, 3300mAh (NiMH, 7-C flat, 8.4V)	8334	Mounts, suspension arms (front & rear)/ hinge pin retainers (4)
2950X	Battery, Series 4 Power Cell iD®, 4200mAh (NiMH, 7-C flat, 8.4V)	8334X	Mounts, suspension arms, aluminum (blue-anodized) (front &
2960X	Battery, Series 5 Power Cell iD®, 5000mAh (NiMH, 7-C flat, 8.4V)	000-170	rear)/ hinge pin retainers (12)/ inserts (6)
2983	Battery/charger completer pack (includes #2969 2-amp NiMH	8334G	Mounts, suspension arms, aluminum (green-anodized) (front &
	peak detecting AC charger (1), #2923X 3000mAh 8.4V 7-cell NiMH		rear)/ hinge pin retainers (12)/ inserts (6)
	iD® battery (1))	8334R	Mounts, suspension arms, aluminum (red-anodized) (front &
2992	Battery/charger completer pack (includes #2970 iD® charger (1),		rear)/ hinge pin retainers (12)/ inserts (6)
2000	#2843X 5800mAh 7.4V 2-cell 25C LiPo iD® battery (1))	1985	PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings)
2260	BEC assembly (complete) (12.6 volts (3s LiPo) maximum input voltage)	8338	Shock towers, front & rear
2969	Charger, AC, 2 amp NiMH peak detecting (5-7 cell, 6.0-8.4 volt,	2754	Stub axle pins (4)
1303	NiMH only)	8354	Stub axles (front or rear) (2)
2975	Charger, DC, 4 amp (6 - 7 cell, 7.2 - 8.4 volt, NiMH)	8331	Suspension arms, rear (left & right)
972	Charger, EZ-Peak® Dual, 100W, NiMH/LiPo with iD® Auto Battery	8340	Suspension pin set, complete (front & rear)
.512	Identification	8398	Sway bar kit, 4-Tec® 2.0 (front and rear) (includes front and rea sway bars and adjustable linkage)
2973	Charger, EZ-Peak® Live Dual, 200W, NiMH/LiPo with iD® Auto	0244V	, , ,
	Battery Identification	8341X	Turnbuckles, aluminum (blue-anodized), camber links, 32mm (front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/
971	Charger, EZ-Peak® Live, 100W, NiMH/LiPo with iD® Auto Battery		aluminum wrench
	Identification	8341G	Turnbuckles, aluminum (green-anodized), camber links, 32mm
2981	Charger, EZ-Peak® Plus 4s, 8 amp, NiMH/LiPo with iD® Auto	00410	(front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/
	Battery Identification		aluminum wrench
2970	Charger, EZ-Peak® Plus, 4 amp, NiMH/LiPo with iD® Auto	8341R	Turnbuckles, aluminum (red-anodized), camber links, 32mm
	Battery Identification		(front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/
5525	Communication link, telemetry expander		aluminum wrench
5512	Cover plate, Traxxas Link™ Wireless Module		Shock Oil
978	Fuse, charger, 5A (2) (for #2974, 2975, 2977)		
.072A	Gear set (for 2070, 2075 servos)	5031	Oil, shock (20 wt, 200 cSt, 60cc) (silicone)
272	Gear set (for 2270 waterproof servo)	5032	Oil, shock (30 wt, 350 cSt, 60cc) (silicone)
968X	LiPo cell voltage checker/balancer (includes #2938X adapter for	5033	Oil, shock (40 wt, 500 cSt, 60cc) (silicone)
	Traxxas® iD® batteries)	5034	Oil, shock (50 wt, 600 cSt, 60cc) (silicone)
968	LiPo cell voltage checker/balancer (requires #2938X adapter for	5035	Oil, shock (60 wt, 700 cSt, 60cc) (silicone)
	Traxxas® iD® batteries)	5036	Oil, shock (70 wt, 900 cSt, 60cc) (silicone)
5560	Mount, telemetry expander (fits 4-Tec® 2.0 & 3.0)	5037	Oil, shock (80 wt, 1,000 cSt, 60cc) (silicone)
5535	Mount, temperature sensor (electric motors)/ wire tie/ thermal	5029	Shock oil bottle (60cc) (for mixing shock oil)
S519	pad Receiver, micro, TQ 2.4GHz (3-channel)	5038X	Shock oil set (includes 20 wt, 30 wt, 40 wt, 50 wt, 60 wt, 70 wt, 8
6533	· · · · · · · · · · · · · · · · · · ·	5038	80 wt premium shock oils with spinning carousel rack)
5552	Receiver, micro, TQi 2.4GHz with telemetry & TSM (5-channel) Seal kit, expander box (includes o-ring, seals, and silicone	5036	Spinning carousel rack
JJJ2	grease)		Shocks (Pro-level Aluminum)
6526	Sensor, auto-detectable, temperature	2658	Big Bore shocks (short) (hard-anodized & PTFE-coated T6
6527	Sensor, auto-detectable, voltage		aluminum) (assembled with TiN shafts w/ springs)(f/r)(2) (Note:
5521	Sensor, temperature and voltage (long)		Assembled with 32mm shafts, 29mm shafts included)
2271	Servo case/ gaskets (for 2270 waterproof servo)	2669	Piston head set (2-hole (2)/ 3-hole (2))/ shock mounting bushin
2074	Serv o case/gaskets (for 2056 and 2075 waterproof serv os)		& washers (2) (Big Bore Shocks)
345	Servo saver nuts, aluminum, blue-anodized (hex (1), serrated (1))	1942	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screv
345G	Servo saver nuts, aluminum, green-anodized (hex (1), serrated	07407	(2)
	(1))	2742X	Rod ends, short (6)/ hollow balls (6)
345R	Servo saver nuts, aluminum, red-anodized (hex (1), serrated (1))	8361	Shock caps (black) (4) (assembled with hollow balls)
		2667	
344	Serv o sav er/ serv o sav er spring/ serv o horn, steering	4004	Shock caps, aluminum (Big Bore Shocks) (2)
	Serv o sav er/ serv o sav er spring/ serv o horn, steering Servo, digital high-speed, metal gear (ball bearing), waterproof	4261T	Shock shafts, hardened steel, titanium nitride coated (29mm)
075R			Shock shafts, hardened steel, titanium nitride coated (29mm) (front) (2)
075R 075	Servo, digital high-speed, metal gear (ball bearing), waterproof	4262T	Shock shafts, hardened steel, titanium nitride coated (29mm) (front) (2) Shock shafts, hardened steel, titanium nitride coated (32mm) (2
2 075R 2075 2 075X	Servo, digital high-speed, metal gear (ball bearing), waterproof Servo, digital high-torque (ball bearing), waterproof	4262T 4261	Shock shafts, hardened steel, titanium nitride coated (29mm) (front) (2) Shock shafts, hardened steel, titanium nitride coated (32mm) (2) Shock shafts, steel, chrome finish (29mm) (front) (2)
075R 075 075X 270	Servo, digital high-speed, metal gear (ball bearing), waterproof Servo, digital high-torque (ball bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof	4262T 4261 4262	Shock shafts, hardened steel, titanium nitride coated (29mm) (front) (2) Shock shafts, hardened steel, titanium nitride coated (32mm) (2) Shock shafts, steel, chrome finish (29mm) (front) (2) Shock shafts, steel, chrome finish (32mm) (2)
2075R 2075 2075X 2270 3553X	Servo, digital high-speed, metal gear (ball bearing), waterproof Servo, digital high-torque (ball bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof Telemetry expander 2.0 and GPS module 2.0, TQi radio system Telemetry expander 2.0, TQi radio system (for use only with	4262T 4261 4262 1765	Shock shafts, hardened steel, titanium nitride coated (29mm) (front) (2) Shock shafts, hardened steel, titanium nitride coated (32mm) (2) Shock shafts, steel, chrome finish (29mm) (front) (2) Shock shafts, steel, chrome finish (32mm) (2) Silicone diaphragms (4)
2075R 2075 2075X 2270 6553X	Servo, digital high-speed, metal gear (ball bearing), waterproof Servo, digital high-torque (ball bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof Telemetry expander 2.0 and GPS module 2.0, TQi radio system Telemetry expander 2.0, TQi radio system (for use only with #6551X GPS module)	4262T 4261 4262	Shock shafts, hardened steel, titanium nitride coated (29mm) (front) (2) Shock shafts, hardened steel, titanium nitride coated (32mm) (2) Shock shafts, steel, chrome finish (29mm) (front) (2) Shock shafts, steel, chrome finish (32mm) (2) Silicone diaphragms (4) Spring retainers, upper & lower (2)/ spring pre-load spacers:
2075R 2075 2075X 2270 6553X 6550X	Servo, digital high-speed, metal gear (ball bearing), waterproof Servo, digital high-torque (ball bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof Telemetry expander 2.0 and GPS module 2.0, TQi radio system Telemetry expander 2.0, TQi radio system (for use only with	4262T 4261 4262 1765	Shock shafts, hardened steel, titanium nitride coated (29mm) (front) (2) Shock shafts, hardened steel, titanium nitride coated (32mm) (2) Shock shafts, steel, chrome finish (29mm) (front) (2) Shock shafts, steel, chrome finish (32mm) (2) Silicone diaphragms (4) Spring retainers, upper & lower (2)/ spring pre-load spacers: 1mm (4)/ 1.5mm (2)/ 2mm (2)/ 4mm (2)/ 8mm (2) (Big Bore
2075R 2075 2075X 2270 3553X 3550X	Servo, digital high-speed, metal gear (ball bearing), waterproof Servo, digital high-torque (ball bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof Telemetry expander 2.0 and GPS module 2.0, TQi radio system Telemetry expander 2.0, TQi radio system (for use only with #6551X GPS module)	4262T 4261 4262 1765	Shock shafts, hardened steel, titanium nitride coated (29mm) (front) (2) Shock shafts, hardened steel, titanium nitride coated (32mm) (2) Shock shafts, steel, chrome finish (29mm) (front) (2) Shock shafts, steel, chrome finish (32mm) (2) Silicone diaphragms (4) Spring retainers, upper & lower (2)/ spring pre-load spacers: 1mm (4)/ 1.5mm (2)/ 2mm (2)/ 4mm (2)/ 8mm (2) (Big Bore Shocks)
075R 075 075X 270 553X 550X	Servo, digital high-speed, metal gear (ball bearing), waterproof Servo, digital high-torque (ball bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof Telemetry expander 2.0 and GPS module 2.0, TQi radio system Telemetry expander 2.0, TQi radio system (for use only with #6551X GPS module) Telemetry GPS module 2.0, TQi radio system (for use only with #6550X telemetry expander) TQi 2.4 GHz High Output radio system, 2-channel, Traxxas	4262T 4261 4262 1765 2668	Shock shafts, hardened steel, titanium nitride coated (29mm) (front) (2) Shock shafts, hardened steel, titanium nitride coated (32mm) (2) Shock shafts, steel, chrome finish (29mm) (front) (2) Shock shafts, steel, chrome finish (32mm) (2) Silicone diaphragms (4) Spring retainers, upper & lower (2)/ spring pre-load spacers: 1mm (4)/ 1.5mm (2)/ 2mm (2)/ 4mm (2)/ 8mm (2) (Big Bore Shocks) SIDCIS (UITA SIDCIS)
075R 075 075X 270 553X 550X 551X	Servo, digital high-speed, metal gear (ball bearing), waterproof Servo, digital high-torque (ball bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof Telemetry expander 2.0 and GPS module 2.0, TQi radio system Telemetry expander 2.0, TQi radio system (for use only with #6551X GPS module) Telemetry GPS module 2.0, TQi radio system (for use only with #6550X telemetry expander) TQi 2.4 GHz High Output radio system, 2-channel, Traxxas Link™ enabled, TSM (2-ch transmitter, 5-ch micro receiver)	4262T 4261 4262 1765 2668	Shock shafts, hardened steel, titanium nitride coated (29mm) (front) (2) Shock shafts, hardened steel, titanium nitride coated (32mm) (2) Shock shafts, steel, chrome finish (29mm) (front) (2) Shock shafts, steel, chrome finish (32mm) (2) Silicone diaphragms (4) Spring retainers, upper & lower (2)/ spring pre-load spacers: 1mm (4)/ 1.5mm (2)/ 2mm (2)/ 4mm (2)/ 8mm (2) (Big Bore Shocks) SIOCAS (Wita SIOCAS) Rebuild kit, Ultra shocks (for 2 shocks)
2075R 2075 2075X 2270 2553X 2550X 2551X	Servo, digital high-speed, metal gear (ball bearing), waterproof Servo, digital high-torque (ball bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof Telemetry expander 2.0 and GPS module 2.0, TQi radio system Telemetry expander 2.0, TQi radio system (for use only with #6551X GPS module) Telemetry GPS module 2.0, TQi radio system (for use only with #6550X telemetry expander) TQi 2.4 GHz High Output radio system, 2-channel, Traxxas Link™ enabled, TSM (2-ch transmitter, 5-ch micro receiver) TQi 2.4 GHz High Output radio system, 4-channel with Traxxas	4262T 4261 4262 1765 2668	Shock shafts, hardened steel, titanium nitride coated (29mm) (front) (2) Shock shafts, hardened steel, titanium nitride coated (32mm) (2) Shock shafts, steel, chrome finish (29mm) (front) (2) Shock shafts, steel, chrome finish (32mm) (2) Silicone diaphragms (4) Spring retainers, upper & lower (2)/ spring pre-load spacers: 1mm (4)/ 1.5mm (2)/ 2mm (2)/ 4mm (2)/ 8mm (2) (Big Bore Shocks) Rebuild kit, Ultra shocks (for 2 shocks) Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screw
075R 075 075X 270 553X 550X 551X	Servo, digital high-speed, metal gear (ball bearing), waterproof Servo, digital high-torque (ball bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof Telemetry expander 2.0 and GPS module 2.0, TQi radio system Telemetry expander 2.0, TQi radio system (for use only with #6551X GPS module) Telemetry GPS module 2.0, TQi radio system (for use only with #6550X telemetry expander) TQi 2.4 GHz High Output radio system, 2-channel, Traxxas Link™ enabled, TSM (2-ch transmitter, 5-ch micro receiver) TQi 2.4 GHz High Output radio system, 4-channel with Traxxas Link™ Wireless Module, TSM (4-ch transmitter, 5-ch micro	4262T 4261 4262 1765 2668 2362 1942	Shock shafts, hardened steel, titanium nitride coated (29mm) (front) (2) Shock shafts, hardened steel, titanium nitride coated (32mm) (2) Shock shafts, steel, chrome finish (29mm) (front) (2) Shock shafts, steel, chrome finish (32mm) (2) Silicone diaphragms (4) Spring retainers, upper & lower (2)/ spring pre-load spacers: 1mm (4)/ 1.5mm (2)/ 2mm (2)/ 4mm (2)/ 8mm (2) (Big Bore Shocks) Shocks (Ultra Shocks) Rebuild kit, Ultra shocks (for 2 shocks) Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screw (2)
075R 075 075X 270 553X 550X 551X 509R	Servo, digital high-speed, metal gear (ball bearing), waterproof Servo, digital high-torque (ball bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof Telemetry expander 2.0 and GPS module 2.0, TQi radio system Telemetry expander 2.0, TQi radio system (for use only with #6551X GPS module) Telemetry GPS module 2.0, TQi radio system (for use only with #6550X telemetry expander) TQi 2.4 GHz High Output radio system, 2-channel, Traxxas Link™ enabled, TSM (2-ch transmitter, 5-ch micro receiver) TQi 2.4 GHz High Output radio system, 4-channel with Traxxas Link™ Wireless Module, TSM (4-ch transmitter, 5-ch micro receiver)	4262T 4261 4262 1765 2668 2362 1942 2742X	Shock shafts, hardened steel, titanium nitride coated (29mm) (front) (2) Shock shafts, hardened steel, titanium nitride coated (32mm) (2) Shock shafts, steel, chrome finish (29mm) (front) (2) Shock shafts, steel, chrome finish (32mm) (2) Silicone diaphragms (4) Spring retainers, upper & lower (2)/ spring pre-load spacers: 1mm (4)/ 1.5mm (2)/ 2mm (2)/ 4mm (2)/ 8mm (2) (Big Bore Shocks) SIDCLS (Ultra SIDCLS) Rebuild kit, Ultra shocks (for 2 shocks) Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screw (2) Rod ends, short (6)/ hollow balls (6)
075R 075 075X 270 553X 550X 551X 509R 507R	Servo, digital high-speed, metal gear (ball bearing), waterproof Servo, digital high-torque (ball bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof Telemetry expander 2.0 and GPS module 2.0, TQi radio system Telemetry expander 2.0, TQi radio system (for use only with #6551X GPS module) Telemetry GPS module 2.0, TQi radio system (for use only with #6550X telemetry expander) TQi 2.4 GHz High Output radio system, 2-channel, Traxxas Link™ enabled, TSM (2-ch transmitter, 5-ch micro receiver) TQi 2.4 GHz High Output radio system, 4-channel with Traxxas Link™ Wireless Module, TSM (4-ch transmitter, 5-ch micro receiver) Transmitter, TQ 2.4GHz, 2-channel (transmitter only)	4262T 4261 4262 1765 2668 2362 1942 2742X 8361	Shock shafts, hardened steel, titanium nitride coated (29mm) (front) (2) Shock shafts, hardened steel, titanium nitride coated (32mm) (2) Shock shafts, steel, chrome finish (29mm) (front) (2) Shock shafts, steel, chrome finish (32mm) (2) Silicone diaphragms (4) Spring retainers, upper & lower (2)/ spring pre-load spacers: 1mm (4)/ 1.5mm (2)/ 2mm (2)/ 4mm (2)/ 8mm (2) (Big Bore Shocks) Since (Ultra Since (S) Rebuild kit, Ultra shocks (for 2 shocks) Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball scree (2) Rod ends, short (6)/ hollow balls (6) Shock caps (black) (4) (assembled with hollow balls)
2075R 2075 2075X 2270 2553X 2550X 2551X 2509R 2507R	Servo, digital high-speed, metal gear (ball bearing), waterproof Servo, digital high-torque (ball bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof Telemetry expander 2.0 and GPS module 2.0, TQi radio system Telemetry expander 2.0, TQi radio system (for use only with #6551X GPS module) Telemetry GPS module 2.0, TQi radio system (for use only with #6550X telemetry expander) TQi 2.4 GHz High Output radio system, 2-channel, Traxxas Link™ enabled, TSM (2-ch transmitter, 5-ch micro receiver) TQi 2.4 GHz High Output radio system, 4-channel with Traxxas Link™ Wireless Module, TSM (4-ch transmitter, 5-ch micro receiver) Transmitter, TQ 2.4GHz, 2-channel (transmitter only) Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 2-	4262T 4261 4262 1765 2668 2362 1942 2742X	Shock shafts, hardened steel, titanium nitride coated (29mm) (front) (2) Shock shafts, hardened steel, titanium nitride coated (32mm) (2) Shock shafts, steel, chrome finish (29mm) (front) (2) Shock shafts, steel, chrome finish (32mm) (2) Silicone diaphragms (4) Spring retainers, upper & lower (2)/ spring pre-load spacers: 1mm (4)/ 1.5mm (2)/ 2mm (2)/ 4mm (2)/ 8mm (2) (Big Bore Shocks) STOCKS (UITA STOCKS) Rebuild kit, Ultra shocks (for 2 shocks) Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screw (2) Rod ends, short (6)/ hollow balls (6) Shock caps (black) (4) (assembled with hollow balls) Ultra Shocks (gray) (short) (includes spring pre-load spacers) (2)
2075R 2075 2075X 2270 2553X 2550X 2551X 2509R 2507R	Servo, digital high-speed, metal gear (ball bearing), waterproof Servo, digital high-torque (ball bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof Telemetry expander 2.0 and GPS module 2.0, TQi radio system Telemetry expander 2.0, TQi radio system (for use only with #6551X GPS module) Telemetry GPS module 2.0, TQi radio system (for use only with #6550X telemetry expander) TQi 2.4 GHz High Output radio system, 2-channel, Traxxas Link™ enabled, TSM (2-ch transmitter, 5-ch micro receiver) TQi 2.4 GHz High Output radio system, 4-channel with Traxxas Link™ Wireless Module, TSM (4-ch transmitter, 5-ch micro receiver) Transmitter, TQ 2.4GHz, 2-channel (transmitter only) Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 2- channel (transmitter only)	4262T 4261 4262 1765 2668 2362 1942 2742X 8361	Shock shafts, hardened steel, titanium nitride coated (29mm) (front) (2) Shock shafts, hardened steel, titanium nitride coated (32mm) (2) Shock shafts, steel, chrome finish (29mm) (front) (2) Shock shafts, steel, chrome finish (32mm) (2) Silicone diaphragms (4) Spring retainers, upper & lower (2)/ spring pre-load spacers: 1mm (4)/ 1.5mm (2)/ 2mm (2)/ 4mm (2)/ 8mm (2) (Big Bore Shocks) STOCKS (UITA STOCKS) Rebuild kit, Ultra shocks (for 2 shocks) Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screw (2) Rod ends, short (6)/ hollow balls (6) Shock caps (black) (4) (assembled with hollow balls) Ultra Shocks (gray) (short) (includes spring pre-load spacers) (2)
2075R 2075 2075X 2270 2553X 2550X 2551X 2509R 2507R	Servo, digital high-speed, metal gear (ball bearing), waterproof Servo, digital high-torque (ball bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof Telemetry expander 2.0 and GPS module 2.0, TQi radio system (for use only with #6551X GPS module) Telemetry expander 2.0, TQi radio system (for use only with #6550X telemetry expander) TQi 2.4 GHz High Output radio system, 2-channel, Traxxas Link™ enabled, TSM (2-ch transmitter, 5-ch micro receiver) TQi 2.4 GHz High Output radio system, 4-channel with Traxxas Link™ Wireless Module, TSM (4-ch transmitter, 5-ch micro receiver) Transmitter, TQ 2.4GHz, 2-channel (transmitter only) Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 2-channel (transmitter only) Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 3-	4262T 4261 4262 1765 2668 2362 1942 2742X 8361 8360	Shock shafts, hardened steel, titanium nitride coated (29mm) (front) (2) Shock shafts, hardened steel, titanium nitride coated (32mm) (2) Shock shafts, steel, chrome finish (29mm) (front) (2) Shock shafts, steel, chrome finish (32mm) (2) Silicone diaphragms (4) Spring retainers, upper & lower (2)/ spring pre-load spacers: 1mm (4)/ 1.5mm (2)/ 2mm (2)/ 4mm (2)/ 8mm (2) (Big Bore Shocks) Rebuild kit, Ultra shocks (for 2 shocks) Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball scree (2) Rod ends, short (6)/ hollow balls (6) Shock caps (black) (4) (assembled with hollow balls) Ultra Shocks (gray) (short) (includes spring pre-load spacers) (2)
2075R 2075 2075X 2270 3553X 3553X 3550X 3550X 3550R 3507R 3516 3528	Servo, digital high-speed, metal gear (ball bearing), waterproof Servo, digital high-torque (ball bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof Telemetry expander 2.0 and GPS module 2.0, TQi radio system Telemetry expander 2.0, TQi radio system (for use only with #6551X GPS module) Telemetry GPS module 2.0, TQi radio system (for use only with #6550X telemetry expander) TQi 2.4 GHz High Output radio system, 2-channel, Traxxas Link™ enabled, TSM (2-ch transmitter, 5-ch micro receiver) TQi 2.4 GHz High Output radio system, 4-channel with Traxxas Link™ Wireless Module, TSM (4-ch transmitter, 5-ch micro receiver) Transmitter, TQ 2.4GHz, 2-channel (transmitter only) Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 2-channel (transmitter only) Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 3-channel (transmitter only)	4262T 4261 4262 1765 2668 2362 1942 2742X 8361 8360	Shock shafts, hardened steel, titanium nitride coated (29mm) (front) (2) Shock shafts, hardened steel, titanium nitride coated (32mm) (2) Shock shafts, steel, chrome finish (29mm) (front) (2) Shock shafts, steel, chrome finish (32mm) (2) Silicone diaphragms (4) Spring retainers, upper & lower (2)/ spring pre-load spacers: 1mm (4)/ 1.5mm (2)/ 2mm (2)/ 4mm (2)/ 8mm (2) (Big Bore Shocks) Sincks (Uitra Shocks) Rebuild kit, Ultra shocks (for 2 shocks) Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball scree (2) Rod ends, short (6)/ hollow balls (6) Shock caps (black) (4) (assembled with hollow balls) Ultra Shocks (gray) (short) (includes spring pre-load spacers) (2) Spring, shock (blue) (3.7 rate) (2)
2075R 2075 2075X 2270 5553X 5550X 5551X 5509R 5507R 5516 5528	Servo, digital high-speed, metal gear (ball bearing), waterproof Servo, digital high-torque (ball bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof Telemetry expander 2.0 and GPS module 2.0, TQi radio system Telemetry expander 2.0, TQi radio system (for use only with #6551X GPS module) Telemetry GPS module 2.0, TQi radio system (for use only with #6550X telemetry expander) TQi 2.4 GHz High Output radio system, 2-channel, Traxxas Link™ enabled, TSM (2-ch transmitter, 5-ch micro receiver) TQi 2.4 GHz High Output radio system, 4-channel with Traxxas Link™ Wireless Module, TSM (4-ch transmitter, 5-ch micro receiver) Transmitter, TQ 2.4GHz, 2-channel (transmitter only) Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 2-channel (transmitter only) Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 3-channel (transmitter only) Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 4-	4262T 4261 4262 1765 2668 2362 1942 2742X 8361 8360 8362X 8362X	Shock shafts, hardened steel, titanium nitride coated (29mm) (front) (2) Shock shafts, hardened steel, titanium nitride coated (32mm) (2) Shock shafts, steel, chrome finish (29mm) (front) (2) Shock shafts, steel, chrome finish (32mm) (2) Silicone diaphragms (4) Spring retainers, upper & lower (2)/ spring pre-load spacers: 1mm (4)/ 1.5mm (2)/ 2mm (2)/ 4mm (2)/ 8mm (2) (Big Bore Shocks) Silicol's (Ultra Shocks) Rebuild kit, Ultra shocks (for 2 shocks) Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball scree (2) Rod ends, short (6)/ hollow balls (6) Shock caps (black) (4) (assembled with hollow balls) Ultra Shocks (gray) (short) (includes spring pre-load spacers) (2) Spring, shock (blue) (3.7 rate) (2) Spring, shock (green) (3.7 rate) (2)
2075R 2075 2075X 2270 3553X 3550X 3551X 3509R 3516 3528 3528	Servo, digital high-speed, metal gear (ball bearing), waterproof Servo, digital high-torque (ball bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof Telemetry expander 2.0 and GPS module 2.0, TQi radio system Telemetry expander 2.0, TQi radio system (for use only with #6551X GPS module) Telemetry GPS module 2.0, TQi radio system (for use only with #6550X telemetry expander) TQi 2.4 GHz High Output radio system, 2-channel, Traxxas Link™ enabled, TSM (2-ch transmitter, 5-ch micro receiver) TQi 2.4 GHz High Output radio system, 4-channel with Traxxas Link™ Wireless Module, TSM (4-ch transmitter, 5-ch micro receiver) Transmitter, TQ 2.4GHz, 2-channel (transmitter only) Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 2-channel (transmitter only) Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 3-channel (transmitter only) Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 4-channel (transmitter only)	4262T 4261 4262 1765 2668 2362 1942 2742X 8361 8360 8362X 8362C 8362P	Shock shafts, hardened steel, titanium nitride coated (29mm) (front) (2) Shock shafts, hardened steel, titanium nitride coated (32mm) (2) Shock shafts, steel, chrome finish (29mm) (front) (2) Shock shafts, steel, chrome finish (32mm) (2) Silicone diaphragms (4) Spring retainers, upper & lower (2)/ spring pre-load spacers: 1mm (4)/ 1.5mm (2)/ 2mm (2)/ 4mm (2)/ 8mm (2) (Big Bore Shocks) Rebuild kit, Ultra shocks (for 2 shocks) Rebuild kit, Ultra shocks (for 2 shocks) Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screv (2) Rod ends, short (6)/ hollow balls (6) Shock caps (black) (4) (assembled with hollow balls) Ultra Shocks (gray) (short) (includes spring pre-load spacers) (2) Spring, shock (blue) (3.7 rate) (2) Spring, shock (green) (3.7 rate) (2) Spring, shock (pink) (3.7 rate) (2)
2075R 2075 2075X 2270 5553X 5550X 5551X 5550PR 6507R 6516 6528 6529 6530	Servo, digital high-speed, metal gear (ball bearing), waterproof Servo, digital high-torque (ball bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof Telemetry expander 2.0 and GPS module 2.0, TQi radio system Telemetry expander 2.0, TQi radio system (for use only with #6551X GPS module) Telemetry GPS module 2.0, TQi radio system (for use only with #6550X telemetry expander) TQi 2.4 GHz High Output radio system, 2-channel, Traxxas Link™ enabled, TSM (2-ch transmitter, 5-ch micro receiver) TQi 2.4 GHz High Output radio system, 4-channel with Traxxas Link™ Wireless Module, TSM (4-ch transmitter, 5-ch micro receiver) Transmitter, TQ 2.4GHz, 2-channel (transmitter only) Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 2-channel (transmitter only) Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 3-channel (transmitter only) Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 4-channel (transmitter only)	4262T 4261 4262 1765 2668 2362 1942 2742X 8361 8360 8362X 8362Z 8362P 8366	Shock shafts, hardened steel, titanium nitride coated (29mm) (front) (2) Shock shafts, hardened steel, titanium nitride coated (32mm) (2) Shock shafts, steel, chrome finish (29mm) (front) (2) Shock shafts, steel, chrome finish (32mm) (2) Silicone diaphragms (4) Spring retainers, upper & lower (2)/ spring pre-load spacers: 1mm (4)/ 1.5mm (2)/ 2mm (2)/ 4mm (2)/ 8mm (2) (Big Bore Shocks) Rebuild kit, Ultra shocks (for 2 shocks) Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screv (2) Rod ends, short (6)/ hollow balls (6) Shock caps (black) (4) (assembled with hollow balls) Ultra Shocks (gray) (short) (includes spring pre-load spacers) (2) Spring, shock (blue) (3.7 rate) (2) Spring, shock (green) (3.7 rate) (2) Spring, shock (red) (2.8 rate, white stripe) (2)
2075R 2075 2075X 2270 6553X 6555X 6551X 6550PR 6507R 6516 6528 6529 6530	Servo, digital high-speed, metal gear (ball bearing), waterproof Servo, digital high-torque (ball bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof Telemetry expander 2.0 and GPS module 2.0, TQi radio system (for use only with #6551X GPS module) Telemetry expander 2.0, TQi radio system (for use only with #6550X telemetry expander) TQi 2.4 GHz High Output radio system, 2-channel, Traxxas Link™ enabled, TSM (2-ch transmitter, 5-ch micro receiver) TQi 2.4 GHz High Output radio system, 4-channel with Traxxas Link™ Wireless Module, TSM (4-ch transmitter, 5-ch micro receiver) Transmitter, TQ 2.4GHz, 2-channel (transmitter only) Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 2-channel (transmitter only) Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 3-channel (transmitter only) Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 4-channel (transmitter only) Traxxas Link™ wireless Module XL-5 Electronic Speed Control, waterproof (land version, low-voltage	4262T 4261 4262 1765 2668 2362 1942 2742X 8361 8360 8362X 8362P 8366 8365	Shock shafts, hardened steel, titanium nitride coated (29mm) (front) (2) Shock shafts, hardened steel, titanium nitride coated (32mm) (2) Shock shafts, steel, chrome finish (29mm) (front) (2) Shock shafts, steel, chrome finish (32mm) (2) Silicone diaphragms (4) Spring retainers, upper & lower (2)/ spring pre-load spacers: 1mm (4)/ 1.5mm (2)/ 2mm (2)/ 4mm (2)/ 8mm (2) (Big Bore Shocks) Rebuild kit, Ultra shocks (for 2 shocks) Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screw (2) Rod ends, short (6)/ hollow balls (6) Shock caps (black) (4) (assembled with hollow balls) Ultra Shocks (gray) (short) (includes spring pre-load spacers) (2) Spring, shock (blue) (3.7 rate) (2) Spring, shock (pink) (3.7 rate) (2) Spring, shock (red) (2.8 rate, white stripe) (2) Spring, shock (red) (3.325 rate, orange stripe) (2)
8344 2075R 2075S 2075X 2270 6553X 6550X 6551X 65509R 65516 65528 65528 65513 65518	Servo, digital high-speed, metal gear (ball bearing), waterproof Servo, digital high-torque (ball bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof Telemetry expander 2.0 and GPS module 2.0, TQi radio system Telemetry expander 2.0, TQi radio system (for use only with #6551X GPS module) Telemetry GPS module 2.0, TQi radio system (for use only with #6550X telemetry expander) TQi 2.4 GHz High Output radio system, 2-channel, Traxxas Link™ enabled, TSM (2-ch transmitter, 5-ch micro receiver) TQi 2.4 GHz High Output radio system, 4-channel with Traxxas Link™ Wireless Module, TSM (4-ch transmitter, 5-ch micro receiver) Transmitter, TQ 2.4GHz, 2-channel (transmitter only) Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 2-channel (transmitter only) Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 3-channel (transmitter only) Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 4-channel (transmitter only)	4262T 4261 4262 1765 2668 2362 1942 2742X 8361 8360 8362X 8362Z 8362P 8366	Shock shafts, hardened steel, titanium nitride coated (29mm) (front) (2) Shock shafts, hardened steel, titanium nitride coated (32mm) (2) Shock shafts, steel, chrome finish (29mm) (front) (2) Shock shafts, steel, chrome finish (32mm) (2) Silicone diaphragms (4) Spring retainers, upper & lower (2)/ spring pre-load spacers: 1mm (4)/ 1.5mm (2)/ 2mm (2)/ 4mm (2)/ 8mm (2) (Big Bore Shocks) Rebuild kit, Ultra shocks (for 2 shocks) Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screv (2) Rod ends, short (6)/ hollow balls (6) Shock caps (black) (4) (assembled with hollow balls) Ultra Shocks (gray) (short) (includes spring pre-load spacers) (2) Spring, shock (blue) (3.7 rate) (2) Spring, shock (green) (3.7 rate) (2) Spring, shock (red) (2.8 rate, white stripe) (2)

Page 3 Toyota® GR Supra GT4®: TQ 2.4GHz Radio (Model 93064-4) Parts List

Page 3	Toyota® GR Supra GT4®: TQ 2.4GHz Radio (Model	93064
	Cour Goore o Dinion Goore	2748R
	Spur Gears & Pinion Gears	274010
2728	Ball bearings (5x8x2.5mm) (2)	
8323	Gear cov er (rear chassis brace)/ wire retainer	3415
1918	Gear, 18-T pinion (48-pitch) / set screw	
2419	Gear, 19-T pinion (48-pitch) / set screw	
2421 2422	Gear, 21-T pinion (48-pitch) / set screw Gear, 22-T pinion (48-pitch) (fits 3mm shaft)/ set screw	
2423	Gear, 23-T pinion (48-pitch) (fits 3mm shaft)/ set screw	
2423	Gear, 24-T pinion (48-pitch) (fits 3mm shaft)/ set screw	
2426	Gear, 26-T pinion (48-pitch) (fits 3mm shaft)/ set screw	8341
4725	Gear, pinion (25-tooth) (48-pitch) / set screw	8342
4728	Gear, pinion (28-tooth) (48-pitch) (fits 3mm shaft)/ set screw	8341X
8359	Spur gear, 62-tooth	
8357	Spur gear, 70-tooth	8341G
8368	Spur gear, 72-tooth (48 pitch)	
	Steering Components	
8345	Servo saver nuts, aluminum, blue-anodized (hex (1), serrated (1))	8341R
8345G	Servo saver nuts, aluminum, green-anodized (hex (1), serrated	
	(1))	
8345R	Servo saver nuts, aluminum, red-anodized (hex (1), serrated (1))	
8344	Serv o sav er/ serv o sav er spring/ serv o horn, steering	
8343	Steering bellcranks/ hardware	
8342	Toe links, steel (34mm) (2)	
	Suspension Linkage	
8341	Camber link/toe link set (plastic/ non-adjustable) (front & rear)	
8341X	Turnbuckles, aluminum (blue-anodized), camber links, 32mm	
	(front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/	
8341G	aluminum wrench Turnbuckles, aluminum (green-anodized), camber links, 32mm	
03410	(front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/	
	aluminum wrench	
8341R	Turnbuckles, aluminum (red-anodized), camber links, 32mm	
	(front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/	
	aluminum wrench	
	Team Traxxas Items	
2514	Decal sheet, racing sponsors	
9950	Official Team Traxxas® racing decal set (flag logo/ 6-color)	
9909	Traxxas® racing banner, red & black (3x7 feet)	
	Tires & Wheels	
9375	Tires and wheels, assembled, glued (multi-spoke black wheels, 2.0"	
	ultra-wide slick tires foam inserts) (rear) (2)	
9374	Tires and wheels, assembled, glued (multi-spoke black wheels, 2.0"	
9374		
9374	Tires and wheels, assembled, glued (multi-spoke black wheels, 2.0"	
9374 3433X	Tires and wheels, assembled, glued (multi-spoke black wheels, 2.0" ultra-wide slick tires, foam inserts) (front) (2)	
	Tires and wheels, assembled, glued (multi-spoke black wheels, 2.0" ultra-wide slick tires, foam inserts) (front) (2) Trankas IOO S Body reamer (aluminum handle) Body reamer (plastic handle)	
3433X 3433 3436	Tires and wheels, assembled, glued (multi-spoke black wheels, 2.0" ultra-wide slick tires, foam inserts) (front) (2) Tranwas 100 s Body reamer (aluminum handle)	
3433X 3433 3436 3432	Tires and wheels, assembled, glued (multi-spoke black wheels, 2.0" ultra-wide slick tires, foam inserts) (front) (2) TRIMAS TOOLS Body reamer (aluminum handle) Body reamer (plastic handle) Cap, body reamer Scissors, curved tip	
3433X 3433 3436 3432 3431	Tires and wheels, assembled, glued (multi-spoke black wheels, 2.0" ultra-wide slick tires, foam inserts) (front) (2) TRIMAS TOOS Body reamer (aluminum handle) Body reamer (plastic handle) Cap, body reamer Scissors, curved tip Scissors, straight tip	
3433X 3433 3436 3432	Tires and wheels, assembled, glued (multi-spoke black wheels, 2.0" ultra-wide slick tires, foam inserts) (front) (2) TANKAS TOOS Body reamer (aluminum handle) Body reamer (plastic handle) Cap, body reamer Scissors, curved tip Scissors, straight tip Speed Bit Essentials Set, hex and nut driver, 7-piece, includes	
3433X 3433 3436 3432 3431	Tires and wheels, assembled, glued (multi-spoke black wheels, 2.0" ultra-wide slick tires, foam inserts) (front) (2) ITAWAS TOOLS Body reamer (aluminum handle) Body reamer (plastic handle) Cap, body reamer Scissors, curved tip Scissors, straight tip Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight:	
3433X 3433 3436 3432 3431	Tires and wheels, assembled, glued (multi-spoke black wheels, 2.0" ultra-wide slick tires, foam inserts) (front) (2) TANKAS TOOS Body reamer (aluminum handle) Body reamer (plastic handle) Cap, body reamer Scissors, curved tip Scissors, straight tip Speed Bit Essentials Set, hex and nut driver, 7-piece, includes	
3433X 3433 3436 3432 3431	Tires and wheels, assembled, glued (multi-spoke black wheels, 2.0" ultra-wide slick tires, foam inserts) (front) (2) TANKAS TOOLS Body reamer (aluminum handle) Body reamer (plastic handle) Cap, body reamer Scissors, curved tip Scissors, straight tip Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm,	
3433X 3433 3436 3432 3431 8712	Tires and wheels, assembled, glued (multi-spoke black wheels, 2.0" ultra-wide slick tires, foam inserts) (front) (2) Tawas IOOS Body reamer (aluminum handle) Body reamer (plastic handle) Cap, body reamer Scissors, curved tip Scissors, straight tip Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive Speed bit handle, medium (one piece) Speed bit handle, premium, large (rubber overmold)	
3433X 3433 3436 3432 3431 8712 8721 8721 8720 8722	Tires and wheels, assembled, glued (multi-spoke black wheels, 2.0" ultra-wide slick tires, foam inserts) (front) (2) TAWAS TOOS Body reamer (aluminum handle) Body reamer (plastic handle) Cap, body reamer Scissors, curved tip Scissors, straight tip Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive Speed bit handle, medium (one piece) Speed bit handle, premium, large (rubber overmold) Speed bit handle, premium, medium (rubber overmold)	
3433X 3433 3436 3432 3431 8712	Tires and wheels, assembled, glued (multi-spoke black wheels, 2.0" ultra-wide slick tires, foam inserts) (front) (2) Body reamer (aluminum handle) Body reamer (plastic handle) Cap, body reamer Scissors, curved tip Scissors, straight tip Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive Speed bit handle, medium (one piece) Speed bit handle, premium, large (rubber overmold) Speed Bit Master Set, hex and nut driver, 13-piece, includes	
3433X 3433 3436 3432 3431 8712 8721 8721 8720 8722	Tires and wheels, assembled, glued (multi-spoke black wheels, 2.0" ultra-wide slick tires, foam inserts) (front) (2) TANKAS TOOLS Body reamer (aluminum handle) Body reamer (plastic handle) Cap, body reamer Scissors, curved tip Scissors, straight tip Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive Speed bit handle, medium (one piece) Speed bit handle, premium, large (rubber overmold) Speed bit Master Set, hex and nut driver, 13-piece, includes premium handle (medium), travel pouch, hex drivers (straight:	
3433X 3433 3436 3432 3431 8712 8721 8721 8720 8722	Tires and wheels, assembled, glued (multi-spoke black wheels, 2.0" ultra-wide slick tires, foam inserts) (front) (2) Transfools Body reamer (aluminum handle) Body reamer (plastic handle) Cap, body reamer Scissors, curved tip Scissors, straight tip Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive Speed bit handle, medium (one piece) Speed bit handle, premium, large (rubber overmold) Speed bit handle, premium, medium (rubber overmold) Speed Bit Master Set, hex and nut driver, 13-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm,	
3433X 3433 3436 3432 3431 8712 8721 8721 8720 8722	Tires and wheels, assembled, glued (multi-spoke black wheels, 2.0" ultra-wide slick tires, foam inserts) (front) (2) TANKAS TOOLS Body reamer (aluminum handle) Body reamer (plastic handle) Cap, body reamer Scissors, curved tip Scissors, straight tip Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive Speed bit handle, medium (one piece) Speed bit handle, premium, large (rubber overmold) Speed bit Master Set, hex and nut driver, 13-piece, includes premium handle (medium), travel pouch, hex drivers (straight:	
3433X 3433 3436 3432 3431 8712 8721 8721 8720 8722	Tires and wheels, assembled, glued (multi-spoke black wheels, 2.0" ultra-wide slick tires, foam inserts) (front) (2) Body reamer (aluminum handle) Body reamer (plastic handle) Cap, body reamer Scissors, curved tip Scissors, straight tip Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive Speed bit handle, premium, large (rubber overmold) Speed bit handle, premium, medium (rubber overmold) Speed Bit Master Set, hex and nut driver, 13-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm, 3.0mm), and nut drivers (4.00mm, 4.50mm, 5.00mm, 5.50mm, 7.00mm, 8.00mm), Speed Bit Master Set, hex driver, 7-piece straight and ball end,	
3433X 3433 3436 3432 3431 8712 8721 8720 8722 8710	Tires and wheels, assembled, glued (multi-spoke black wheels, 2.0" ultra-wide slick tires, foam inserts) (front) (2) Body reamer (aluminum handle) Body reamer (plastic handle) Cap, body reamer Scissors, curved tip Scissors, straight tip Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive Speed bit handle, medium (one piece) Speed bit handle, premium, large (rubber overmold) Speed bit handle, premium, medium (rubber overmold) Speed Bit Master Set, hex and nut driver, 13-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm, 3.0mm), and nut drivers (4.00mm, 4.50mm, 5.00mm, 5.50mm, 7.00mm, 8.00mm), Speed Bit Master Set, hex driver, 7-piece straight and ball end, includes premium handle (medium), travel pouch, hex drivers	
3433X 3433 3436 3432 3431 8712 8721 8720 8722 8710	Tires and wheels, assembled, glued (multi-spoke black wheels, 2.0" ultra-wide slick tires, foam inserts) (front) (2) Tankas Tools Body reamer (aluminum handle) Body reamer (plastic handle) Cap, body reamer Scissors, curved tip Scissors, straight tip Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive Speed bit handle, medium (one piece) Speed bit handle, premium, large (rubber overmold) Speed bit handle, premium, medium (rubber overmold) Speed Bit Master Set, hex and nut driver, 13-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm, 3.0mm), and nut drivers (4.00mm, 4.50mm, 5.00mm, 5.50mm, 7.00mm, 8.00mm), Speed Bit Master Set, hex driver, 7-piece straight and ball end, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm,	
3433X 3433 3436 3432 3431 8712 8721 8720 8722 8710	Tires and wheels, assembled, glued (multi-spoke black wheels, 2.0" ultra-wide slick tires, foam inserts) (front) (2) IAWAS IOOS Body reamer (aluminum handle) Body reamer (plastic handle) Cap, body reamer Scissors, curved tip Scissors, straight tip Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive Speed bit handle, medium (one piece) Speed bit handle, premium, large (rubber overmold) Speed bit handle, premium, medium (rubber overmold) Speed Bit Master Set, hex and nut driver, 13-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm, 3.0mm), and nut drivers (4.00mm, 4.50mm, 5.00mm, 5.50mm, 7.00mm, 8.00mm), Speed Bit Master Set, hex driver, 7-piece straight and ball end, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm, 2.5mm, 3.0mm), 1/4" drive	
3433X 3433 3436 3432 3431 8712 8721 8720 8722 8710	Tires and wheels, assembled, glued (multi-spoke black wheels, 2.0" ultra-wide slick tires, foam inserts) (front) (2) Tankas Tools Body reamer (aluminum handle) Body reamer (plastic handle) Cap, body reamer Scissors, curved tip Scissors, straight tip Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive Speed bit handle, medium (one piece) Speed bit handle, premium, large (rubber overmold) Speed bit handle, premium, medium (rubber overmold) Speed Bit Master Set, hex and nut driver, 13-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm, 3.0mm), and nut drivers (4.00mm, 4.50mm, 5.00mm, 5.50mm, 7.00mm, 8.00mm), Speed Bit Master Set, hex driver, 7-piece straight and ball end, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm,	
3433X 3433 3436 3432 3431 8712 8721 8720 8722 8710	Tires and wheels, assembled, glued (multi-spoke black wheels, 2.0" ultra-wide slick tires, foam inserts) (front) (2) Body reamer (aluminum handle) Body reamer (plastic handle) Cap, body reamer Scissors, curved tip Scissors, straight tip Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive Speed bit handle, medium (one piece) Speed bit handle, premium, large (rubber overmold) Speed bit handle, premium, medium (rubber overmold) Speed Bit Master Set, hex and nut driver, 13-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm, 3.0mm), and nut drivers (4.00mm, 4.50mm, 5.00mm, 5.50mm, 7.00mm, 8.00mm), Speed Bit Master Set, hex driver, 7-piece straight and ball end, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm, 2.5mm, 3.0mm), 1/4" drive Speed Bit Master Set, nut driver, 6-piece, includes premium	
3433X 3433 3436 3432 3431 8712 8721 8720 8722 8710	Tires and wheels, assembled, glued (multi-spoke black wheels, 2.0" ultra-wide slick tires, foam inserts) (front) (2) ITAWAS IOOS Body reamer (aluminum handle) Body reamer (plastic handle) Cap, body reamer Scissors, curved tip Scissors, straight tip Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive Speed bit handle, premium, large (rubber overmold) Speed bit handle, premium, medium (rubber overmold) Speed Bit Master Set, hex and nut driver, 13-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm, 3.0mm), and nut drivers (4.00mm, 4.50mm, 5.00mm, 5.50mm, 7.00mm, 8.00mm), Speed Bit Master Set, hex driver, 7-piece straight and ball end, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm, 2.5mm, 3.0mm), 1/4" drive Speed Bit Master Set, nut driver, 6-piece, includes premium handle (medium), travel pouch, a.5mm,	
3433X 3433 3436 3432 3431 8712 8721 8720 8722 8710 8711	Tires and wheels, assembled, glued (multi-spoke black wheels, 2.0" ultra-wide slick tires, foam inserts) (front) (2) **Tawas Tools** Body reamer (aluminum handle) Body reamer (plastic handle) Cap, body reamer Scissors, curved tip Scissors, straight tip Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive Speed bit handle, medium (one piece) Speed bit handle, premium, large (rubber overmold) Speed bit handle, premium, medium (rubber overmold) Speed Bit Master Set, hex and nut driver, 13-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm, 3.0mm), and nut drivers (4.00mm, 4.50mm, 5.00mm, 5.50mm, 7.00mm, 8.00mm), Speed Bit Master Set, hex driver, 7-piece straight and ball end, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm, 2.5mm, 3.0mm), 1/4" drive Speed Bit Master Set, nut driver, 6-piece, includes premium handle (medium), travel pouch, and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive Speed Bit Set, hex driver, 2-piece ball-end (2.0mm, 2.5mm), 1/4" drive	
3433X 3433 3436 3432 3431 8712 8721 8720 8722 8710	Tires and wheels, assembled, glued (multi-spoke black wheels, 2.0" ultra-wide slick tires, foam inserts) (front) (2) Body reamer (aluminum handle) Body reamer (plastic handle) Cap, body reamer Scissors, curved tip Scissors, straight tip Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive Speed bit handle, premium, large (rubber overmold) Speed bit handle, premium, medium (rubber overmold) Speed bit handle, premium, medium (rubber overmold) Speed Bit Master Set, hex and nut driver, 13-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm, 7.00mm, 8.00mm), Speed Bit Master Set, hex driver, 7-piece straight and ball end, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm, 2.5mm, 3.0mm), 1/4" drive Speed Bit Master Set, nut driver, 6-piece, includes premium handle (medium), travel pouch, and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive Speed Bit Set, hex driver, 2-piece ball-end (2.0mm, 2.5mm), 1/4" drive Speed Bit Set, hex driver, 3-piece ball-end (2.0mm, 2.5mm), 1/4" drive	
3433X 3433 3436 3432 3431 8712 8721 8720 8722 8710 8711 8711	Tires and wheels, assembled, glued (multi-spoke black wheels, 2.0" ultra-wide slick tires, foam inserts) (front) (2) Body reamer (aluminum handle) Body reamer (plastic handle) Cap, body reamer Scissors, curved tip Scissors, straight tip Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive Speed bit handle, premium, large (rubber overmold) Speed bit handle, premium, medium (rubber overmold) Speed Bit Master Set, hex and nut driver, 13-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm, 3.0mm), and nut drivers (4.00mm, 4.50mm, 5.00mm, 5.50mm, 7.00mm, 8.00mm), Speed Bit Master Set, hex driver, 7-piece straight and ball end, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm, 2.5mm, 3.0mm), 1/4" drive Speed Bit Master Set, nut driver, 6-piece, includes premium handle (medium), travel pouch, and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive Speed Bit Set, hex driver, 2-piece ball-end (2.0mm, 2.5mm), 1/4" drive Speed Bit Set, hex driver, 3-piece ball-end (2.0mm, 2.5mm, 3.0mm), 1/4" drive	
3433X 3433 3436 3432 3431 8712 8721 8720 8722 8710 8711	Tires and wheels, assembled, glued (multi-spoke black wheels, 2.0" ultra-wide slick tires, foam inserts) (front) (2) Body reamer (aluminum handle) Body reamer (plastic handle) Cap, body reamer Scissors, curved tip Scissors, straight tip Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive Speed bit handle, premium, large (rubber overmold) Speed bit handle, premium, medium (rubber overmold) Speed bit handle, premium, medium (rubber overmold) Speed Bit Master Set, hex and nut driver, 13-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm, 7.00mm, 8.00mm), Speed Bit Master Set, hex driver, 7-piece straight and ball end, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm, 2.5mm, 3.0mm), 1/4" drive Speed Bit Master Set, nut driver, 6-piece, includes premium handle (medium), travel pouch, and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive Speed Bit Set, hex driver, 2-piece ball-end (2.0mm, 2.5mm), 1/4" drive Speed Bit Set, hex driver, 3-piece ball-end (2.0mm, 2.5mm), 1/4" drive	
3433X 3433 3436 3432 3431 8712 8721 8720 8722 8710 8711 8711	Tires and wheels, assembled, glued (multi-spoke black wheels, 2.0" ultra-wide slick tires, foam inserts) (front) (2) Tawas Iools Body reamer (aluminum handle) Body reamer (plastic handle) Cap, body reamer Scissors, curved tip Scissors, straight tip Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive Speed bit handle, premium, large (rubber overmold) Speed bit handle, premium, medium (rubber overmold) Speed Bit Master Set, hex and nut driver, 13-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm, 3.0mm), and nut drivers (4.00mm, 4.50mm, 5.00mm, 5.50mm, 7.00mm, 8.00mm), Speed Bit Master Set, hex driver, 7-piece straight and ball end, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm, 2.5mm, 3.0mm), 1/4" drive Speed Bit Master Set, nut driver, 6-piece, includes premium handle (medium), travel pouch, and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive Speed Bit Set, hex driver, 2-piece ball-end (2.0mm, 2.5mm), 1/4" drive Speed Bit Set, hex driver, 3-piece straight (1.5mm, 2.0mm), 1/4" drive Speed Bit Set, hex driver, 3-piece straight (1.5mm, 2.0mm), 1/4" drive	
3433X 3433 3436 3432 3431 8712 8721 8720 8722 8710 8711 8716 8716X 8715	Tires and wheels, assembled, glued (multi-spoke black wheels, 2.0" ultra-wide slick tires, foam inserts) (front) (2) Tawas Iools Body reamer (aluminum handle) Body reamer (plastic handle) Cap, body reamer Scissors, curved tip Scissors, straight tip Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive Speed bit handle, medium (one piece) Speed bit handle, premium, large (rubber overmold) Speed bit handle, premium, medium (rubber overmold) Speed Bit Master Set, hex and nut driver, 13-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm, 3.0mm), and nut drivers (4.00mm, 4.50mm, 5.00mm, 5.50mm, 7.00mm, 8.00mm), Speed Bit Master Set, hex driver, 7-piece straight and ball end, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm, 2.5mm, 3.0mm), 1/4" drive Speed Bit Master Set, nut driver, 6-piece, includes premium handle (medium), travel pouch, and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive Speed Bit Set, hex driver, 2-piece ball-end (2.0mm, 2.5mm), 1/4" drive Speed Bit Set, hex driver, 3-piece straight (1.5mm, 2.0mm, 2.5mm), 1/4" drive	

Tool set (includes 1.5mm hex wrench / 2.0mm hex wrench / 2.5mm hex wrench/ 4-way wrench/ 8mm & 4mm wrench/ U-joint wrench)

Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm,

3.5mm, 4mm drivers/ 4mm, 5mm, 5.5mm, 7mm and 8mm nut drivers/ 2mm, 4mm, and 5mm slotted screwdrivers/ #00 Phillips, #0 Phillips, and #1 Phillips screwdrivers/ 4mm and 8mm wrench/ driver handle

Turnbuckles & Threaded Rods

Camber link/toe link set (plastic/ non-adjustable) (front & rear)

B342 Toe links, steel (34mm) (2)

Turnbuckles, aluminum (blue-anodized), camber links, 32mm (front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/ aluminum wrench

341G Turnbuckles, alur

Turnbuckles, aluminum (green-anodized), camber links, 32mm (front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/ aluminum wrench

aluminum wrenci 341R Turnbuckles, alui

Turnbuckles, aluminum (red-anodized), camber links, 32mm (front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/ aluminum wrench

If you have questions or need technical assistance, call Traxxas at:

1-888-TRAXXAS

(1-888-872-9927) (U.S. residents only)

For orders, calls outside the U.S., and other information, call 972-549-3000, or fax to 972-549-3011 e-mail Traxxas at support@Traxxas.com

TRAXXAS.COM