



Stampede® (Model 36054-1) Parts List

Parts shown in bold are optional accessories. Part categories and individual part listings are arranged alphabetically.

Bearings & Bushings

- 5116 Ball bearings, blue rubber sealed (5x11x4mm) (2)
- 1675 Bushings, self-lubricating (5x11x4mm) (14)
- 1985 PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings)

Body & Accessories

- 1926 Antenna caps, vinyl (2)/ antenna spool
- 1726 Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
- 1834 Body Clips (12) (standard size)
- 3934 Body clips, heavy duty (12)
- 1914R Body mount, front & rear (black)/ body posts, 52mm (2), 38mm (2), 25mm (2), 6.5mm (2)/ body post extensions (4)/ hardware
- 3614 Body mounts (front & rear)
- 3619 Body mounts, front & rear/ body mount posts, front & rear (adjustable)/ 2.5x18mm screw pins (4)
- 1815 Body washers (8)
- 6716 Body Washers, Foam, 2mm/3mm/4mm
- 3651X Body, Stampede® (also fits Stampede® VXL), blue (painted, decals applied)
- 3651G Body, Stampede® (also fits Stampede® VXL), green (painted, decals applied)
- 3651T Body, Stampede® (also fits Stampede® VXL), orange (painted, decals applied)
- 3651P Body, Stampede® (also fits Stampede® VXL), purple (painted, decals applied)
- 3651 Body, Stampede® (also fits Stampede® VXL), red (painted, decals applied)
- 3617 Body, Stampede® (clear, requires painting) (requires #3614 to mount)/window, lights, grill decal sheet
- 3649 Body, Stampede®, Hawaiian graphics (painted, decals applied)
- 3648 Body, Stampede®, Rock n' Roll (painted, decals applied)
- 2514 Decal sheet, racing sponsors
- 3616 Decal sheets, Stampede®
- 9950 Official Team Traxxas® racing decal set(flag logo/ 6-color)
- 3931 Screws, 3x8mm flat-head machine (hex drive) (6)
- 5185 Tires, rubber (2) (fits Traxxas® wheelie bar wheels)
- 4974 Wheelie Bar arm (1)/ connector (1)/ 3x12 SS (hex drive) (4)
- 3677X Wheelie bar mount (1) / hardware (blue)
- 3677A Wheelie bar mount (1) / hardware (green)
- 3677P Wheelie bar mount (1) / hardware (pink)
- 3677 Wheelie bar mount (1)/ hardware (Stampede®, Rustler®, Bandit series)
- 3678 Wheelie bar, assembled (black) (fits Slash®, Stampede®, Rustler®, Bandit® series)
- 3678X Wheelie bar, assembled (blue) (fits Stampede®, Rustler®, Bandit series)
- 3678A Wheelie bar, assembled (green) (fits Slash®, Stampede®, Rustler®, Bandit® series)
- 3678T Wheelie bar, assembled (orange) (fits Slash®, Stampede®, Rustler®, Bandit® series)
- 3678P Wheelie bar, assembled (pink) (fits Slash, Stampede®, Rustler®, Bandit series)
- 3678R Wheelie bar, assembled (red) (fits Slash®, Stampede®, Rustler®, Bandit® series)
- 4976 Wheels (4)/ axles (2) (for T-Maxx®/E-Maxx wheelie bar)
- 4976 Wheels (4)/ Axles (2), for Maxx® Wheelie Bar
- 5186A Wheels, aluminum (blue-anodized) (2)/ 5x8mm ball bearings (4)/ axles (2)/ rubber tires (2)
- 5186 Wheels, aluminum (red-anodized) (2)/ 5x8mm ball bearings (4)/ axles (2)/ rubber tires (2)

Chassis & Attachments

- 3725X Battery expansion kit (allows for installation of taller multi-cell battery packs) (Rustler®, Bandit, Stampede®)
- 3627X Battery hold-down (grey) (1) / receiver hold-down (grey) (1) / metal posts (2)/ spacers (2)/ body clips (2)/ servo tape/ adhesive foam pad
- 3628 Box, receiver (sealed)/ foam pad/2.5x8mm CS (4)/ 3x10mm CS (2)
- 2735 Bumper (front)
- 2735P Bumper (front) (pink)
- 3635 Bumper, front/ bumper mount/ 4x12 CCS (2)/ 4x22 BCS (2)/ 3x12 BCS (2) (fits 2WD Stampede®) (for LED light kit installation)
- 3622X Main chassis (black) (164mm long battery compartment) (fits both flat and hump style battery packs) (use only with #3626R ESC mounting plate)
- 3622R Main chassis (grey) (164mm long battery compartment) (fits both flat and hump style battery packs) (use only with #3626R ESC mounting plate)

- 3626R Mounting plate, electronic speed control/receiver box (for installation of XL-5/VXL and waterproof receiver box into Stampede®)
- 3629 Seal kit, receiver box (includes o-ring, seals, and silicone grease)
- 3623 Skid plates, front & rear (black)
- 3623X Skid plates, front & rear (blue)
- 3623A Skid plates, front & rear (green)
- 3623P Skid plates, front & rear (pink)
- 5185 Tires, rubber (2) (fits Traxxas® wheelie bar wheels)
- 4974 Wheelie Bar arm (1)/ connector (1)/ 3x12 SS (hex drive) (4)
- 3677X Wheelie bar mount (1) / hardware (blue)
- 3677A Wheelie bar mount (1) / hardware (green)
- 3677P Wheelie bar mount (1) / hardware (pink)
- 3677 Wheelie bar mount (1)/ hardware (Stampede®, Rustler®, Bandit series)
- 2477 Wheelie bar mount/ 3x40 BCS (1)/ 3x30 BCS (1)/ 3x12 BCS (1) (for LED light kit installation)
- 3678 Wheelie bar, assembled (black) (fits Slash®, Stampede®, Rustler®, Bandit® series)
- 3678X Wheelie bar, assembled (blue) (fits Stampede®, Rustler®, Bandit series)
- 3678A Wheelie bar, assembled (green) (fits Slash®, Stampede®, Rustler®, Bandit® series)
- 3678T Wheelie bar, assembled (orange) (fits Slash®, Stampede®, Rustler®, Bandit® series)
- 3678P Wheelie bar, assembled (pink) (fits Slash, Stampede®, Rustler®, Bandit series)
- 3678R Wheelie bar, assembled (red) (fits Slash®, Stampede®, Rustler®, Bandit® series)
- 9460 Wheelie bar, black (assembled)/ wheelie bar mount
- 4976 Wheels (4)/ axles (2) (for T-Maxx®/E-Maxx wheelie bar)
- 4976 Wheels (4)/ Axles (2), for Maxx® Wheelie Bar
- 5186A Wheels, aluminum (blue-anodized) (2)/ 5x8mm ball bearings (4)/ axles (2)/ rubber tires (2)
- 5186 Wheels, aluminum (red-anodized) (2)/ 5x8mm ball bearings (4)/ axles (2)/ rubber tires (2)
- 9461X Wheels, wheelie bar, 6061-T6 aluminum (blue-anodized) (2)/ 5x8x2.5mm ball bearings (4)/ o-rings (2)/ 5x8x0.3mm TW (2)
- 9461G Wheels, wheelie bar, 6061-T6 aluminum (green-anodized) (2)/ 5x8x2.5mm ball bearings (4)/ o-rings (2)/ 5x8x0.3mm TW (2)
- 9461A Wheels, wheelie bar, 6061-T6 aluminum (orange-anodized) (2)/ 5x8x2.5mm ball bearings (4)/ o-rings (2)/ 5x8x0.3mm TW (2)
- 9461P Wheels, wheelie bar, 6061-T6 aluminum (pink-anodized) (2)/ 5x8x2.5mm ball bearings (4)/ o-rings (2)/ 5x8x0.3mm TW (2)
- 9461R Wheels, wheelie bar, 6061-T6 aluminum (red-anodized) (2)/ 5x8x2.5mm ball bearings (4)/ o-rings (2)/ 5x8x0.3mm TW (2)
- 9461X Wheels, wheelie bar, blue (2)
- 9461G Wheels, wheelie bar, green (2)
- 9461A Wheels, wheelie bar, orange (2)
- 9461P Wheels, wheelie bar, pink (2)
- 9461R Wheels, wheelie bar, red (2)

Differential Components

- 2380 Differential, complete (fits 1/10-scale 2WD Rustler®, Bandit, Stampede®, Slash®)
- 2381X Main diff with steel ring gear/ side cover plate/ screws (Bandit, Stampede®, Rustler®)
- 2382 Planet gears (4)/ planet shafts (4)/ sun gears (2)/sun gear alignment shaft (1) all hardened steel
- 2388X Planetary gear differential with steel ring gear (complete) (fits Bandit, Stampede®, Rustler®)
- 5169 Screws, 2.6x8mm countersunk machine (6) (EZ Start 2 motor)
- 1647 Silicone Grease

Driveline Components

- 5116 Ball bearings, blue rubber sealed (5x11x4mm) (2)
- 4628R Differential output yokes, black (2)/ 3x5mm countersunk screws (2)/ screw pin (2)
- 4628X Differential output yokes, hardened steel (w/ U-joints) (2)
- 6828X Differential output yokes, heavy duty (2)/ screw pin (2)
- 1951R Driveshafts, rear, steel-spline constant-velocity (complete assembly) (2) (fits 2WD Rustler®/Stampede®)
- 1953 Half shaft pro-pack (internal-splined (6)/ external-splined (6) (plastic shafts only)
- 6752 Half shaft, external splined (steel-spline constant velocity) (1) (fits 2WD Rustler®/Stampede®)
- 6751 Half shaft, internal splined (steel-spline constant velocity) (1)
- 6850X Half shafts, heavy duty (external splined (2)/ internal splined (2))/ metal u-joints (4)

Page 2 Stampede®: TQ™ 2.4 GHz radio (Model 36054-1) Parts List

- 1951 Half shafts, long truck (external-splined (2) & internal-splined (2)/ metal U-joints (4)
- 6757 Rebuild kit, steel-splined constant-velocity driveshafts (includes pins, dustboots, lube, and hardware)**
- 3752 Stub axle carriers (2) (requires 5x11x4mm bearings)
- 3652A Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (blue-anodized)/ 5x11mm ball bearings (4)**
- 3652G Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (green-anodized)/ 5x11mm ball bearings (4)**
- 3652T Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (orange-anodized)/ 5x11mm ball bearings (4)**
- 3652P Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (pink-anodized)/ 5x11mm ball bearings (4)**
- 3652X Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (red-anodized)/ 5x11mm ball bearings (4)**
- 2754 Stub axle pins (4)
- 6753 Stub axle, rear, steel-splined constant velocity (1)**
- 2753X Stub axles, rear (2)
- 6853X Stub axles, rear, heavy duty (2)/pins (2)**

Front Suspension & Steering

- 2537 3mm threaded rods: 1 each of 20mm,25mm&44mm
- 3637 Axles (front) (2)
- 5116 Ball bearings, blue rubber sealed (5x11x4mm) (2)**
- 2530 Bulkhead (front) (black)**
- 2530A Bulkhead (front) (grey)
- 2545 Bushings (plastic) (5x8x2.5mm) (4)
- 1675 Bushings, self-lubricating (5x11x4mm) (14)
- 3632 Caster blocks (l&r) (30-degree)
- 3632A Caster blocks, 30-degree, blue-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2)**
- 3632G Caster blocks, 30-degree, green-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2)**
- 3632T Caster blocks, 30-degree, orange-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2)**
- 3632P Caster blocks, 30-degree, pink-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2)**
- 3632X Caster blocks, 30-degree, red-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2)**
- 1942 Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)
- 5525R Rod ends, heavy duty (Jato®/Slayer) (8)**
- 2742 Rod ends, long (6)/ hollow ball connectors (6)
- 5347 Rod ends, Revo® (large) with hollow balls (12)**
- 2742X Rod ends, short (6)/ hollow balls (6)
- 1844 Servo saver
- 3639 Shock tower (front)
- 3736 Steering blocks, left & right (2) (requires 5x11x4mm bearings)
- 3636A Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (blue-anodized)/ 5x11mm ball bearings (4)**
- 3636G Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (green-anodized)/ 5x11mm ball bearings (4)**
- 3636T Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (orange-anodized)/ 5x11mm ball bearings (4)**
- 3636P Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (pink-anodized)/ 5x11mm ball bearings (4)**
- 3636X Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (red-anodized)/ 5x11mm ball bearings (4)**
- 3631 Suspension arms (front) (2)
- 3631X Suspension arms, black, front, heavy duty (2)**
- 3631A Suspension arms, blue, front, heavy duty (2)**
- 3631G Suspension arms, green, front, heavy duty (2)**
- 3631T Suspension arms, orange, front, heavy duty (2)**
- 3631R Suspension arms, red, front, heavy duty (2)**
- 3740 Suspension pins, 2.5x31.5mm (king pins) w/ E-clips (2) (strengthens caster blocks)**
- 2640 Suspension pins, 44mm (2) w/ E-clips**
- 3640 Suspension screw pin set, steel (hex drive) (requires part # 2640 for a complete suspension pin set) (Rustler®, Stampede®, Bandit)**
- 2532 Tie bar, fiberglass**
- 3737A Turnbuckle, aluminum (blue-anodized), camber link, front, 39mm (1)(assembled w/rod ends)/hollow balls (2)(See part 3741A for complete camber link set)**
- 3737 Turnbuckle, aluminum (red-anodized), camber link, front, 39mm (1) (assembled w/rod ends)/hollow balls (2)(See part 3741X for complete camber link set)**
- 3139 Turnbuckles (62mm) (front tie rods) (2)
- 3741A Turnbuckles, aluminum (blue-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench**

- 2336A Turnbuckles, aluminum (blue-anodized), toe links, 61mm (2) (assembled w/ rod ends & hollow balls) (fits Stampede®) (requires 5mm aluminum wrench #5477)**
- 3741G Turnbuckles, aluminum (green-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench**
- 3741T Turnbuckles, aluminum (orange-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench**
- 3741P Turnbuckles, aluminum (pink-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench**
- 3741X Turnbuckles, aluminum (red-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/ rod ends & hollow balls)/wrench**
- 2336X Turnbuckles, aluminum (red-anodized), toe links, 61mm (2)(assembled with rod ends & hollow balls) (fits Stampede®) (requires 5mm aluminum wrench #5477)**
- 3644 Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right)**
- 3745 Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls)**
- 3645 Turnbuckles, toe link, 61mm (96mm center to center) (2) (assembled with rod ends and hollow balls) (fits Stampede®)**

Hardware

- 1552 3x8mm Hex Cap Screws (6)/ Washers (6)/ Wrench (1)**
- 1926 Antenna caps, vinyl (2)/ antenna spool**
- 1726 Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
- 3642 Attachment screws, shock (3x12mm shoulder screws) (6)**
- 1834 Body Clips (12) (standard size)
- 3934 Body clips, heavy duty (12)**
- 1589 Double-sided adhesive tape (25mm x 25mm)
- 2745 Nuts, 3mm nylon locking (12)
- 1747P Nuts, 4mm flanged nylon locking (aluminum, pink anodized) (4)**
- 3647 Nuts, 4mm flanged nylon locking (steel, serrated) (8)
- 1747 Nuts, 4mm nylon locking (10)
- 1747R Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4)**
- 1747G Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4)**
- 1747T Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4)**
- 1747A Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4)**
- 1985 PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings)
- 1942 Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)
- 5525R Rod ends, heavy duty (Jato®/Slayer) (8)**
- 5347 Rod ends, Revo® (large) with hollow balls (12)**
- 2742X Rod ends, short (6)/ hollow balls (6)
- 3739 Screw pin set (Rustler®/ Bandit/ Stampede®)
- 3288 Screw, 3x15mm washerhead self-tapping (6)
- 3229 Screws, 2.5x10mm cap-head machine (hex drive) (6)
- 3965 Screws, 2.5x8mm cap-head machine (6)
- 2587 Screws, 3x10mm caphead machine (6) (no washer)
- 2675 Screws, 3x10mm roundhead self-tapping (6)
- 2648 Screws, 3x12mm countersunk self-tapping (6)
- 3186 Screws, 3x12mm washerhead machine (6)
- 3286 Screws, 3x12mm washerhead self-tapping (6)
- 2563 Screws, 3x15mm roundhead machine (6)
- 3187 Screws, 3x15mm washerhead machine (6)
- 2566 Screws, 3x20mm roundhead machine (6)
- 2567 Screws, 3x23mm roundhead machine (6)
- 2572 Screws, 3x30mm roundhead machine (6)
- 2554 Screws, 3x6mm caphead machine (hex drive) (6)
- 2558 Screws, 3x6mm roundhead machine (6)
- 3185X Screws, 3x8mm washerhead machine (large head for motor mount) (6)
- Screws, 3x8mm washerhead self-tapping (6)
- Screws, 4x12mm countersunk machine (100-degree) (6)
- Screws, 4x15mm countersunk machine (hex drive) (6)
- 2573 Screws, 4x15mm roundhead machine (6)
- 5529 Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls, captured (4)
- 2754 Stub axle pins (4)
- 3740 Suspension pins, 2.5x31.5mm (king pins) w/ E-clips (2) (strengthens caster blocks)
- 2746 Washers, 3x6mm metal (12)**

LED Lights

- 3690 Gear set, transmission (includes idler gear (1), diff gear (1), top gear(1)) (Bandit, Rustler®, Stampede®)**
- 3690 LED light bar, front (assembled)/ 3x8 BCS (2)/ 2.5x8 BCS (2) (requires front bumper #5835X for 2WD Slash®, #3635 for 2WD Stampede®, #3630 for 2WD Bigfoot® No. 1, #6835X for 4WD Slash®, or #6735 for 4WD Stampede®)**

Page 3 Stampede®: TQ™ 2.4 GHz radio (Model 36054-1) Parts List

- 3795 LED light harness, rear (requires #2477 wheelie bar mount)
- 3694 LED light set, complete (includes front and rear bumpers with LED lights & BEC Y-harness) (fits 2WD Stampede®)
- 2263 Y-harness, BEC to LED light set

Motors & Electronics

- 1552 3x8mm Hex Cap Screws (6)/ Washers (6) Wrench (1)
- 2260 BEC assembly (complete) (12.6 volts (3s LiPo) maximum input voltage)
- 3790 Gear adapter, fixed
- 2053 Gear set (for 2055, 2056 servos)
- 2072A Gear set (for 2070, 2075 servos)
- 2272 Gear set, metal (for 2270 waterproof servo)
- 1275 Motor, Stinger (20-turn, 540 size)
- 3785 Motor, Titan® 12T (12-Turn, 550 size)
- 3351R Motor, Velineon® 3500, brushless (assembled with 12-gauge wire and gold-plated bullet connectors)
- 3626R Mounting plate, electronic speed control/receiver box (for installation of XL-5/VXL and waterproof receiver box into Stampede®)
- 2271 Servo case/ gaskets (for 2270 waterproof servo)
- 2074 Servo case/gaskets (for 2056 and 2075 waterproof servos)
- 2075R Servo, digital high-speed, metal gear (ball bearing), waterproof
- 2075 Servo, digital high-torque (ball bearing), waterproof
- 2075X Servo, digital high-torque, metal gear (ball bearing), waterproof
- 2270 Servo, digital high-torque, metal gear (ball bearing), waterproof
- 2056 Servo, high-torque, waterproof (blue case)
- 3350R Velineon® VXL-3s Brushless Power System, waterproof (includes VXL-3s waterproof ESC , Velineon® 3500 motor, and speed control mounting plate (part #3725))
- 3355R VXL-3s Waterproof Electronic Speed Control (brushless) (fwd/rev/brake)
- 3018R XL-5 Electronic Speed Control, waterproof (land version, low-voltage detection, fwd/rev/brake)

Radio System, Batteries & Chargers

- 2842X 5000mah 7.4v 2-Cell 25C LiPo Battery
- 2843X 5800mah 7.4v 2-Cell 25C LiPo Battery
- 2869X 7600mah 7.4v 2-Cell 25C LiPo Battery
- 2914 Battery, Power Cell AA Alkaline (4)
- 2976 AC to DC adapter
- 2938X Adapter, Traxxas® iD® LiPo battery (adapts Traxxas® iD® batteries to separate balance ports)
- 1726 Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
- 2943 Battery charge indicators, green (4), grey (4), blue (4)
- 6548 Battery door, TQ 2.4 transmitter (replacement for #6516, 6517 transmitter)
- 2922X Battery, Power Cell, 3000mAh (NiMH, 6-C flat, 7.2V)
- 2923X Battery, Power Cell, 3000mAh (NiMH, 7-C flat, 8.4V)
- 2926X Battery, Power Cell, 3000mAh (NiMH, 7-C hump, 8.4V)
- 2942X Battery, Series 3 Power Cell, 3300mAh (NiMH, 6-C flat, 7.2V)
- 2940X Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C flat, 8.4V)
- 2941X Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C hump, 8.4V)
- 2952X Battery, Series 4 Power Cell, 4200mAh (NiMH, 6-C flat, 7.2V)
- 2950X Battery, Series 4 Power Cell, 4200mAh (NiMH, 7-C flat, 8.4V)
- 2951X Battery, Series 4 Power Cell, 4200mAh (NiMH, 7-C hump, 8.4V)
- 2960X Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C flat, 8.4V)
- 2961X Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C hump, 8.4V)
- 2983 Battery/charger completer pack (includes #2969 2-amp NiMH peak detecting AC charger (1), #2923X 3000mAh 8.4V 7-cell NiMH iD® battery (1))
- 2984 Battery/charger completer pack (includes #2969 2-amp NiMH peak detecting AC charger (1), #2926X 3000mAh 8.4V 7-cell NiMH iD® battery (1))
- 2992 Battery/charger completer pack (includes #2970 iD® charger (1), #2843X 5800mAh 7.4V 2-cell 25C LiPo iD® battery (1))
- 2260 BEC assembly (complete) (12.6 volts (3s LiPo) maximum input voltage)
- 2975 Charger, D/C, 4 amp (6 - 7 cell, 7.2 - 8.4 volt, NiMH)
- 2972 Charger, EZ-Peak Dual, 100W, NiMH/LiPo with iD Auto Battery Identification
- 2973 Charger, EZ-Peak Live Dual, 200W, NiMH/LiPo with iD Auto Battery Identification
- 2970 Charger, EZ-Peak Plus, 4 amp, NiMH/LiPo with iD Auto Battery Identification
- 2971 Charger, EZ-Peak® Live, 100W, NiMH/LiPo with iD® Auto Battery Identification
- 2981 Charger, EZ-Peak® Plus 4s, 8 amp, NiMH/LiPo with iD® Auto Battery Identification
- 2978 Fuse, D/C charger, 5A (2) (for #2974, 2975, 2977)
- 2053 Gear set (for 2055, 2056 servos)
- 2072A Gear set (for 2070, 2075 servos)
- 2272 Gear set, metal (for 2270 waterproof servo)

- 2968X LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® iD® batteries)
- 2968 LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries)
- 6557X Mount, telemetry expander (fits Stampede® 2WD)
- 6535 Mount, temperature sensor (electric motors)/ wire tie/ thermal pad
- Receiver, micro, TQ 2.4GHz (3-channel)
- 6526 Sensor, auto-detectable, temperature
- 6527 Sensor, auto-detectable, voltage
- 6522 Sensor, RPM (short)/ 3x4mm BCS (1)/ 3x4 GS (1)
- 6521 Sensor, temperature and voltage (long)
- 2271 Servo case/ gaskets (for 2270 waterproof servo)
- 2074 Servo case/gaskets (for 2056 and 2075 waterproof servos)
- 2075R Servo, digital high-speed, metal gear (ball bearing), waterproof
- 2075 Servo, digital high-torque (ball bearing), waterproof
- 2270 Servo, digital high-torque, metal gear (ball bearing), waterproof
- 2075X Servo, digital high-torque, metal gear (ball bearing), waterproof
- 2056 Servo, high-torque, waterproof (blue case)
- 6553X Telemetry Expander 2.0 and GPS module 2.0, TQi radio system
- 6550X Telemetry expander 2.0, TQi radio system (for use only with #6551X GPS module)
- 6551X Telemetry GPS module 2.0, TQi radio system (for use only with #6550X telemetry expander)
- 6538 Telemetry trigger magnet holders, spur gear/ magnet, 5x2mm (1)/ 3x8mm CCS (3)/ 3x10mm CCS (3)
- 6540 Telemetry trigger magnet, 5X2mm (1)
- 6509R TQi 2.4 GHz High Output radio system, 2-channel, Traxxas® Link enabled, TSM® (2-ch transmitter, 5-ch micro receiver)
- 6507R TQi 2.4 GHz High Output radio system, 4-channel with Traxxas® Link Bluetooth® module, TSM® (4-ch transmitter, 5-ch micro receiver)
- 6516 Transmitter, TQ 2.4GHz, 2-channel (transmitter only)
- 6528 Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 2-channel (transmitter only)
- 6529 Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 3-channel (transmitter only)
- 6530 Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 4-channel (transmitter only)
- 6511 Traxxas® Link Bluetooth® module
- 6537 Wire retainers, gear cover/ 3x4mm BCS (2)
- 3018R XL-5 Electronic Speed Control, waterproof (land version, low-voltage detection, fwd/rev/brake)

Ready-To-Race Model

- 36054-1 Stampede®: 1/10 Scale Monster Truck with TQ™ 2.4GHz radio system

Rear Suspension

- 5116 Ball bearings, blue rubber sealed (5x11x4mm) (2)
- 1675 Bushings, self-lubricating (5x11x4mm) (14)
- 3739 Screw pin set (Rustler®/ Bandit/ Stampede®)
- 3638 Shock tower (rear)
- 3752 Stub axle carriers (2) (requires 5x11x4mm bearings)
- 3652A Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (blue-anodized)/ 5x11mm ball bearings (4)
- 3652G Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (green-anodized)/ 5x11mm ball bearings (4)
- 3652T Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (orange-anodized)/ 5x11mm ball bearings (4)
- 3652P Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (pink-anodized)/ 5x11mm ball bearings (4)
- 3652X Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (red-anodized)/ 5x11mm ball bearings (4)
- 2753X Stub axles, rear (2)
- 3655P Suspension arms, blue, front/rear (left & right), heavy duty (2)
- 3655R Suspension arms, front/rear (left & right), heavy duty (2)
- 3655G Suspension arms, green, front/rear (left & right), heavy duty (2)
- 3655X Suspension arms, left & right
- 3655T Suspension arms, orange, front/rear (left & right), heavy duty (2)
- 3655L Suspension arms, red, front/rear (left & right), heavy duty (2)
- 3640 Suspension screw pin set, steel (hex drive) (requires part # 2640 for a complete suspension pin set) (Rustler®, Stampede®, Bandit)

Shock Oil

- 5031 Oil, shock (20 wt, 200 cSt, 60cc) (silicone)
- 5032 Oil, shock (30 wt, 350 cSt, 60cc) (silicone)
- 5033 Oil, shock (40 wt, 500 cSt, 60cc) (silicone)
- 5034 Oil, shock (50 wt, 600 cSt, 60cc) (silicone)
- 5035 Oil, shock (60 wt, 700 cSt, 60cc) (silicone)
- 5036 Oil, shock (70 wt, 900 cSt, 60cc) (silicone)
- 5037 Oil, shock (80 wt, 1,000 cSt, 60cc) (silicone)

Page 4 Stampede®: TQ™ 2.4 GHz radio (Model 36054-1) Parts List

- 5029 Shock oil bottle (60cc) (for mixing shock oil)
- 5038X Shock oil set (includes 20 wt, 30 wt, 40 wt, 50 wt, 60 wt, 70 wt, & 80 wt premium shock oils with spinning carousel rack)
- 5038 Spinning carousel rack

Shocks (Pro-level Aluminum)

- 2664 Big Bore shock cylinder (long) (1)
- 5862 Big Bore shocks (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts and springs) (front & rear) (4)
- 2660 Big-bore shocks (long) (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts) w/o springs (rear) (2)
- 2662 Big-bore shocks (xx-long) (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts) w/o springs (rear) (2)
- 2669 Piston head set (2-hole (2)/ 3-hole (2))/ shock mounting bushings & washers (2) (Big Bore Shocks)
- 1942 Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)
- 2742X Rod ends, short (6)/ hollow balls (6)
- 2667 Shock caps, aluminum (2) (Big Bore Shocks)
- 2362 Shock rebuild kit (for 2 shocks)
- 1664T Shock shafts, hardened steel, titanium nitride coated (long) (2)
- 2656T Shock shafts, hardened steel, titanium nitride coated (xx-long) (2)
- 1664 Shock shafts, steel, chrome finish (long) (2)
- 2656 Shock shafts, steel, chrome finish (xx-long) (2)
- 1765 Silicone diaphragms (4)
- 2668 Spring retainers, upper & lower (2)/ spring pre-load spacers: 1mm (4)/ 1.5mm (2)/ 2mm (2)/ 4mm (2)/ 8mm (2) (Big Bore Shocks)
- 5860 Springs, front (white) (progressive rate) (2) (for Slash big bore shocks)
- 5859 Springs, rear (white) (progressive rate) (2) (for Slash big bore shocks)

Shocks (Ultra Shocks)

- 3642 Attachment screws, shock (3x12mm shoulder screws) (6)
- 3765A Body, Ultra Shock (long) (grey) (2)
- 3766A Body, Ultra Shock (XXL) (grey) (2)
- 1942 Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)
- 2742X Rod ends, short (6)/ hollow balls (6)
- 3767 Shock caps (2)/ shock bottoms (2)
- 8361 Shock caps (black) (4) (assembled with hollow balls)
- 3767A Shock caps, aluminum (blue-anodized) (4) (fits all Ultra Shocks)
- 3767G Shock caps, aluminum (green-anodized) (4) (fits all Ultra Shocks)
- 3767T Shock caps, aluminum (orange-anodized) (4) (fits all Ultra Shocks)
- 3767P Shock caps, aluminum (pink-anodized) (4) (fits all Ultra Shocks)
- 3767X Shock caps, aluminum (red-anodized) (4) (fits all Ultra Shocks)
- 2362 Shock rebuild kit (for 2 shocks)
- 1664T Shock shafts, hardened steel, titanium nitride coated (long) (2)
- 2656T Shock shafts, hardened steel, titanium nitride coated (xx-long) (2)
- 1664 Shock shafts, steel, chrome finish (long) (2)
- 2656 Shock shafts, steel, chrome finish (xx-long) (2)
- 1765 Silicone diaphragms (4)
- 3769 Spring pre-load spacers: 1mm (4)/ 2mm (2)/ 4mm (2)/ 8mm (2)
- 3768 Spring retainers, upper & lower (2)/ piston head set (2-hole (2)/ 3-hole (2))
- 3758 Springs (front) (2)
- 3758T Springs, blue (front) (2)
- 3757T Springs, blue (rear) (2)
- 3758A Springs, green (front) (2)
- 3757A Springs, green (rear) (2)
- 3758P Springs, pink (front) (2)
- 3757P Springs, pink (rear) (2)
- 3757 Springs, rear (black) (2)
- 4957 Springs, red (for Ultra Shocks only) (2.5 rate) (f/r) (2)
- 3758X Springs, white (front) (2)
- 3757X Springs, white (rear) (2)
- 3760 Ultra Shocks (black) (long) (complete w/ spring pre-load spacers & springs) (front) (2)
- 3762 Ultra Shocks (black) (xx-long) (complete w/ spring pre-load spacers & springs) (rear) (2)
- 3760A Ultra Shocks (grey) (long) (complete w/ spring pre-load spacers & springs) (2)
- 3762A Ultra Shocks (grey) (xx-long) (complete w/ spring pre-load spacers & springs) (rear) (2)

Slipper Clutch Components

- 3793 Input shaft (slipper shaft) / spring pin
- 5552X Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/ 4.0mm NL (1)/ 5.0mm NL (1))

- 2554 Screws, 3x6mm caphead machine (hex drive) (6)
- 5556 Slipper pressure plate & hub (aluminum alloy)

Spur Gears & Pinion Gears

- 3790 Gear adapter, fixed
- 2416 Gear, 16-T pinion (48-pitch) / set screw
- 1918 Gear, 18-T pinion (48-pitch) / set screw
- 2419 Gear, 19-T pinion (48-pitch) / set screw
- 2421 Gear, 21-T pinion (48-pitch) / set screw
- 2423 Gear, 23-T pinion (48-pitch) (fits 3mm shaft) / set screw
- 4725 Gear, pinion (25-tooth) (48-pitch) / set screw
- 4676 Spur gear, 76-tooth (48-pitch) (for models with Torque Control slipper clutch)
- 4683 Spur gear, 83-tooth (48-pitch) (for models with Torque Control slipper clutch)
- 4686 Spur gear, 86-tooth (48-pitch) (for models with Torque-Control slipper clutch)
- 4690 Spur gear, 90-tooth (48-pitch) (for models with Torque-Control slipper clutch)

Steering Components

- 2545 Bushings (plastic) (5x8x2.5mm) (4)
- 2742 Rod ends, long (6)/ hollow ball connectors (6)
- 1844 Servo saver
- 2336 Turnbuckles, 78mm (2)
- 2336A Turnbuckles, aluminum (blue-anodized), toe links, 61mm (2) (assembled w/ rod ends & hollow balls) (fits Stampede®) (requires 5mm aluminum wrench #5477)
- 2336X Turnbuckles, aluminum (red-anodized), toe links, 61mm (2)(assembled with rod ends & hollow balls) (fits Stampede®) (requires 5mm aluminum wrench #5477)
- 3645 Turnbuckles, toe link, 61mm (96mm center to center) (2) (assembled with rod ends and hollow balls) (fits Stampede®)

Suspension Linkage

- 3642 Attachment screws, shock (3x12mm shoulder screws) (6)
- 3641A Camber link set (plastic / non-adjustable) (front & rear) (grey)
- 3641 Camber link set (plastic/ non-adjustable) (front & rear) (black)
- 1942 Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)
- 2742 Rod ends, long (6)/ hollow ball connectors (6)
- 2742X Rod ends, short (6)/ hollow balls (6)
- 3739 Screw pin set (Rustler®/ Bandit/ Stampede®)
- 3740 Suspension pins, 2.5x31.5mm (king pins) w/ E-clips (2) (strengthens caster blocks)
- 2637 Suspension pins, 31.5mm, chrome (2) w/ E-clips (4)
- 2640 Suspension pins, 44mm (2) w/ E-clips
- 3640 Suspension screw pin set, steel (hex drive) (requires part # 2640 for a complete suspension pin set) (Rustler®, Stampede®, Bandit)
- 3737A Turnbuckle, aluminum (blue-anodized), camber link, front, 39mm (1)(assembled w/rod ends)/hollow balls (2)(See part 3741A for complete camber link set)
- 3738A Turnbuckle, aluminum (blue-anodized), camber link, rear, 49mm (1) (assembled with rod ends & hollow balls) (See part 3741X for complete camber link set)
- 3737 Turnbuckle, aluminum (red-anodized), camber link, front, 39mm (1) (assembled w/rod ends)/hollow balls (2)(See part 3741X for complete camber link set)
- 3738 Turnbuckle, aluminum (red-anodized), camber link, rear, 49mm (1) (assembled with rod ends & hollow balls) (See part 3741X for complete camber link set)
- 1937 Turnbuckles (54mm) (2)/ 3x6x4mm aluminum spacers (rear camber links)
- 2336 Turnbuckles, 78mm (2)
- 3741A Turnbuckles, aluminum (blue-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench
- 2336A Turnbuckles, aluminum (blue-anodized), toe links, 61mm (2) (assembled w/ rod ends & hollow balls) (fits Stampede®) (requires 5mm aluminum wrench #5477)
- 3741G Turnbuckles, aluminum (green-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench
- 3741T Turnbuckles, aluminum (orange-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench
- 3741P Turnbuckles, aluminum (pink-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench
- 3741X Turnbuckles, aluminum (red-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/ rod ends & hollow balls)/wrench

Page 5 Stampede®: TQ™ 2.4 GHz radio (Model 36054-1) Parts List

- 2336X Turnbuckles, aluminum (red-anodized), toe links, 61mm (2)(assembled with rod ends & hollow balls) (fits Stampede®) (requires 5mm aluminum wrench #5477)
- 3644 Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right)
- 3643 Turnbuckles, camber link, 49mm (82mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right)
- 3645 Turnbuckles, toe link, 61mm (96mm center to center) (2) (assembled with rod ends and hollow balls) (fits Stampede®)

Team Traxxas Items

- 2514 Decal sheet, racing sponsors
- 6160X DVD, Maxx® Power! Full Throttle Action (sleeve)
- 9950 Official Team Traxxas® racing decal set(flag logo/ 6-color)
- 9909 Traxxas® racing banner, red & black (3x7 feet)

Tires & Wheels

- 5116 Ball bearings, blue rubber sealed (5x11x4mm) (2)
- 1675 Bushings, self-lubricating (5x11x4mm) (14)
- 5854 Hub retainer, 17mm hubs, M4 X 0.7 (4) (use with #5853X, #6856X, #6469)
- 1747P Nuts, 4mm flanged nylon locking (aluminum, pink anodized) (4)
- 3647 Nuts, 4mm flanged nylon locking (steel, serrated) (8)
- 1747 Nuts, 4mm nylon locking (10)
- 1747R Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4)
- 1747G Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4)
- 1747T Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4)
- 1747A Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4)
- 1985 PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings)
- 1647 Silicone Grease
- 2754 Stub axle pins (4)
- 3689 Tires & wheels, assembled, glued (2.8") (All-Star black chrome wheels, paddle tires, foam inserts) (electric rear) (2) (TSM® rated)
- 3668A Tires & wheels, assembled, glued (2.8") (All-Star black chrome wheels, Talon tires, foam inserts) (electric rear) (2) (TSM® rated)
- 3669A Tires & wheels, assembled, glued (2.8") (All-Star black chrome wheels, Talon tires, foam inserts) (nitro rear/electric front) (2) (TSM® rated)
- 3668 Tires & wheels, assembled, glued (2.8") (All-Star chrome wheels, Talon tires, foam inserts) (electric rear) (2)
- 3669 Tires & wheels, assembled, glued (2.8") (All-Star chrome wheels, Talon tires, foam inserts) (nitro rear/electric front) (2)
- 3773A Tires & wheels, assembled, glued (All Star black chrome wheels, Anaconda® tires, foam inserts) (electric rear) (1 left, 1 right)
- 3773 Tires & wheels, assembled, glued (All Star chrome wheels, Anaconda® tires, foam inserts) (electric rear) (1 Left, 1 Right)
- 3776A Tires & wheels, assembled, glued (All-Star black chrome wheels, Anaconda® tires, foam inserts) (nitro rear/ electric front) (1 left, 1 right)
- 5576R Tires & wheels, assembled, glued (All-Star chrome wheels, Anaconda® tires, foam inserts) (nitro rear/ electric front) (1 left, 1 right)
- 6792 Tires & wheels, assembled, glued (black 2.8" wheels, Sledgehammer® tires, foam inserts) (2) (TSM® rated)
- 3778 Tires & wheels, assembled, glued (black 2.8" wheels, Sledgehammer® tires, foam inserts) (electric rear) (2) (TSM® rated)
- 3663X Tires & wheels, assembled, glued (chrome wheels, Terra Groove dual profile tires, foam inserts) (electric rear) (2)
- 3665X Tires & wheels, assembled, glued (chrome wheels, Terra Groove dual profile tires, foam inserts) (nitro rear/ electric front) (2)
- 3663 Tires & wheels, assembled, glued (satin chrome wheels, Terra Groove dual profile tires, foam inserts) (electric rear) (2)
- 3665 Tires & wheels, assembled, glued (satin chrome wheels, Terra Groove dual profile tires, foam inserts) (nitro rear/ electric front) (2)
- 5578 Tires, Anaconda® 2.8" (2)/ foam inserts (2)
- 4791 Tires, Pro-Trax mini-spiked 2.2" (rear) (2)
- 1870 Tires, Sledgehammer® terra-spiked (2)
- 4790R Tires, Spiked 2.2 (R)(2) (Soft Compound) w/inserts
- 3671 Tires, Talon 2.8" (2)/ foam inserts (2)
- 1654 Wheel hubs, hex (2)/ stub axle pins (2)
- 3654 Wheel hubs, hex (front) (tall offset) (2)/ axle pins (2.5x10mm) (2)
- 5853X Wheel hubs, splined, 17mm, short (2), long (2) (blue-anodized) / wheel nuts, splined, 17mm (blue-anodized) (4)/ hub retainer M4 X 0.7 (4)/ axle pin (4) (Slash 2WD)
- 5353 Wheel nuts, splined, 17mm (blue-anodized) (4)
- 5480X Wheel wrench, splined, 17mm
- 3772A Wheels, All-Star 2.8" (black chrome) (electric rear)
- 5576A Wheels, All-Star 2.8" (black chrome) (nitro rear / electric front) (2)
- 5576 Wheels, All-Star 2.8" (chrome) (nitro rear / electric front) (2)

- 3772 Wheels, All-Star 2.8" (chrome) (Rustler®, Stampede® rear only)
- 3672 Wheels, chrome (2.2") (rear) (2)
- 3673 Wheels, chrome 2.2" (front) (2)
- 3674 Wheels, dyable nylon 2.2" (rear) (2)
- 3675 Wheels, dyeable nylon 2.2 (front) (2)
- 3774 Wheels, Jato® Twin-Spoke 2.8" (chrome) (electric rear) (2)
- 5572 Wheels, Jato® twin-spoke 2.8" (chrome) (rear) (2)

Transmission Components

- 1552 3x8mm Hex Cap Screws (6)/ Washers (6)/ Wrench (1)
- 5116 Ball bearings, blue rubber sealed (5x11x4mm) (2)
- 3792 Cover, gear/ rubber gear cover plug/ 3x6 RM (2)
- 5478 Flat wrench, 8mm (blue anodized aluminum)
- 3790 Gear adapter, fixed
- 3691 Gearbox halves (L&R) (black) w/ idler gear shaft
- 3691A Gearbox halves (L&R) (grey) w/ idler gear shaft
- 5148 Grease, white lithium
- 9492 Idler gear, 30-tooth/ idler gear shaft (steel)
- 3696 Idler gear, steel (30-tooth)
- 9494 Input gear, 22-tooth/ input shaft (transmission) (heavy duty) (fits Bandit®, Rustler®, Stampede®, Slash® 2WD)
- 3793 Input shaft (slipper shaft) / spring pin
- 2381X Main diff with steel ring gear/ side cover plate/ screws (Bandit, Stampede®, Rustler®)
- 2382 Planet gears (4)/ planet shafts (4)/ sun gears (2)/sun gear alignment shaft (1) all hardened steel
- 2388X Planetary gear differential with steel ring gear (complete) (fits Bandit, Stampede®, Rustler®)
- 9495 Pro Series Magnum 272R™ Transmission, complete (assembled) (fits 1/10-scale 2WD Rustler®, Bandit®, Stampede®, Slash®)
- 5552X Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/ 4.0mm NL (1)/ 5.0mm NL (1))
- 2554 Screws, 3x6mm caphead machine (hex drive) (6)
- 3185X Screws, 3x8mm washerhead machine (large head for motor mount) (6)
- 1647 Silicone Grease
- 5556 Slipper pressure plate & hub (aluminum alloy)
- 3195 Top drive gear, steel (22-tooth)
- 3695 Transmission, complete (fits 1/10-scale 2WD Rustler®, Bandit®, Stampede®, Slash®)

Traxxas Tools

- 3433X Body reamer (aluminum handle)
- 3433 Body reamer (plastic handle)
- 3436 Cap, body reamer
- 3432 Scissors, curved tip
- 3431 Scissors, straight tip
- 8712 Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive
- 8720 Speed bit handle, large (overmolded)
- 8721 Speed bit handle, medium (one piece)
- 8722 Speed bit handle, premium (rubber overmold)
- 8710 Speed Bit Master Set, hex and nut driver, 13-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm, 3.0mm), and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive
- 8711 Speed Bit Master Set, hex driver, 7-piece straight and ball end, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm, 2.5mm, 3.0mm), 1/4" drive
- 8719 Speed Bit Master Set, nut driver, 6-piece, includes premium handle (medium), travel pouch, and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive
- 8716 Speed Bit Set, hex driver, 2-piece ball-end (2.0mm, 2.5mm), 1/4" drive
- 8716X Speed Bit Set, hex driver, 3-piece ball-end (2.0mm, 2.5mm, 3.0mm) 1/4" drive
- 8715 Speed Bit Set, hex driver, 3-piece straight (1.5mm, 2.0mm, 2.5mm), 1/4" drive
- 8715X Speed Bit Set, hex driver, 4-piece straight (1.5mm, 2.0mm, 2.5mm, 3.0mm), 1/4" drive
- 2748R Tool set (includes 1.5mm hex wrench / 2.0mm hex wrench / 2.5mm hex wrench/ 4-way wrench/ 8mm & 4mm wrench/ U-joint wrench)
- 3415 Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm, 3.5mm, 4mm drivers/4mm, 5mm, 5.5mm, 7mm, and 8mm nut drivers/ 2mm, 3mm, and 4mm slotted screwdrivers/ #00 Phillips, #0 Phillips, and #1 Phillips screwdrivers/ 4mm and 8mm wrenches/ driver handle)

Turnbuckles & Threaded Rods

| | |
|-------|--|
| 1942 | Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2) |
| 5525R | Rod ends, heavy duty (Jato®/Slayer) (8) |
| 2742 | Rod ends, long (6)/ hollow ball connectors (6) |
| 5347 | Rod ends, Revo® (large) with hollow balls (12) |
| 2742X | Rod ends, short (6)/ hollow balls (6) |
| 3737A | Turnbuckle, aluminum (blue-anodized), camber link, front, 39mm (1)(assembled w/rod ends)/hollow balls (2)(See part 3741A for complete camber link set) |
| 3738A | Turnbuckle, aluminum (blue-anodized), camber link, rear, 49mm (1) (assembled with rod ends & hollow balls) (See part 3741X for complete camber link set) |
| 3737 | Turnbuckle, aluminum (red-anodized), camber link, front, 39mm (1) (assembled w/rod ends)/hollow balls (2)(See part 3741X for complete camber link set) |
| 3738 | Turnbuckle, aluminum (red-anodized), camber link, rear, 49mm (1) (assembled with rod ends & hollow balls) (See part 3741X for complete camber link set) |
| 1937 | Turnbuckles (54mm) (2)/ 3x6x4mm aluminum spacers (rear camber links) |
| 2336 | Turnbuckles, 78mm (2) |
| 3741A | Turnbuckles, aluminum (blue-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench |
| 2336A | Turnbuckles, aluminum (blue-anodized), toe links, 61mm (2) (assembled w/ rod ends & hollow balls) (fits Stampede®) (requires 5mm aluminum wrench #5477) |
| 3741G | Turnbuckles, aluminum (green-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench |
| 3741T | Turnbuckles, aluminum (orange-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench |
| 3741P | Turnbuckles, aluminum (pink-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench |
| 3741X | Turnbuckles, aluminum (red-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/ rod ends & hollow balls)/wrench |
| 2336X | Turnbuckles, aluminum (red-anodized), toe links, 61mm (2)(assembled with rod ends & hollow balls) (fits Stampede®) (requires 5mm aluminum wrench #5477) |
| 3645 | Turnbuckles, toe link, 61mm (96mm center to center) (2) (assembled with rod ends and hollow balls) (fits Stampede®) |

If you have questions or need technical assistance, call Traxxas at:

1-888-TRAXXAS

(1-888-872-9927) (U.S. residents only)

For orders, calls outside the U.S., and other information, call 972-549-3000, or fax to 972-549-3011 e-mail Traxxas at support@Traxxas.com

TRAXXAS.COM