



# TRX-6® Ultimate RC Hauler (Model 88086-4) Parts List

Parts shown in bold are optional accessories. Part categories and individual part listings are arranged alphabetically.

## Axle Components

- 8241 Axle housing, front
- 8242 Axle housing, intermediate (TRX-6™) or rear (TRX-4®)
- 8837 Axle housing, rear (6X6)
- 8227 Axle mount set (complete) (front & rear) (for suspension links)
- 8836 Axle mount set (rear) (for suspension links)
- 8228 Axle shaft, front (left)/ drive pin/ cross pin
- 8229 Axle shaft, front (right)/ drive pin/ cross pin
- 8060 Axle shaft, front, heavy duty (left & right) (requires #8064 front portal drive input gear)**
- 8062 Axle shaft, front, heavy duty (left & right)/ portal drive input gear, front (machined) (2) (assembled)**
- 8230 Axle shaft, rear (left)
- 8231 Axle shaft, rear (right)
- 8063 Axle shaft, rear, heavy duty (left & right) (requires #8065 rear portal drive input gear)**
- 8061 Axle shaft, rear, heavy duty (left & right)/ portal drive input gear, rear (machined) (2) (assembled)**
- 8233 Cross pin (2)/ drive pin (2) (to rebuild front axle shafts)
- 8256 Portal drive axle mount, rear (left & right)
- 8256X Portal drive axle mount, rear, 6061-T6 aluminum (blue-anodized) (left and right)/ 2.5x16 CS (4)**
- 8256A Portal drive axle mount, rear, 6061-T6 aluminum (charcoal gray-anodized) (left and right)/ 2.5x16 CS (4)**
- 8256G Portal drive axle mount, rear, 6061-T6 aluminum (green-anodized) (left and right)/ 2.5x16 CS (4)**
- 8256R Portal drive axle mount, rear, 6061-T6 aluminum (red-anodized) (left and right)/ 2.5x16 CS (4)**
- 8252 Portal drive housing, inner, front (left & right)/ 2.5x4 BCS (6)
- 8253 Portal drive housing, inner, rear (left or right) (2)
- 8251 Portal drive housing, outer (front or rear) (2)
- 8064 Portal drive input gear, front (machined) (left or right) (requires #8060 front axle shaft)**
- 8257 Portal drive input gear, front/ drive pin/ cross pin
- 8259 Portal drive input gear, rear
- 8065 Portal drive input gear, rear (machined) (left or right) (requires #8063 rear axle)**
- 8258 Portal drive output gear, front or rear
- 8252X Portal housings, inner (front), 6061-T6 aluminum (blue-anodized) (2)/ 3x12 BCS (2)**
- 8252A Portal housings, inner (front), 6061-T6 aluminum (charcoal gray-anodized) (2)/ 3x12 BCS (2)**
- 8252G Portal housings, inner (front), 6061-T6 aluminum (green-anodized) (2)/ 3x12 BCS (2)**
- 8252R Portal housings, inner (front), 6061-T6 aluminum (red-anodized) (2)/ 3x12 BCS (2)**
- 8253X Portal housings, inner (rear), 6061-T6 aluminum (blue-anodized) (2)/ 2.5x10 CS (2)**
- 8253A Portal housings, inner (rear), 6061-T6 aluminum (charcoal gray-anodized) (2)/ 2.5x10 CS (2)**
- 8253G Portal housings, inner (rear), 6061-T6 aluminum (green-anodized) (2)/ 2.5x10 CS (2)**
- 8253R Portal housings, inner (rear), 6061-T6 aluminum (red-anodized) (2)/ 2.5x10 CS (2)**
- 8251X Portal housings, outer, 6061-T6 aluminum (blue-anodized) (2)/ 2.5x10 CS (12)**
- 8251A Portal housings, outer, 6061-T6 aluminum (charcoal gray-anodized) (2)/ 2.5x10 CS (12)**
- 8251G Portal housings, outer, 6061-T6 aluminum (green-anodized) (2)/ 2.5x10 CS (12)**
- 8251R Portal housings, outer, 6061-T6 aluminum (red-anodized) (2)/ 2.5x10 CS (12)**
- 8255A Stub axle, extended thread (portal drive) (2)
- 8267 Weight, portal housing, brass (2) (34 grams)/ 2.5x8 CS (6) (requires #8251X, #8251R, #8251A, or #8251G outer portal housing)**

## Bearings & Bushings

- 5119A Ball bearings, black rubber sealed (10x15x4mm) (2)
- 5120A Ball bearings, black rubber sealed (12x18x4mm) (2)
- 5104A Ball bearings, black rubber sealed (4x10x4mm) (2)
- 5115A Ball bearings, black rubber sealed (5x10x4mm) (2)
- 5116A Ball bearings, black rubber sealed (5x11x4mm) (2)
- 5114A Ball bearings, black rubber sealed (5x8x2.5mm) (2)
- 5117A Ball bearings, black rubber sealed (6x12x4mm) (2)

- 5180A Ball bearings, black rubber sealed (6x13x5mm) (2)
- 5103A Ball bearings, black rubber sealed (7x14x5mm) (2)

## Body Accessories

- 1926 Antenna caps, vinyl (2)/ antenna spool**
- 1726 Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
- 1834 Body Clips (12) (standard size)
- 1834A Body clips, black (12) (standard size)**
- 3934 Body clips, heavy duty (12)**
- 3934A Body clips, heavy duty (black) (12)**
- 8215 Body mounts & posts, front & rear (complete set)**
- 8853X Body mounts & posts, front & rear (complete set)
- 8115 Body posts, front & rear**
- 4915 Body washers, foam adhesive (10)
- 8823 Body, TRX-6® Ultimate RC Hauler (clear, requires painting) (includes headlight & roof light housings, side mirrors, & decals)**
- 8823R Body, TRX-6® Ultimate RC Hauler, black (painted, decals applied)**
- 8823X Body, TRX-6® Ultimate RC Hauler, black (painted, decals applied) (includes headlight & roof light housings, side mirrors)
- 2514 Decal sheet, racing sponsors**
- 8081 Fender extensions (4)/ 3x8 flathead screws (24) (requires #8080 narrow inner fenders)**
- 8080 Fenders, inner (narrow), front & rear (2 each)/ rock light covers (8)/ battery plate/ body mount/ 3x8 flat-head screws (4)/ 2.5x6 CS (10)**
- 8072 Fenders, inner, front & rear (2 each)/ rock light covers (8)/ battery plate/ 3x8 flathead screws (4)
- 9950 Official Team Traxxas® racing decal set(flag logo/ 6-color)**

## Bumpers & Skidplates

- 8234 Bumper D-Rings, grey (front or rear)/ 2.0x12 CS (4)**
- 8234R Bumper D-rings, red (front or rear)/ 2.0x12 CS (4)**
- 8067 Bumper mounts, front & rear**
- 8067X Bumper mounts, front & rear/ bumper mount, rear (offset)**
- 8237 Bumper mounts, front & rear/ screw pins (4)**
- 8124 Bumper, front (178mm wide)/ winch/ 2.6x8 BCS (1)**
- 8838 Bumper, front (black chrome) (assembled)
- 8137 Bumper, front (chrome)/ bumper mount/ 3x10 BCS (2)**
- 8235 Bumper, front/ winch/ 2.6x8 BCS (1)**
- 8236 Bumper, rear**
- 8125 Bumper, rear (176mm wide)**
- 8838X Bumper, rear (black chrome) (assembled with lenses)
- 8136 Bumper, rear (chrome)/ bumper mount/ 3x10 BCS (2)**
- 8834 Bumper, rear (without trailer hitch receiver)**
- 8820 Bumpers, front & rear**
- 8833 Suspension mount, intermediate, TRX-6™ (1)/ bearing cap (1)/ suspension link mounts (left & right)/ 2.5x12 CS (4)
- 8830 Suspension mount, rear, TRX-6™ (1)/ chassis crossmember, rear (1)/ suspension link mounts (left & right)

## Chassis & Attachments

- 8223 Battery plate/ battery strap/ 3x8 flathead screws (4) (requires #8072 inner fenders)
- 8853X Body mounts & posts, front & rear (complete set)
- 8215 Body mounts & posts, front & rear (complete set)**
- 8224 Box, receiver (sealed)/ wire cover/ foam pads/ silicone grease/ 3x8 BCS (5)/ 2.5x8 CS (2)
- 8829X Chassis rails, 783mm (steel) (left & right)
- 8081 Fender extensions (4)/ 3x8 flathead screws (24) (requires #8080 narrow inner fenders)**
- 8080 Fenders, inner (narrow), front & rear (2 each)/ rock light covers (8)/ battery plate/ body mount/ 3x8 flat-head screws (4)/ 2.5x6 CS (10)**
- 8072 Fenders, inner, front & rear (2 each)/ rock light covers (8)/ battery plate/ 3x8 flathead screws (4)
- 8852X Flatbed (with wheel chocks) (fits TRX-6® Ultimate RC Hauler)
- 8218 Floor pans, left & right
- 8852R Frame mount, flatbed (4)/ stiffener (fits TRX-6® Ultimate RC Hauler)
- 8845 Fuel tanks (left & right)/ tank mounts (2)/ tool boxes (left & right)
- 8844X Mounting plate, winch/ 3x15mm CCS (4)/ 2.5x12mm CCS (4) (fits TRX-6® Ultimate RC Hauler)
- 8224X Receiver box cover (for use only with #8224 receiver box & #2260 BEC)/ foam pads/ seals/ silicone grease**
- 8853 Rollbar, flatbed (assembled)/ 3x15mm BCS (2)/ 3x12mm CCS (2) (fits TRX-6® Ultimate RC Hauler)

**Page 2 TRX-6® Ultimate RC Hauler: TQi Traxxas Link Enabled 2.4GHz Radio (Model 88086-4) Parts List**

8225	Seal kit, receiver box (includes o-ring, seals, and silicone grease)
8240X	Servo mount, 2-speed/ servo mount, T-Lock/ wire clips
8239	Servo mount, steering/ chassis crossmember
8216	Shock towers, front & rear (left & right)
8852	Side frames, flatbed (left, right, & rear) (fits TRX-6® Ultimate RC Hauler)
8833	Suspension mount, intermediate, TRX-6™ (1)/ bearing cap (1)/ suspension link mounts (left & right)/ 2.5x12 CS (4)
8830	Suspension mount, rear, TRX-6™ (1)/ chassis crossmember, rear (1)/ suspension link mounts (left & right)
8844	Tie-down bands, rubber (4) (fits wheel chocks on TRX-6® Ultimate RC Hauler)
8842	Tray, battery

**Differential Components**

8840	Cable, T-lock, 4XL (417mm)
8281	Carrier, differential/ differential slider/ T-Lock fork
8280A	Differential cover, front or rear (black)
8280X	Differential cover, front or rear (chrome plated)
8280	Differential cover, front or rear (grey)
8280R	Differential cover, front or rear (red)
8846	Differential cover, TRX-6™ intermediate (black)
8847	Differential cover, TRX-6™ rear (black)/ T-lock fork (grey)
8195	Differential, locking, front and rear (assembled) (includes T-Lock cables and servos)
8282	Gear set, differential (output gears (2), spider gears (4), spider gear shaft (2))
8849	Output drive, transmission or differential (pin retainer (1)/ drive cup (1)/ drive ball (1)/ center ball (1)/ drive pin (1)/ 3x10 screw pin (1)/ cross pin (black) (1)/ 2.5x6 CS (with threadlock) (1)) (use with 6X6 axle configuration)
8295	Output drive, transmission or differential (pin retainer (1)/ drive cup (1)/ drive ball (1)/ drive pin (1)/ 3x10 screw pin (1)/ cross pin (black) (1) 3x6 BCS with threadlock (1))
8279	Ring gear, differential/ pinion gear, differential
8279R	Ring gear, differential/ pinion gear, differential (machined)
8287	Ring gear, differential/ pinion gear, differential (overdrive, machined)
8288	Ring gear, differential/ pinion gear, differential (underdrive, machined)
8297	Spool/ differential housing plug/ e-clip/ 2.5x8mm BCS (with threadlock) (4)

**Driveline Components**

8851	Carrier shaft, center
8850	Half shafts, center (internal splined, extra short (1)/ external splined, extra short (1)) (plastic parts only)
8250	Half shafts, center (internal splined, front (2) & internal splined, rear (2)/ external splined (2)/ pin retainer (4)) (plastic parts only)
8255A	Stub axle, extended thread (portal drive) (2)
8833	Suspension mount, intermediate, TRX-6™ (1)/ bearing cap (1)/ suspension link mounts (left & right)/ 2.5x12 CS (4)
8269	Wheel hubs, 12mm hex (2)/ stub axle pins (2) (steel)
8269X	Wheel hubs, 12mm hex, 6061-T6 aluminum (blue-anodized) (4)/ 3x10 screw pin (4)
8269A	Wheel hubs, 12mm hex, 6061-T6 aluminum (charcoal gray-anodized) (4)/ 3x10 screw pin (4)
8269G	Wheel hubs, 12mm hex, 6061-T6 aluminum (green-anodized) (4)/ 3x10 screw pin (4)
8269R	Wheel hubs, 12mm hex, 6061-T6 aluminum (red-anodized) (4)/ 3x10 screw pin (4)

**Hardware**

1552	3x8mm Hex Cap Screws (6)/ Washers (6)/ Wrench (1)
1834	Body Clips (12) (standard size)
1834A	Body clips, black (12) (standard size)
3934	Body clips, heavy duty (12)
3934A	Body clips, heavy duty (black) (12)
4859	CS 3x10 flathead (hex drive)
8167X	Hardware kit, stainless steel, beadlock rings (contains stainless steel hardware for 4 wheels)
5476X	Hex wrenches; 1.5mm, 2mm, 2.5mm, 3mm, 2.5 ball
1747P	Nuts, 4mm flanged nylon locking (aluminum, pink anodized) (4)
3647	Nuts, 4mm flanged nylon locking (steel, serrated) (8)
8347	Nuts, 4mm flanged nylon locking, serrated (black) (10)
1747R	Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4)
1747G	Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4)
1747T	Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4)
1985	PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings)
8221	Screw pin, 3x10mm (6)
2523	Screws, 2.5x10 countersunk machine (hex drive) (6)
3229	Screws, 2.5x10mm cap-head machine (hex drive) (6)
3236	Screws, 2.5x12mm cap-head machine (6)

2618	Screws, 2.5x16mm cap-head machine (6)
3215	Screws, 2.5x6mm cap-head machine (hex drive) (6)
2524	Screws, 2.5x8 countersunk machine (hex drive) (6)
2617	Screws, 2.5x8mm button-head machine (hex drive) (6)
3965	Screws, 2.5x8mm cap-head machine (6)
8299	Screws, 2.6x12mm button-head, self-tapping (hex drive) (6)
8167	Screws, 2x10mm cap-head, self-tapping (hex drive) (10)
2564	Screws, 2x8mm cap-head machine (hex drive) (6)
2577	Screws, 3x10mm button-head machine (hex drive) (6)
2578	Screws, 3x12mm button-head machine (hex drive) (6)
2579	Screws, 3x15mm button-head machine (hex drive) (6)
2591	Screws, 3x23mm button-head machine (hex drive) (6)
2581	Screws, 3x25mm button-head machine (hex drive) (6)
2616	Screws, 3x27mm button-head machine (hex drive) (6)
2582	Screws, 3x30mm button-head machine (hex drive) (6)
2575	Screws, 3x6mm button-head machine (hex drive) (6)
3932	Screws, 3x6mm flat-head machine (hex drive) (6)
2576	Screws, 3x8mm button-head machine (hex drive) (6)
3931	Screws, 3x8mm flat-head machine (hex drive) (6)
3933	Screws, 4x16mm button-head machine (hex drive) (6)

**LED Lights**

8848	LED light set (contains headlights & roof lights) (fits #8823 body)
8848X	LED light set, flatbed (upper & lower) (fits TRX-6® Ultimate RC Hauler)
8848R	LED light set, tail lights (requires #8838X rear bumper)

**Motors & Electronics**

1926	Antenna caps, vinyl (2)/ antenna spool
1726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
2262	<b>BEC, complete (12.6 volts (3s LiPo) maximum input voltage) (includes receiver box cover and seals)</b>
2072X	Gear set, metal (for 2070, 2075 servos)
2252	<b>Gear set, metal (for 2250, 2255 servos)</b>
2072R	Gear set, metal, high-speed (for 2070, 2075 servos)
8290X	Motor mount plate, 6061-T6 aluminum (blue-anodized)
8290A	Motor mount plate, 6061-T6 aluminum (charcoal gray-anodized)
8290G	Motor mount plate, 6061-T6 aluminum (green-anodized)
8290R	Motor mount plate, 6061-T6 aluminum (red-anodized)
3975R	Motor, Titan 550, reverse rotation (21-turns/ 14 volts) (1)
8290	Plate, motor/ upper spur gear cover
2254	Servo case, aluminum (middle) (blue-anodized) (for 2250 servo)
2253	Servo case, aluminum (middle) (red-anodized) (for 2255 servo)
2251	Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos)
2063X	Servo case/gaskets (for 2065X metal gear, waterproof, sub-micro servo)
8843	Servo horn (with built-in spring and hardware) (for 6X6 locking differential)
5669	Servo horn (with built-in spring and hardware) (for Summit locking differential)
2075R	Servo, digital high-speed, metal gear (ball bearing), waterproof
2250	Servo, digital high-torque 300 coreless, metal gear (ball bearing), waterproof
2255	Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof
2075X	Servo, digital high-torque, metal gear (ball bearing), waterproof
3025	XL-5HV 3s Electronic Speed Control, waterproof (low-voltage detection, fwd/rev/brake)
2261	Y-harness, BEC

**Pro Scale® Winch & Accessories**

8865	Bumper, front, winch, narrow (includes bumper mount, D-Rings, fairlead, hardware) (fits TRX-4® Land Rover® Defender® and Tactical Unit with 8855 winch) (200mm wide)
8859	Fairlead, winch
8870X	Fairlead, winch, aluminum (blue-anodized) (use with front bumpers #8865, 8866, 8867, 8869, or 9224)
8870A	Fairlead, winch, aluminum (gray-anodized) (use with front bumpers #8865, 8866, 8867, 8869, or 9224)
8870G	Fairlead, winch, aluminum (green-anodized) (use with front bumpers #8865, 8866, 8867, 8869, or 9224)
8870T	Fairlead, winch, aluminum (orange-anodized) (use with front bumpers #8865, 8866, 8867, 8869, or 9224)
8870R	Fairlead, winch, aluminum (red-anodized) (use with front bumpers #8865, 8866, 8867, 8869, or 9224)
8862	Gearmotor, winch
8863	Hook, winch (steel)/ line retainer/ washer
8858	Housings (front & rear), winch/ decal
8864X	Line, winch (blue)
8864	Line, winch (gray)
8864R	Line, winch (red)
8860	Spool shaft assembly, winch

**Page 3 TRX-6® Ultimate RC Hauler: TQi Traxxas Link Enabled 2.4GHz Radio (Model 88086-4) Parts List**

- 8861 Spool, winch
- 8855 Winch kit with wireless controller, TRX-4® and TRX-6®
- 8856 Winch, TRX-4® and TRX-6® (requires #8857 wireless remote)
- 8857 Wireless remote, winch, TRX-4® and TRX-6®

**Radio System, Batteries & Chargers**

- 2849X 4000mah 11.1v 3-Cell 25C LiPo Battery
- 2872X 5000mah 11.1v 3-Cell 25C LiPo Battery
- 2842X 5000mah 7.4v 2-Cell 25C LiPo Battery
- 2843X 5800mah 7.4v 2-Cell 25C LiPo Battery
- 2869X 7600mah 7.4v 2-Cell 25C LiPo Battery
- 2914 Battery, Power Cell AA Alkaline (4)
- 2976 AC to DC adapter
- 2938X Adapter, Traxxas® iD® LiPo battery (adapts Traxxas® iD® batteries to separate balance ports)
- 1726 Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
- 2943 Battery charge indicators, green (4), grey (4), blue (4)
- 6548 Battery door, TQ 2.4 transmitter (replacement for #6516, 6517 transmitter)
- 8222 Battery strap (for use with 2200mAh 2-cell and 1400mAh 3-cell LiPo batteries)
- 2923X Battery, Power Cell, 3000mAh (NiMH, 7-C flat, 8.4V)
- 2940X Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C flat, 8.4V)
- 2950X Battery, Series 4 Power Cell, 4200mAh (NiMH, 7-C flat, 8.4V)
- 2960X Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C flat, 8.4V)
- 2983 Battery/charger completer pack (includes #2969 2-amp NiMH peak detecting AC charger (1), #2923X 3000mAh 8.4V 7-cell NiMH iD® battery (1))
- 2992 Battery/charger completer pack (includes #2970 iD® charger (1), #2843X 5800mAh 7.4V 2-cell 25C LiPo iD® battery (1))
- 2994 Battery/charger completer pack (includes #2970 iD® charger (1), #2849X 4000mAh 11.1v 3-Cell 25C LiPo iD® battery (1))
- 2991 Battery/charger completer pack (includes #2972 Dual iD charger (1), #2869X 7600mAh 7.4V 2-cell 25C LiPo iD® Battery (2))
- 2262 BEC, complete (12.6 volts (3s LiPo) maximum input voltage) (includes receiver box cover and seals)
- 2975 Charger, D/C, 4 amp (6 - 7 cell, 7.2 - 8.4 volt, NiMH)
- 2972 Charger, EZ-Peak Dual, 100W, NiMH/LiPo with iD Auto Battery Identification
- 2973 Charger, EZ-Peak Live Dual, 200W, NiMH/LiPo with iD Auto Battery Identification
- 2970 Charger, EZ-Peak Plus, 4 amp, NiMH/LiPo with iD Auto Battery Identification
- 2971 Charger, EZ-Peak® Live, 100W, NiMH/LiPo with iD® Auto Battery Identification
- 6525 Communication link, telemetry expander
- 6512 Cover plate, Traxxas® Link Bluetooth® module
- 2978 Fuse, D/C charger, 5A (2) (for #2974, 2975, 2977)
- 2072X Gear set, metal (for 2070, 2075 servos)
- 2252 Gear set, metal (for 2250, 2255 servos)
- 2072R Gear set, metal, high-speed (for 2070, 2075 servos)
- 2968X LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® iD® batteries)
- 2968 LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries)
- 6561 Mount, telemetry expander
- 6535 Mount, temperature sensor (electric motors)/ wire tie/ thermal pad
- 6533 Receiver, micro, TQi 2.4GHz with telemetry & TSM® (5-channel)
- 6552 Seal kit, expander box (includes o-ring, seals, and silicone grease)
- 6526 Sensor, auto-detectable, temperature
- 6527 Sensor, auto-detectable, voltage
- 6521 Sensor, temperature and voltage (long)
- 2254 Servo case, aluminum (middle) (blue-anodized) (for 2250 servo)
- 2253 Servo case, aluminum (middle) (red-anodized) (for 2255 servo)
- 2251 Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos)
- 2063X Servo case/gaskets (for 2065X metal gear, waterproof, sub-micro servo)
- 2075R Servo, digital high-speed, metal gear (ball bearing), waterproof
- 2250 Servo, digital high-torque 300 coreless, metal gear (ball bearing), waterproof
- 2255 Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof
- 2075X Servo, digital high-torque, metal gear (ball bearing), waterproof
- 6553X Telemetry Expander 2.0 and GPS module 2.0, TQi radio system
- 6550X Telemetry expander 2.0, TQi radio system (for use only with #6551X GPS module)
- 6551X Telemetry GPS module 2.0, TQi radio system (for use only with #6550X telemetry expander)
- 6530 Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 4-channel (transmitter only)

- 6511 Traxxas® Link Bluetooth® module
- 2261 Y-harness, BEC

**Ready-To-Race Model**

- 88086-4 TRX-6® Ultimate RC Hauler: 6X6 Electric Flatbed Truck with TQi™ Traxxas Link™ Enabled 2.4GHz Radio System

**Shocks (GTS)**

- 8266A Body, GTS shock (aluminum, blue-anodized) (1)
- 8266G Body, GTS shock (aluminum, green-anodized) (1)
- 8266R Body, GTS shock (aluminum, red-anodized) (1)
- 8266 Body, GTS shock (aluminum, silver-anodized) (1)
- 8266X Body, GTS shock (hard-anodized, PTFE-coated aluminum) (1)
- 8264 Caps & spring retainers, GTS shocks (upper cap (2)/ hollow balls (4)/ bottom cap (2)/ upper retainer (2)/ lower retainer (2))
- 8274 Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated)
- 5475 Multi-tool (plastic)
- 8261 Piston, damper (red) (4)/ e-clips (8)
- 8262 Rebuild kit, TRX-4® shocks (x-rings, o-rings, pistons, bushings, e clips, rod ends, and travel limiters)
- 8263 Shock shaft, 3x47mm (GTS) (2)
- 8263T Shock shaft, 3x47mm (GTS) (titanium nitride-coated) (2)
- 8260X Shocks, GTS hard-anodized, PTFE-coated aluminum bodies with TiN shafts (assembled with spring retainers) (2)
- 8260A Shocks, GTS, blue-anodized (assembled with spring retainers) (2)
- 8260G Shocks, GTS, green-anodized (assembled with spring retainers) (2)
- 8260R Shocks, GTS, red-anodized (assembled with spring retainers) (2)
- 8260 Shocks, GTS, silver aluminum (assembled with spring retainers) (2)

**Slipper Clutch Components**

- 8292 Input shaft/ output shaft (transmission)
- 8286 Output shafts (transfer case), front & rear
- 8254 Rebuild kit, slipper clutch (steel disc (2)/ friction insert (2)/ 4.0mm NL (1)/ spring washers (2))
- 8249 Slipper eliminator plate

**Springs**

- 8041 Springs, shock (GTS) (front) (0.45 rate) (2)
- 8040 Springs, shock (GTS) (rear) (0.54 rate) (2)
- 8042 Springs, shock (natural finish) (GTS) (0.22 rate, yellow stripe) (2)
- 8043 Springs, shock (natural finish) (GTS) (0.30 rate, white stripe) (2)
- 8044 Springs, shock (natural finish) (GTS) (0.39 rate, orange stripe) (2)
- 8045 Springs, shock (natural finish) (GTS) (0.61 rate, blue stripe) (2)

**Spur Gears & Pinion Gears**

- 6746 Gear, 10-T pinion (32-p) (steel) (fits 3mm shaft)/ set screw
- 6747 Gear, 11-T pinion (32-p) (steel) (fits 3mm shaft)/ set screw
- 3942X Gear, 12-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw
- 3943X Gear, 13-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw
- 3944X Gear, 14-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw
- 3945X Gear, 15-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw
- 3946X Gear, 16-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw
- 3947X Gear, 17-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw
- 3948X Gear, 18-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw
- 3949X Gear, 19-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw
- 3950X Gear, 20-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw
- 3951X Gear, 21-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw
- 3952X Gear, 22-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw
- 6745 Gear, 9-T pinion (32-p) (steel) (fits 3mm shaft)/ set screw
- 8052 Spur gear, 39-tooth (32-pitch)
- 8053 Spur gear, 45-tooth (32-pitch)

**Steering Components**

- 8232 Caster blocks (portal drive), left & right
- 8232X Caster blocks, 6061-T6 aluminum (blue-anodized), left and right
- 8232A Caster blocks, 6061-T6 aluminum (charcoal gray-anodized), left and right
- 8232G Caster blocks, 6061-T6 aluminum (green-anodized), left and right
- 8232R Caster blocks, 6061-T6 aluminum (red-anodized), left and right
- 2072X Gear set, metal (for 2070, 2075 servos)
- 2072R Gear set, metal, high-speed (for 2070, 2075 servos)
- 8274 Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated)

**Page 4 TRX-6® Ultimate RC Hauler: TQi Traxxas Link Enabled 2.4GHz Radio (Model 88086-4) Parts List**

5355	Hollow ball, tall centered (2)/ tall offset hollow ball (2)/ bump steer adjustment shims; 3.5mm (2), 1.17mm (2)
8275	Rod end set, complete (standard (10), angled 10-degrees (8), offset (4))
8276	Rod ends (10)
8277	Rod ends, angled 10-degrees (8)
2742	Rod ends, long (6)/ hollow ball connectors (6)
8278	Rod ends, offset (4)
8247	Servo horn, steering
<b>8247X</b>	<b>Servo horn, steering, metal/ 3x14 BCS (1)</b>
<b>2075R</b>	<b>Servo, digital high-speed, metal gear (ball bearing), waterproof</b>
2075X	Servo, digital high-torque, metal gear (ball bearing), waterproof
5529	Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls, captured (4)
8246	Steering link, 5x60mm (1)/ draglink, 5x117mm (1) (steel)
8243	Suspension link, front, 5x100mm (lower) (steel) (2)
8244	Suspension link, front, 5x63mm (upper) (steel) (2)
8245	Suspension link, rear, 5x121mm (upper or lower) (steel) (2)

**Suspension Linkage**

<b>8274</b>	<b>Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated)</b>
5355	Hollow ball, tall centered (2)/ tall offset hollow ball (2)/ bump steer adjustment shims; 3.5mm (2), 1.17mm (2)
8275	Rod end set, complete (standard (10), angled 10-degrees (8), offset (4))
8276	Rod ends (10)
8277	Rod ends, angled 10-degrees (8)
2742	Rod ends, long (6)/ hollow ball connectors (6)
8278	Rod ends, offset (4)
5529	Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls, captured (4)
8243	Suspension link, front, 5x100mm (lower) (steel) (2)
8244	Suspension link, front, 5x63mm (upper) (steel) (2)
8245	Suspension link, rear, 5x121mm (upper or lower) (steel) (2)
8831	Suspension links, rear lower, 5x95mm (2) (steel)
8832	Suspension links, rear upper, 5x76mm (2) (steel)
8833	Suspension mount, intermediate, TRX-6™ (1)/ bearing cap (1)/ suspension link mounts (left & right)/ 2.5x12 CS (4)

**Team Traxxas Items**

<b>2514</b>	<b>Decal sheet, racing sponsors</b>
<b>6160X</b>	<b>DVD, Maxx® Power! Full Throttle Action (sleeve)</b>
<b>9950</b>	<b>Official Team Traxxas® racing decal set(flag logo/ 6-color)</b>
<b>9909</b>	<b>Traxxas® racing banner, red &amp; black (3x7 feet)</b>

**Tires & Wheels**

<b>8169T</b>	<b>Beadlock rings, black (1.9") (aluminum) (4)/ 2x10 CS (48)</b>
<b>8169X</b>	<b>Beadlock rings, blue (1.9") (aluminum) (4)/ 2x10 CS (48)</b>
<b>8169G</b>	<b>Beadlock rings, green (1.9") (aluminum) (4)/ 2x10 CS (48)</b>
<b>8169R</b>	<b>Beadlock rings, red (1.9") (aluminum) (4)/ 2x10 CS (48)</b>
<b>8875</b>	<b>Center caps (2)/ beadlock rings (2) (requires #8255A extended thread stub axle)</b>
<b>8176</b>	<b>Center caps, wheel (chrome) (4)/ decal sheet (requires #8255A extended thread stub axle)</b>
<b>8164</b>	<b>Center caps, wheel (chrome) (4)/ decal sheet (requires #8255A extended thread stub axle)</b>
<b>8174</b>	<b>Tires and wheels, assembled (Method Race Wheels® 105 Beadlock 1.9" black chrome beadlock wheels, Canyon Trail 4.6x1.9" tires, foam inserts) (1 left, 1 right)</b>
<b>8166</b>	<b>Tires and wheels, assembled, glued (1.9" chrome wheels, Canyon Trail 4.6x1.9" tires) (2)/ center caps (2)/ decal sheet (requires #8255A extended thread stub axle)</b>
<b>8177</b>	<b>Tires and wheels, assembled, glued (1.9" chrome wheels, Canyon Trail 4.6x1.9" tires) (2)/ center caps (2)/ decal sheet (requires #8255A extended thread stub axle)</b>
<b>8874</b>	<b>Tires and wheels, assembled, glued (2.2" black Mercedes-Benz® G 63® wheels, Canyon RT 4.6x2.2" tires) (2)/ center caps (2)/ beadlock rings (2) (requires #8255A extended thread stub axle)</b>
<b>8273</b>	<b>Tires and wheels, assembled, glued (Tactical 1.9" wheels, Canyon Trail 4.6x1.9" tires) (2)</b>
<b>8272X</b>	<b>Tires and wheels, assembled, glued (TRX-4® 1.9" satin beadlock wheels, Canyon Trail 4.6x1.9" tires) (2)</b>
<b>8272</b>	<b>Tires and wheels, assembled, glued (TRX-4® 1.9" wheels, Canyon Trail 4.6x1.9" tires) (2)</b>
<b>8179</b>	<b>Tires and wheels, assembled, glued (TRX-4® Sport 1.9" wheels, Canyon Trail 4.6x1.9" tires) (2)</b>
8854	Tires and wheels, assembled, glued (TRX-6® Big Rig 2.2" black chrome wheels, Canyon RT 4.6x2.2" tires, foam inserts) (front) (2)/ center caps (black chrome) (2)
8854X	Tires and wheels, assembled, glued (TRX-6® Big Rig 2.2" black chrome wheels, Canyon RT 4.6x2.2" tires, foam inserts) (rear) (2)/ center caps (black chrome) (2)
8871	Tires, Canyon RT 4.6x2.2"/ foam inserts (2) (wide) (requires 2.2" diameter wheel)

<b>8270</b>	<b>Tires, Canyon Trail 4.6x1.9" (S1 compound)/ foam inserts (2)</b>
8269	Wheel hubs, 12mm hex (2)/ stub axle pins (2) (steel)
<b>8269X</b>	<b>Wheel hubs, 12mm hex, 6061-T6 aluminum (blue-anodized) (4)/ 3x10 screw pin (4)</b>
<b>8269A</b>	<b>Wheel hubs, 12mm hex, 6061-T6 aluminum (charcoal gray-anodized) (4)/ 3x10 screw pin (4)</b>
<b>8269G</b>	<b>Wheel hubs, 12mm hex, 6061-T6 aluminum (green-anodized) (4)/ 3x10 screw pin (4)</b>
<b>8269R</b>	<b>Wheel hubs, 12mm hex, 6061-T6 aluminum (red-anodized) (4)/ 3x10 screw pin (4)</b>
<b>8175</b>	<b>Wheels, 1.9", chrome (2)/ center caps (2)/ decal sheet (requires #8255A extended thread stub axle)</b>
<b>8165</b>	<b>Wheels, 1.9", chrome (2)/ center caps (2)/ decal sheet (requires #8255A extended thread stub axle)</b>
<b>8173</b>	<b>Wheels, 1.9", Method Race Wheels® 105 Beadlock (black chrome, beadlock) (beadlock rings sold separately)</b>
<b>8173A</b>	<b>Wheels, 1.9", Method Race Wheels® 105 Beadlock (charcoal gray, beadlock) (beadlock rings sold separately)</b>
<b>8271</b>	<b>Wheels, TRX-4® 1.9 (2)</b>
<b>8271X</b>	<b>Wheels, TRX-4® 1.9 (satin beadlock) (2)</b>
<b>8178</b>	<b>Wheels, TRX-4® Sport 1.9 (2)</b>
<b>8268</b>	<b>Wheels, TRX-4® Tactical 1.9 (2)</b>
8876	Wheels, TRX-6® Big Rig 2.2" (black chrome) (front) (2)/ center caps (black chrome) (2)
8876X	Wheels, TRX-6® Big Rig 2.2" (black chrome) (rear) (2)/ center caps (black chrome) (2)

**Transmission Components**

8283	Cable, T-lock (front)
8839	Cable, T-lock, 3XL (298mm)
8840	Cable, T-lock, 4XL (417mm)
8195	Differential, locking, front and rear (assembled) (includes T-Lock cables and servos)
8289	Drive hub, 2-speed/ shift dog/ shift fork/ 2-speed linkage
8293X	Gear set, transmission, metal (includes 18T, 30T input gears, 36T output gear, 2x9.8 pins (5))
8291	Gearbox housing (includes main housing, front housing, & cover)
8285	Gears, transfer case (3)
5041	Grease, premium high performance (20cc)
8292	Input shaft/ output shaft (transmission)
<b>8290X</b>	<b>Motor mount plate, 6061-T6 aluminum (blue-anodized)</b>
<b>8290A</b>	<b>Motor mount plate, 6061-T6 aluminum (charcoal gray-anodized)</b>
<b>8290G</b>	<b>Motor mount plate, 6061-T6 aluminum (green-anodized)</b>
<b>8290R</b>	<b>Motor mount plate, 6061-T6 aluminum (red-anodized)</b>
8849	Output drive, transmission or differential (pin retainer (1)/ drive cup (1)/ drive ball (1)/ center ball (1)/ drive pin (1)/ 3x10 screw pin (1)/ cross pin (black) (1)/ 2.5x6 CS (with threadlock) (1)) (use with 6X6 axle configuration)
8294	Output gear, high range, 24T (metal)
8286	Output shafts (transfer case), front & rear
8290	Plate, motor/ upper spur gear cover
<b>8249</b>	<b>Slipper eliminator plate</b>
<b>8296</b>	<b>Transmission gears, single speed, metal</b>
8196	Two speed conversion kit

**Traxxas Tools**

<b>3433X</b>	<b>Body reamer (aluminum handle)</b>
<b>3433</b>	<b>Body reamer (plastic handle)</b>
<b>3436</b>	<b>Cap, body reamer</b>
<b>3432</b>	<b>Scissors, curved tip</b>
<b>3431</b>	<b>Scissors, straight tip</b>
<b>8712</b>	<b>Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive</b>
<b>8720</b>	<b>Speed bit handle, large (overmolded)</b>
<b>8721</b>	<b>Speed bit handle, medium (one piece)</b>
<b>8722</b>	<b>Speed bit handle, premium (rubber overmold)</b>
<b>8710</b>	<b>Speed Bit Master Set, hex and nut driver, 13-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm, 3.0mm), and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive</b>
<b>8711</b>	<b>Speed Bit Master Set, hex driver, 7-piece straight and ball end, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm, 2.5mm, 3.0mm), 1/4" drive</b>
<b>8719</b>	<b>Speed Bit Master Set, nut driver, 6-piece, includes premium handle (medium), travel pouch, and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive</b>
<b>8716</b>	<b>Speed Bit Set, hex driver, 2-piece ball-end (2.0mm, 2.5mm), 1/4" drive</b>
<b>8716X</b>	<b>Speed Bit Set, hex driver, 3-piece ball-end (2.0mm, 2.5mm, 3.0mm) 1/4" drive</b>

**Page 5 TRX-6® Ultimate RC Hauler: TQi Traxxas Link Enabled 2.4GHz Radio (Model 88086-4) Parts List**

- 8715 Speed Bit Set, hex driver, 3-piece straight (1.5mm, 2.0mm, 2.5mm), 1/4" drive
- 8715X Speed Bit Set, hex driver, 4-piece straight (1.5mm, 2.0mm, 2.5mm, 3.0mm), 1/4" drive
- 3415 Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm, 3.5mm, 4mm drivers/4mm, 5mm, 5.5mm, 7mm, and 8mm nut drivers/ 2mm, 3mm, and 4mm slotted screwdrivers/ #00 Phillips, #0 Phillips, and #1 Phillips screwdrivers/ 4mm and 8mm wrenches/ driver handle)

If you have questions or need technical assistance, call Traxxas at:

**1-888-TRAXXAS**

(1-888-872-9927) (U.S. residents only)

For orders, calls outside the U.S., and other information, call 972-549-3000,  
or fax to 972-549-3011 e-mail Traxxas at support@Traxxas.com

**TRAXXAS.COM**