



Slash VXL (Model 58076-4) Parts List

Parts shown in bold are optional accessories. Part categories and individual part listings are arranged alphabetically.

Bearings & Bushings

- 5116 Ball bearings, blue rubber sealed (5x11x4mm) (2)
- 5114 Ball bearings, blue rubber shield (5x8x2.5mm) (2)**
- 2545 Bushings (plastic) (5x8x2.5mm) (4)
- 1985 PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings)

Body & Accessories

- 1926 Antenna caps, vinyl (2)/ antenna spool**
- 1726 Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
- 3935 Body clip (mounting clip), angled, 90-degrees (10)
- 3935A Body clip (mounting clip), angled, 90-degrees (black) (10)**
- 3934 Body clips, heavy duty (12)
- 1914R Body mount, front & rear (black)/ body posts, 52mm (2), 38mm (2), 25mm (2), 6.5mm (2)/ body post extensions (4)/ hardware
- 1815 Body washers (8)
- 6716 Body Washers, Foam, 2mm/3mm/4mm**
- 5851X Body, Slash® 2WD (also fits Slash® VXL & Slash® 4X4), blue (painted, decals applied)**
- 5851G Body, Slash® 2WD (also fits Slash® VXL & Slash® 4X4), green & blue (painted, decals applied)**
- 5851T Body, Slash® 2WD (also fits Slash® VXL & Slash® 4X4), orange & blue (painted, decals applied)**
- 5851P Body, Slash® 2WD (also fits Slash® VXL & Slash® 4X4), pink & purple (painted, decals applied)**
- 5851R Body, Slash® 2WD (also fits Slash® VXL & Slash® 4X4), red & blue (painted, decals applied)**
- 5851 Body, Slash® 2WD (also fits Slash® VXL & Slash® 4X4), red (painted, decals applied)**
- 6928G Body, Slash® 4X4 (also fits Slash® VXL & Slash® 2WD), green & blue (painted, decals applied)**
- 6928T Body, Slash® 4X4 (also fits Slash® VXL & Slash® 2WD), orange & blue (painted, decals applied)**
- 6928R Body, Slash® 4X4 (also fits Slash® VXL & Slash® 2WD), red & blue (painted, decals applied)**
- 6811 Body, Slash® 4X4 (clear, requires painting)/ window masks/ decal sheet**
- 6811R Body, Slash® 4X4, heavy duty (clear, requires painting)/ window masks/ decal sheet**
- 5850 Body, Slash® 4X4, orange (painted, decals applied)**
- 6811X Body, Slash® 4X4, ProGraphix® (Graphics are printed, requires paint & final color application)/ decal sheet**
- 6849 Body, Slash® 4X4/Slash®, Fox Edition (painted, decals applied)**
- 6849R Body, Slash® VXL 2WD (also fits Slash® 4X4), Fox® (painted, decals applied)**
- 6812G Body, Slash® VXL 2WD (also fits Slash® 4X4), green & blue (painted, decals applied)**
- 6812T Body, Slash® VXL 2WD (also fits Slash® 4X4), orange & blue (painted, decals applied)**
- 6812R Body, Slash® VXL 2WD (also fits Slash® 4X4), red (painted, decals applied)**
- 6812L Body, Slash® VXL, ProGraphix® (graphics are printed, requires paint & final color application)/ decal sheet**
- 2514 Decal sheet, racing sponsors**
- 5813 Decal Sheet, Slash**
- 9950 Official Team Traxxas® racing decal set(flag logo/ 6-color)**
- 5846 Paint masks, body**

Chassis & Attachments

- 5526 Antenna crimp nut, aluminum (blue-anodized)/ antenna nut tool
- 5526R Antenna crimp nut, aluminum (red-anodized)/ antenna nut tool**
- 1914R Body mount, front & rear (black)/ body posts, 52mm (2), 38mm (2), 25mm (2), 6.5mm (2)/ body post extensions (4)/ hardware
- 5624 Box, receiver (sealed)/ foam pad/ silicone grease/ 3x8mm BCS (2)/ 2.5x8mm CS (2)/ 3x6mm BCS (2)
- 5835X Bumper, front/ bumper mount (fits 2WD Slash®) (for LED light kit installation)**
- 5835 Bumper, front/ bumper mount, front (black)
- 5835P Bumper, front/ bumper mount, front (pink)**
- 5838 Bumper, rear/ bumper mount (fits 2WD Slash®) (for LED light kit installation)**
- 5836 Bumper, rear/ bumper mount, rear (black)
- 5836P Bumper, rear/ bumper mount, rear (pink)**
- 5830 Chassis conversion kit, low CG (Slash®)**
- 5832 Chassis, low CG (black)**
- 5832A Chassis, low CG (blue)**
- 5832G Chassis, low CG (grey)**
- 5822 Chassis, Slash
- 5822A Chassis, Slash (black)**

- 5827 Hold down, battery/ hold down retainer/ battery post/ foam spacer/ angled body clip
- 5827X Hold down, battery/ hold down retainer/ battery post/ foam spacer/ angled body clip (allows for installation of taller, multi-cell batteries)**
- 5831 Lower chassis, low CG (black)**
- 5831A Lower chassis, low CG (blue)**
- 5831G Lower chassis, low CG (grey)**
- 5823 Nerf bars, chassis (black)
- 5833 Nerf bars, low CG (black)**
- 5833A Nerf bars, low CG (blue)**
- 5833G Nerf bars, low CG (grey)**
- 5625 Seal kit, receiver box (includes o-ring, seals, and silicone grease)
- 5837 Skidplates, front & rear (black)
- 5185 Tires, rubber (2) (fits Traxxas® wheelie bar wheels)**
- 4974 Wheelie Bar arm (1)/ connector (1)/ 3x12 SS (hex drive) (4)**
- 3677X Wheelie bar mount (1) / hardware (blue)**
- 3677A Wheelie bar mount (1) / hardware (green)**
- 3677P Wheelie bar mount (1) / hardware (pink)**
- 3677 Wheelie bar mount (1)/ hardware (Stampede®, Rustler®, Bandit series)
- 3678 Wheelie bar, assembled (black) (fits Slash®, Stampede®, Rustler®, Bandit® series)**
- 3678X Wheelie bar, assembled (blue) (fits Stampede®, Rustler®, Bandit series)**
- 3678A Wheelie bar, assembled (green) (fits Slash®, Stampede®, Rustler®, Bandit® series)**
- 3678T Wheelie bar, assembled (orange) (fits Slash®, Stampede®, Rustler®, Bandit® series)**
- 3678P Wheelie bar, assembled (pink) (fits Slash, Stampede®, Rustler®, Bandit series)**
- 3678R Wheelie bar, assembled (red) (fits Slash®, Stampede®, Rustler®, Bandit® series)**
- 4976 Wheels (4)/ axles (2) (for T-Maxx®/E-Maxx wheelie bar)
- 4976 Wheels (4)/ Axles (2), for Maxx® Wheelie Bar
- 5186A Wheels, aluminum (blue-anodized) (2)/ 5x8mm ball bearings (4)/ axles (2)/ rubber tires (2)
- 5186 Wheels, aluminum (red-anodized) (2)/ 5x8mm ball bearings (4)/ axles (2)/ rubber tires (2)
- 9461X Wheels, wheelie bar, 6061-T6 aluminum (blue-anodized) (2)/ 5x8x2.5mm ball bearings (4)/ o-rings (2)/ 5x8x0.3mm TW (2)
- 9461G Wheels, wheelie bar, 6061-T6 aluminum (green-anodized) (2)/ 5x8x2.5mm ball bearings (4)/ o-rings (2)/ 5x8x0.3mm TW (2)
- 9461A Wheels, wheelie bar, 6061-T6 aluminum (orange-anodized) (2)/ 5x8x2.5mm ball bearings (4)/ o-rings (2)/ 5x8x0.3mm TW (2)
- 9461P Wheels, wheelie bar, 6061-T6 aluminum (pink-anodized) (2)/ 5x8x2.5mm ball bearings (4)/ o-rings (2)/ 5x8x0.3mm TW (2)
- 9461R Wheels, wheelie bar, 6061-T6 aluminum (red-anodized) (2)/ 5x8x2.5mm ball bearings (4)/ o-rings (2)/ 5x8x0.3mm TW (2)
- 9461X Wheels, wheelie bar, blue (2)
- 9461G Wheels, wheelie bar, green (2)
- 9461A Wheels, wheelie bar, orange (2)
- 9461P Wheels, wheelie bar, pink (2)
- 9461R Wheels, wheelie bar, red (2)

Differential Components

- 2380 Differential, complete (fits 1/10-scale 2WD Rustler®, Bandit, Stampede®, Slash®)**
- 2381X Main diff with steel ring gear/ side cover plate/ screws (Bandit, Stampede®, Rustler®)
- 2382 Planet gears (4)/ planet shafts (4)/ sun gears (2)/sun gear alignment shaft (1) all hardened steel
- 2388X Planetary gear differential with steel ring gear (complete) (fits Bandit, Stampede®, Rustler®)
- 5169 Screws, 2.6x8mm countersunk machine (6) (EZ Start 2 motor)
- 1647 Silicone Grease

Driveline Components

- 5116 Ball bearings, blue rubber sealed (5x11x4mm) (2)
- 9059X Cross pin (2)/ drive pin (2) (repairs 1 axle shaft)**
- 9057X Differential output shafts, steel-splined constant-velocity (2)**
- 6828X Differential output yokes, heavy duty (2)/ screw pin (2)
- 6852A Driveshaft assembly, rear, extreme heavy duty (1) (left or right) (fully assembled, ready to install)/ screw pin (1)**
- 6852X Driveshaft assembly, rear, heavy duty (1) (left or right) (fully assembled, ready to install)/ screw pin (1)
- 9052X Driveshafts, rear, steel-spline constant-velocity (complete assembly) (2)**

Page 2 Slash VXL: TQi™ Traxxas Link™ Enabled 2.4GHz Radio & TSM® (Model 58076-4) Parts List

| | | | |
|-------|---|-------|--|
| 6852R | Driveshafts, rear, steel-spline constant-velocity (complete assembly) (2) | 3640 | Suspension screw pin set, steel (hex drive) (requires part # 2640 for a complete suspension pin set) (Rustler®, Stampede®, Bandit) |
| 9055X | Half shaft, external splined (steel-spline constant velocity) (1) | 2532 | Tie bar, fiberglass |
| 6750 | Half shaft, external splined (steel-spline constant velocity) (1) | 1935 | Turnbuckles, 36mm (2) |
| 9056X | Half shaft, internal splined (steel-spline constant velocity) (1) | 3139A | Turnbuckles, aluminum (blue-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477) |
| 6751 | Half shaft, internal splined (steel-spline constant velocity) (1) | | |
| 6850X | Half shafts, heavy duty (external splined (2)/ internal splined (2))/ metal u-joints (4) | 3139G | Turnbuckles, aluminum (green-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477) |
| 9058X | Rebuild kit, steel-splined constant-velocity driveshafts (includes pins and hardware for one axle shaft) | 3139T | Turnbuckles, aluminum (orange-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477) |
| 6757 | Rebuild kit, steel-splined constant-velocity driveshafts (includes pins, dustboots, lube, and hardware) | 3139P | Turnbuckles, aluminum (pink-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477) |
| 3752 | Stub axle carriers (2) (requires 5x11x4mm bearings) | 3139X | Turnbuckles, aluminum (red-anodized), toe links, 59mm (2) (assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477) |
| 3652A | Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (blue-anodized)/ 5x11mm ball bearings (4) | 3644 | Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) |
| 3652G | Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (green-anodized)/ 5x11mm ball bearings (4) | 3745 | Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls) |
| 3652T | Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (orange-anodized)/ 5x11mm ball bearings (4) | | |
| 3652P | Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (pink-anodized)/ 5x11mm ball bearings (4) | | |
| 3652X | Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (red-anodized)/ 5x11mm ball bearings (4) | | |
| 2754 | Stub axle pins (4) | | |
| 6754 | Stub axle, front, steel-splined constant velocity (1) | | |
| 9053X | Stub axle, rear, steel-splined constant velocity (1) | | |
| 6753 | Stub axle, rear, steel-splined constant velocity (1) | | |
| 6853X | Stub axles, rear, heavy duty (2)/pins (2) | | |

Front Suspension & Steering

| | |
|-------|--|
| 3637 | Axles (front) (2) |
| 5116 | Ball bearings, blue rubber sealed (5x11x4mm) (2) |
| 2530 | Bulkhead (front) (black) |
| 2530A | Bulkhead (front) (grey) |
| 2545 | Bushings (plastic) (5x8x2.5mm) (4) |
| 3632 | Caster blocks (l&r) (30-degree) |
| 3632A | Caster blocks, 30-degree, blue-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) |
| 3632G | Caster blocks, 30-degree, green-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) |
| 3632T | Caster blocks, 30-degree, orange-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) |
| 3632P | Caster blocks, 30-degree, pink-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) |
| 3632X | Caster blocks, 30-degree, red-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) |
| 6846 | Linkage, steering (Revo) (3x20mm turnbuckle) (1)/ rod ends (2)/ hollow balls (2) |
| 5347 | Rod ends, Revo® (large) with hollow balls (12) |
| 3646 | Screws, 3x15mm flat-head machine (hex drive) (6) |
| 3744 | Servo saver w/ adapters |
| 3639 | Shock tower (front) |
| 3743 | Steering bellcranks (l&r)/ draglink |
| 3743A | Steering bellcranks, drag link (blue-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled) |
| 3743G | Steering bellcranks, drag link (green-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled) |
| 3743T | Steering bellcranks, drag link (orange-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled) |
| 3743P | Steering bellcranks, drag link (pink-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled) |
| 3743X | Steering bellcranks, drag link (red-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled) |
| 6845X | Steering bellcranks/ servo saver/ servo saver spring/ servo spring retainer/servo horn, steering |
| 3736 | Steering blocks, left & right (2) (requires 5x11x4mm bearings) |
| 3636A | Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (blue-anodized)/ 5x11mm ball bearings (4) |
| 3636G | Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (green-anodized)/ 5x11mm ball bearings (4) |
| 3636T | Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (orange-anodized)/ 5x11mm ball bearings (4) |
| 3636P | Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (pink-anodized)/ 5x11mm ball bearings (4) |
| 3636X | Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (red-anodized)/ 5x11mm ball bearings (4) |
| 3631 | Suspension arms (front) (2) |
| 3631X | Suspension arms, black, front, heavy duty (2) |
| 3631A | Suspension arms, blue, front, heavy duty (2) |
| 3631G | Suspension arms, green, front, heavy duty (2) |
| 3631T | Suspension arms, orange, front, heavy duty (2) |
| 3631R | Suspension arms, red, front, heavy duty (2) |
| 2640 | Suspension pins, 44mm (2) w/ E-clips |

| | |
|-------|--|
| 3640 | Suspension screw pin set, steel (hex drive) (requires part # 2640 for a complete suspension pin set) (Rustler®, Stampede®, Bandit) |
| 2532 | Tie bar, fiberglass |
| 1935 | Turnbuckles, 36mm (2) |
| 3139A | Turnbuckles, aluminum (blue-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477) |
| 3139G | Turnbuckles, aluminum (green-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477) |
| 3139T | Turnbuckles, aluminum (orange-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477) |
| 3139P | Turnbuckles, aluminum (pink-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477) |
| 3139X | Turnbuckles, aluminum (red-anodized), toe links, 59mm (2) (assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477) |
| 3644 | Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) |
| 3745 | Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls) |

Hardware

| | |
|-------|---|
| 1926 | Antenna caps, vinyl (2)/ antenna spool |
| 1726 | Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) |
| 3935 | Body clip (mounting clip), angled, 90-degrees (10) |
| 3935A | Body clip (mounting clip), angled, 90-degrees (black) (10) |
| 3934 | Body clips, heavy duty (12) |
| 4859 | CS 3x10 flathead (hex drive) |
| 1589 | Double-sided adhesive tape (25mm x 25mm) |
| 1633 | E-clips/ C-rings |
| 2745 | Nuts, 3mm nylon locking (12) |
| 1747P | Nuts, 4mm flanged nylon locking (aluminum, pink anodized) (4) |
| 3647 | Nuts, 4mm flanged nylon locking (steel, serrated) (8) |
| 1747 | Nuts, 4mm nylon locking (10) |
| 1747R | Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4) |
| 1747G | Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4) |
| 1747T | Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4) |
| 1747A | Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4) |
| 1985 | PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings) |
| 5525 | Rod ends (12)/ hollow balls (12) |
| 5347 | Rod ends, Revo® (large) with hollow balls (12) |
| 2742X | Rod ends, short (6)/ hollow balls (6) |
| 3215 | Screws, 2.5x6mm cap-head machine (hex drive) (6) |
| 3965 | Screws, 2.5x8mm cap-head machine (6) |
| 2577 | Screws, 3x10mm button-head machine (hex drive) (6) |
| 2578 | Screws, 3x12mm button-head machine (hex drive) (6) |
| 2552 | Screws, 3x12mm countersunk machine (6) (hex drive) |
| 2579 | Screws, 3x15mm button-head machine (hex drive) (6) |
| 2586 | Screws, 3x15mm cap-head machine (hex drive) (6) |
| 3646 | Screws, 3x15mm flat-head machine (hex drive) (6) |
| 2583 | Screws, 3x18 button-head machine (hex drive) (6) |
| 2580 | Screws, 3x20mm button-head machine (hex drive) (6) |
| 2591 | Screws, 3x23mm button-head machine (hex drive) (6) |
| 2582 | Screws, 3x30mm button-head machine (hex drive) (6) |
| 2592 | Screws, 3x40mm button-head machine (hex drive) (6) |
| 2575 | Screws, 3x6mm button-head machine (hex drive) (6) |
| 3932 | Screws, 3x6mm flat-head machine (hex drive) (6) |
| 2576 | Screws, 3x8mm button-head machine (hex drive) (6) |
| 3931 | Screws, 3x8mm flat-head machine (hex drive) (6) |
| 3937 | Screws, 4x12mm button-head machine (hex drive) (6) |
| 2542 | Screws, 4x12mm countersunk machine (hex drive) (6) |
| 2546 | Screws, 4x15mm countersunk machine (hex drive) (6) |
| 2743 | Set (grub) screws, 3mm hardened (12) |
| 5529 | Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls, captured (4) |
| 3967 | Shoulder screws 3x10 (6) (without threadlock) |
| 3642X | Shoulder screws, Ultra Shocks (3x12 hex drive) (6) |
| 2754 | Stub axle pins (4) |
| 2746 | Washers, 3x6mm metal (12) |

LED Lights

| | |
|------|--|
| 3690 | Gear set, transmission (includes idler gear (1), diff gear (1), top gear(1)) (Bandit, Rustler®, Stampede®) |
| 3690 | LED light bar, front (assembled)/ 3x8 BCS (2)/ 2.5x8 BCS (2) (requires front bumper #5835X for 2WD Slash®, #3635 for 2WD Stampede®, #3630 for 2WD Bigfoot® No. 1, #6835X for 4WD Slash®, or #6735 for 4WD Stampede®) |
| 5893 | LED light harness, rear (requires #5838, 6737X, or 6836 rear bumper) |

Page 3 Slash VXL: TQi™ Traxxas Link™ Enabled 2.4GHz Radio & TSM® (Model 58076-4) Parts List

5894 LED light set, complete (includes front and rear bumpers with LED light bar, rear LED harness, & BEC Y-harness) (fits 2WD Slash®)
 2263 Y-harness, BEC to LED light set

Motors & Electronics

1726 Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
 2260 BEC assembly (complete) (12.6 volts (3s LiPo) maximum input voltage)
 3340 Cooling fan, Velineon® VXL-3s ESC
 3790 Gear adapter, fixed
 2072A Gear set (for 2070, 2075 servos)
 2252 Gear set, metal (for 2250, 2255 servos)
 2272 Gear set, metal (for 2270 waterproof servo)
 3354R Motor cover, endbell (Velineon® 3500)
 3351R Motor, Velineon® 3500, brushless (assembled with 12-gauge wire and gold-plated bullet connectors)
 3352R Rebuild kit, Velineon® 3500 (includes plastic endbell, 5x11x4mm ball bearings (2), 2.5x5mm BCS (with threadlock) (4), rear bushing)
 3931 Screws, 3x8mm flat-head machine (hex drive) (6)
 2254 Servo case, aluminum (middle) (blue-anodized) (for 2250 servo)
 2253 Servo case, aluminum (middle) (red-anodized) (for 2255 servo)
 2251 Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos)
 2271 Servo case/ gaskets (for 2270 waterproof servo)
 2074 Servo case/gaskets (for 2056 and 2075 waterproof servos)
 2075R Servo, digital high-speed, metal gear (ball bearing), waterproof
 2075 Servo, digital high-torque (ball bearing), waterproof
 2250 Servo, digital high-torque 300 coreless, metal gear (ball bearing), waterproof
 2255 Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof
 2270 Servo, digital high-torque, metal gear (ball bearing), waterproof
 2075X Servo, digital high-torque, metal gear (ball bearing), waterproof
 3350R Velineon® VXL-3s Brushless Power System, waterproof (includes VXL-3s waterproof ESC, Velineon® 3500 motor, and speed control mounting plate (part #3725))
 3355R VXL-3s Waterproof Electronic Speed Control (brushless) (fwd/rev/brake)

Radio System, Batteries & Chargers

2849X 4000mah 11.1v 3-Cell 25C LiPo Battery
 2872X 5000mah 11.1v 3-Cell 25C LiPo Battery
 2842X 5000mah 7.4v 2-Cell 25C LiPo Battery
 2843X 5800mah 7.4v 2-Cell 25C LiPo Battery
 2857X 6400mah 11.1v 3-Cell 25C LiPo Battery
 2869X 7600mah 7.4v 2-Cell 25C LiPo Battery
 2976 AC to DC adapter
 2938X Adapter, Traxxas® iD® LiPo battery (adapts Traxxas® iD® batteries to separate balance ports)
 5526 Antenna crimp nut, aluminum (blue-anodized)/ antenna nut tool
 5526R Antenna crimp nut, aluminum (red-anodized)/ antenna nut tool
 2943 Battery charge indicators, green (4), grey (4), blue (4)
 6548 Battery door, TQ 2.4 transmitter (replacement for #6516, 6517 transmitter)
 2923X Battery, Power Cell, 3000mAh (NiMH, 7-C flat, 8.4V)
 2926X Battery, Power Cell, 3000mAh (NiMH, 7-C hump, 8.4V)
 2940X Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C flat, 8.4V)
 2941X Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C hump, 8.4V)
 2950X Battery, Series 4 Power Cell, 4200mAh (NiMH, 7-C flat, 8.4V)
 2951X Battery, Series 4 Power Cell, 4200mAh (NiMH, 7-C hump, 8.4V)
 2960X Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C flat, 8.4V)
 2961X Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C hump, 8.4V)
 2983 Battery/charger completer pack (includes #2969 2-amp NiMH peak detecting AC charger (1), #2923X 3000mAh 8.4V 7-cell NiMH iD® battery (1))
 2992 Battery/charger completer pack (includes #2970 iD® charger (1), #2843X 5800mAh 7.4V 2-cell 25C LiPo iD® battery (1))
 2994 Battery/charger completer pack (includes #2970 iD® charger (1), #2849X 4000mAh 11.1v 3-Cell 25C LiPo iD® battery (1))
 2260 BEC assembly (complete) (12.6 volts (3s LiPo) maximum input voltage)
 2975 Charger, D/C, 4 amp (6 - 7 cell, 7.2 - 8.4 volt, NiMH)
 2972 Charger, EZ-Peak Dual, 100W, NiMH/LiPo with iD Auto Battery Identification
 2973 Charger, EZ-Peak Live Dual, 200W, NiMH/LiPo with iD Auto Battery Identification
 2970 Charger, EZ-Peak Plus, 4 amp, NiMH/LiPo with iD Auto Battery Identification
 2971 Charger, EZ-Peak® Live, 100W, NiMH/LiPo with iD® Auto Battery Identification
 2981 Charger, EZ-Peak® Plus 4s, 8 amp, NiMH/LiPo with iD® Auto Battery Identification

6525 Communication link, telemetry expander
 6512 Cover plate, Traxxas® Link Bluetooth® module
 2978 Fuse, D/C charger, 5A (2) (for #2974, 2975, 2977)
 2072A Gear set (for 2070, 2075 servos)
 2252 Gear set, metal (for 2250, 2255 servos)
 2272 Gear set, metal (for 2270 waterproof servo)
 2968X LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® iD® batteries)
 2968 LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries)
 6554X Mount, telemetry expander (fits Rustler®, Bandit, Slash 2WD)
 6535 Mount, temperature sensor (electric motors)/ wire tie/ thermal pad
 6533 Receiver, micro, TQi 2.4GHz with telemetry & TSM® (5-channel)
 6552 Seal kit, expander box (includes o-ring, seals, and silicone grease)
 6526 Sensor, auto-detectable, temperature
 6527 Sensor, auto-detectable, voltage
 6520 Sensor, RPM (long)/ 3x4mm BCS (1)/ 3x4 GS (1)
 6521 Sensor, temperature and voltage (long)
 2254 Servo case, aluminum (middle) (blue-anodized) (for 2250 servo)
 2253 Servo case, aluminum (middle) (red-anodized) (for 2255 servo)
 2251 Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos)
 2271 Servo case/ gaskets (for 2270 waterproof servo)
 2074 Servo case/gaskets (for 2056 and 2075 waterproof servos)
 2075R Servo, digital high-speed, metal gear (ball bearing), waterproof
 2075 Servo, digital high-torque (ball bearing), waterproof
 2250 Servo, digital high-torque 300 coreless, metal gear (ball bearing), waterproof
 2255 Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof
 2075X Servo, digital high-torque, metal gear (ball bearing), waterproof
 2270 Servo, digital high-torque, metal gear (ball bearing), waterproof
 6553X Telemetry Expander 2.0 and GPS module 2.0, TQi radio system
 6550X Telemetry expander 2.0, TQi radio system (for use only with #6551X GPS module)
 6551X Telemetry GPS module 2.0, TQi radio system (for use only with #6550X telemetry expander)
 6538 Telemetry trigger magnet holders, spur gear/ magnet, 5x2mm (1)/ 3x8mm CCS (3)/ 3x10mm CCS (3)
 6540 Telemetry trigger magnet, 5X2mm (1)
 2928 Temperature sensor, EZ-Peak Plus
 6509R TQi 2.4 GHz High Output radio system, 2-channel, Traxxas® Link enabled, TSM® (2-ch transmitter, 5-ch micro receiver)
 6507R TQi 2.4 GHz High Output radio system, 4-channel with Traxxas® Link Bluetooth® module, TSM® (4-ch transmitter, 5-ch micro receiver)
 6528 Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 2-channel (transmitter only)
 6529 Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 3-channel (transmitter only)
 6530 Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 4-channel (transmitter only)
 6511 Traxxas® Link Bluetooth® module
 3355R VXL-3s Waterproof Electronic Speed Control (brushless) (fwd/rev/brake)

Ready-To-Race Model

58076-4 Slash VXL: 1/10 Scale 2WD Short Course Racing Truck with TQi™ Traxxas Link™ Enabled 2.4GHz Radio System & Traxxas Stability Management (TSM®)

Rear Suspension

5116 Ball bearings, blue rubber sealed (5x11x4mm) (2)
 6850X Half shafts, heavy duty (external splined (2)/ internal splined (2))/ metal u-joints (4)
 3638 Shock tower (rear)
 3752 Stub axle carriers (2) (requires 5x11x4mm bearings)
 3652A Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (blue-anodized)/ 5x11mm ball bearings (4)
 3652G Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (green-anodized)/ 5x11mm ball bearings (4)
 3652T Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (orange-anodized)/ 5x11mm ball bearings (4)
 3652P Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (pink-anodized)/ 5x11mm ball bearings (4)
 3652X Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (red-anodized)/ 5x11mm ball bearings (4)
 6853X Stub axles, rear, heavy duty (2)/pins (2)
 2555 Suspension arms, (rear) (2)
 2555X Suspension arms, black, rear, heavy duty (2)
 2555A Suspension arms, blue, rear, heavy duty (2)

Page 4 Slash VXL: TQi™ Traxxas Link™ Enabled 2.4GHz Radio & TSM® (Model 58076-4) Parts List

- 2555G Suspension arms, green, rear, heavy duty (2)
- 2555T Suspension arms, orange, rear, heavy duty (2)
- 2555R Suspension arms, red, rear, heavy duty (2)
- 3640 Suspension screw pin set, steel (hex drive) (requires part # 2640 for a complete suspension pin set) (Rustler®, Stampede®, Bandit)
- 3644 Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right)

Shock Oil

- 5031 Oil, shock (20 wt, 200 cSt, 60cc) (silicone)
- 5032 Oil, shock (30 wt, 350 cSt, 60cc) (silicone)
- 5033 Oil, shock (40 wt, 500 cSt, 60cc) (silicone)
- 5034 Oil, shock (50 wt, 600 cSt, 60cc) (silicone)
- 5035 Oil, shock (60 wt, 700 cSt, 60cc) (silicone)
- 5036 Oil, shock (70 wt, 900 cSt, 60cc) (silicone)
- 5037 Oil, shock (80 wt, 1,000 cSt, 60cc) (silicone)
- 5029 Shock oil bottle (60cc) (for mixing shock oil)
- 5038X Shock oil set (includes 20 wt, 30 wt, 40 wt, 50 wt, 60 wt, 70 wt, & 80 wt premium shock oils with spinning carousel rack)
- 5038 Spinning carousel rack

Shocks (Pro-level Aluminum)

- 2664 Big Bore shock cylinder (long) (1)
- 5862 Big Bore shocks (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts and springs) (front & rear) (4)
- 2660 Big-bore shocks (long) (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts) w/o springs (rear) (2)
- 2662 Big-bore shocks (xx-long) (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts) w/o springs (rear) (2)
- 2669 Piston head set (2-hole (2)/ 3-hole (2))/ shock mounting bushings & washers (2) (Big Bore Shocks)
- 1942 Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)
- 2742X Rod ends, short (6)/ hollow balls (6)
- 2667 Shock caps, aluminum (2) (Big Bore Shocks)
- 2362 Shock rebuild kit (for 2 shocks)
- 1664T Shock shafts, hardened steel, titanium nitride coated (long) (2)
- 2656T Shock shafts, hardened steel, titanium nitride coated (xx-long) (2)
- 1664 Shock shafts, steel, chrome finish (long) (2)
- 2656 Shock shafts, steel, chrome finish (xx-long) (2)
- 1765 Silicone diaphragms (4)
- 2668 Spring retainers, upper & lower (2)/ spring pre-load spacers: 1mm (4)/ 1.5mm (2)/ 2mm (2)/ 4mm (2)/ 8mm (2) (Big Bore Shocks)
- 5860 Springs, front (white) (progressive rate) (2) (for Slash big bore shocks)
- 5859 Springs, rear (white) (progressive rate) (2) (for Slash big bore shocks)

Shocks (Ultra Shocks)

- 3765A Body, Ultra Shock (long) (grey) (2)
- 3766A Body, Ultra Shock (XXL) (grey) (2)
- 1942 Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)
- 2742X Rod ends, short (6)/ hollow balls (6)
- 3767 Shock caps (2)/ shock bottoms (2)
- 8361 Shock caps (black) (4) (assembled with hollow balls)
- 3767A Shock caps, aluminum (blue-anodized) (4) (fits all Ultra Shocks)
- 3767G Shock caps, aluminum (green-anodized) (4) (fits all Ultra Shocks)
- 3767T Shock caps, aluminum (orange-anodized) (4) (fits all Ultra Shocks)
- 3767P Shock caps, aluminum (pink-anodized) (4) (fits all Ultra Shocks)
- 3767X Shock caps, aluminum (red-anodized) (4) (fits all Ultra Shocks)
- 2362 Shock rebuild kit (for 2 shocks)
- 1664T Shock shafts, hardened steel, titanium nitride coated (long) (2)
- 2656T Shock shafts, hardened steel, titanium nitride coated (xx-long) (2)
- 1664 Shock shafts, steel, chrome finish (long) (2)
- 2656 Shock shafts, steel, chrome finish (xx-long) (2)
- 3642X Shoulder screws, Ultra Shocks (3x12 hex drive) (6)
- 1765 Silicone diaphragms (4)
- 3769 Spring pre-load spacers: 1mm (4)/ 2mm (2)/ 4mm (2)/ 8mm (2)
- 3768 Spring retainers, upper & lower (2)/ piston head set (2-hole (2)/ 3-hole (2))
- 2458P Springs (front) (pink) (2)
- 2458A Springs (front) (white) (2)
- 3757T Springs, blue (rear) (2)
- 2458 Springs, front (black) (2)
- 5857P Springs, front (pink) (progressive rate) (2)
- 5857 Springs, front (white) (progressive rate) (2)
- 3757A Springs, green (rear) (2)
- 3757P Springs, pink (rear) (2)

- 3757 Springs, rear (black) (2)
- 5858P Springs, rear (pink) (progressive rate) (2)
- 5858 Springs, rear (white) (progressive rate) (2)
- 4957 Springs, red (for Ultra Shocks only) (2.5 rate) (f/r) (2)
- 3757X Springs, white (rear) (2)
- 3760 Ultra Shocks (black) (long) (complete w/ spring pre-load spacers & springs) (front) (2)
- 3762 Ultra Shocks (black) (xx-long) (complete w/ spring pre-load spacers & springs) (rear) (2)
- 3760A Ultra Shocks (grey) (long) (complete w/ spring pre-load spacers & springs) (2)
- 3762A Ultra Shocks (grey) (xx-long) (complete w/ spring pre-load spacers & springs) (rear) (2)

Slipper Clutch Components

- 3793 Input shaft (slipper shaft) / spring pin
- 5552X Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/ 4.0mm NL (1)/ 5.0mm NL (1))
- 2554 Screws, 3x6mm caphead machine (hex drive) (6)
- 5556 Slipper pressure plate & hub (aluminum alloy)

Spur Gears & Pinion Gears

- 3790 Gear adapter, fixed
- 2416 Gear, 16-T pinion (48-pitch) / set screw
- 1918 Gear, 18-T pinion (48-pitch) / set screw
- 2419 Gear, 19-T pinion (48-pitch) / set screw
- 2423 Gear, 23-T pinion (48-pitch) (fits 3mm shaft)/ set screw
- 2426 Gear, 26-T pinion (48-pitch) (fits 3mm shaft)/ set screw
- 4728 Gear, 28-T pinion (48-pitch) (fits 3mm shaft)/ set screw
- 2431 Gear, 31-T pinion (48-pitch) (fits 3mm shaft)/ set screw
- 4725 Gear, pinion (25-tooth) (48-pitch) / set screw
- 4683 Spur gear, 83-tooth (48-pitch) (for models with Torque Control slipper clutch)
- 4686 Spur gear, 86-tooth (48-pitch) (for models with Torque-Control slipper clutch)
- 4690 Spur gear, 90-tooth (48-pitch) (for models with Torque-Control slipper clutch)

Steering Components

- 2545 Bushings (plastic) (5x8x2.5mm) (4)
- 6846 Linkage, steering (Revo) (3x20mm turnbuckle) (1)/ rod ends (2)/ hollow balls (2)
- 1985 PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings)
- 2742 Rod ends, long (6)/ hollow ball connectors (6)
- 5347 Rod ends, Revo® (large) with hollow balls (12)
- 3744 Servo saver w/ adapters
- 3967 Shoulder screws 3x10 (6) (without threadlock)
- 3743 Steering bellcranks (l&r)/ draglink
- 3743A Steering bellcranks, drag link (blue-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled)
- 3743G Steering bellcranks, drag link (green-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled)
- 3743T Steering bellcranks, drag link (orange-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled)
- 3743P Steering bellcranks, drag link (pink-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled)
- 3743X Steering bellcranks, drag link (red-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled)
- 6845X Steering bellcranks/ servo saver/ servo saver spring/ servo spring retainer/servo horn, steering
- 1935 Turnbuckles, 36mm (2)
- 3139A Turnbuckles, aluminum (blue-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)
- 3139G Turnbuckles, aluminum (green-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)
- 3139T Turnbuckles, aluminum (orange-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)
- 3139P Turnbuckles, aluminum (pink-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)
- 3139X Turnbuckles, aluminum (red-anodized), toe links, 59mm (2) (assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477)
- 3745 Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls)
- 2746 Washers, 3x6mm metal (12)

Suspension Linkage

- 5525 Rod ends (12)/ hollow balls (12)
- 5347 Rod ends, Revo® (large) with hollow balls (12)
- 3739 Screw pin set (Rustler®/ Bandit/ Stampede®)

Page 5 Slash VXL: TQi™ Traxxas Link™ Enabled 2.4GHz Radio & TSM® (Model 58076-4) Parts List

| | | | |
|-------|--|-------|--|
| 5529 | Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls, captured (4) | 5878 | Tire & wheel assy, glued (SCT satin chrome, black beadlock wheel, BFGoodrich® Mud-Terrain™ T/A® KM2 tire, insert) (2)(4WD front/rear, 2WD rear only) |
| 2640 | Suspension pins, 44mm (2) w/ E-clips | 6873A | Tire & wheel assy, glued (SCT Split-Spoke chrome, red beadlock style wheel, BFGoodrich® Mud-Terrain™ T/A® KM2 tire, inserts) (2) (4WD f/r, 2WD rear) |
| 3640 | Suspension screw pin set, steel (hex drive) (requires part # 2640 for a complete suspension pin set) (Rustler®, Stampede®, Bandit) | 5882 | Tire & wheel assy, glued (SCT Split-Spoke satin chrome, black beadlock style wheels, Kumho tires, foam inserts) (2) (2WD front) |
| 3139A | Turnbuckles, aluminum (blue-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477) | 6874 | Tire & wheel assy, glued (SCT Split-Spoke satin chrome, black beadlock style wheels, Kumho tires, foam inserts) (2) (4WD front/rear, 2WD rear only) |
| 3139G | Turnbuckles, aluminum (green-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477) | 5885A | Tire & wheel assy, glued (SCT Split-Spoke, black, blue beadlock wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tires, inserts) (2) (2WD Front) |
| 3139T | Turnbuckles, aluminum (orange-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477) | 5883A | Tire & wheel assy, glued (SCT Split-Spoke, black, blue beadlock wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tire, inserts) (2) (4WD f/r, 2WD rear) |
| 3139P | Turnbuckles, aluminum (pink-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477) | 5885 | Tire & wheel assy, glued (SCT Split-Spoke, black, satin chrome beadlock wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tires, inserts) (2) (2WD Front) |
| 3139X | Turnbuckles, aluminum (red-anodized), toe links, 59mm (2) (assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477) | 5883 | Tire & wheel assy, glued (SCT Split-Spoke, black, satin chrome beadlock wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tire, inserts) (2) (4WD f/r, 2WD rear) |
| 3644 | Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) | 5877A | Tire & wheel assy, glued (SCT Split-Spoke, chrome red beadlock wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tires, inserts) (2) (2WD Front) |
| 3745 | Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls) | 5877 | Tire & wheel assy, glued (SCT Split-Spoke, satin, black beadlock wheel, BFGoodrich® Mud-Terrain™ T/A® KM2 tire, foam inserts) (2) (2WD Front) |

Team Traxxas Items

| | |
|-------|---|
| 2514 | Decal sheet, racing sponsors |
| 6160X | DVD, Maxx® Power! Full Throttle Action (sleeve) |
| 9950 | Official Team Traxxas® racing decal set(flag logo/ 6-color) |
| 9909 | Traxxas® racing banner, red & black (3x7 feet) |

Tires & Wheels

| | | | |
|-------|--|-------|---|
| 5116 | Ball bearings, blue rubber sealed (5x11x4mm) (2) | 5864 | Tire & wheel assy, glued (SCT, black, orange beadlock wheels, SCT off-road racing tires, foam inserts) (2) (2WD Front) |
| 5854 | Hub retainer, 17mm hubs, M4 X 0.7 (4) (use with #5853X, #6856X, #6469) | 5863 | Tire & wheel assy, glued (SCT, black, orange beadlock wheels, SCT off-road racing tires, foam inserts) (2) (4WD f/r, 2WD rear) (TSM® rated) |
| 1747P | Nuts, 4mm flanged nylon locking (aluminum, pink anodized) (4) | 5865 | Tire & wheel assy, glued (SCT, chrome, green beadlock wheel, BFGoodrich® Mud-Terrain™ T/A® KM2 tire, foam inserts) (2) (2WD front only) |
| 3647 | Nuts, 4mm flanged nylon locking (steel, serrated) (8) | 6876 | Tire & wheel assy, glued (SCT, chrome, green beadlock wheel, BFGoodrich® Mud-Terrain™ T/A® KM2 tire, foam inserts) (2) (4WD front/rear, 2WD rear only) |
| 1747R | Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4) | 5873X | Tire & wheel assy, glued (SCT satin chrome, black beadlock style wheels, SCT off-road racing tires, foam inserts) (2) (4WD front/rear, 2WD rear only) |
| 1747G | Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4) | 6891R | Tires & wheels assembled, glued (S1 compound) (SCT Split-Spoke chrome, red beadlock style wheels, SCT off-road racing tires, foam inserts) (2) (4WD f/r, 2WD rear) (TSM® rated) |
| 1747T | Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4) | 5887R | Tires & wheels, assembled, glued (S1 compound) (SCT chrome wheels, red beadlock style, dual profile (2.2" outer, 3.0" inner), SCT off-road racing tires, foam inserts) (2) (4WD f/r, 2WD rear) (TSM® rated) |
| 1747A | Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4) | 6892R | Tires & wheels, assembled, glued (S1 compound) (SCT Split-Spoke satin chrome, black beadlock style wheels, SCT off-road racing tires, foam inserts) (2) (4WD f/r, 2WD rear) (TSM® rated) |
| 1985 | PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings) | 5888 | Tires & wheels, assembled, glued (SCT chrome wheels, red beadlock style, dual profile (2.2" outer, 3.0" inner), SCT off-road racing tires, foam inserts) (2) (2wd front) |
| 1647 | Silicone Grease | 5887 | Tires & wheels, assembled, glued (SCT chrome wheels, red beadlock style, dual profile (2.2" outer, 3.0" inner), SCT off-road racing tires, foam inserts) (2) (4WD f/r, 2WD rear) (TSM® rated) |
| 2754 | Stub axle pins (4) | 5869A | Tires & wheels, assembled, glued (SCT chrome, blue beadlock style wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tires, foam inserts) (2) (2WD front) |
| 5889R | Tire & wheel assembled, glued (S1 compound) (SCT Split-Spoke black, satin chrome beadlock style wheel (dual profile 2.2" outer 3.0" inner), SCT off-road tires, foam inserts) (2) (4WD f/r, 2WD rear) (TSM® rated) | 5867A | Tires & wheels, assembled, glued (SCT chrome, blue beadlock style wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tires, foam inserts) (2) (4WD front/rear, 2WD rear only) |
| 5863R | Tire & wheel assembled, glued (S1 compound) (SCT, black, orange beadlock wheels, SCT off-road racing tires, foam inserts) (2) (4WD f/r, 2WD rear) (TSM® rated) | 5890 | Tires & wheels, assembled, glued (SCT Split-Spoke black, satin chrome beadlock style wheels, dual profile (2.2" outer, 3.0" inner), SCT off-road racing tires, foam inserts) (2) (2WD front) (TSM® rated) |
| 5882R | Tire & wheel assy, glued (S1 compound) (SCT Split-Spoke satin chrome, black beadlock style wheels, Kumho tires, foam inserts) (2) (2WD front) | 5891 | Tires & wheels, assembled, glued (SCT Split-Spoke black, satin chrome beadlock style wheels, paddle tires, foam inserts) (2) (4WD f/r, 2WD rear) (TSM® rated) |
| 6874R | Tire & wheel assy, glued (S1 compound) (SCT Split-Spoke satin chrome, black beadlock wheel, Kumho tire, insert) (2) (4WD front/rear, 2WD rear only) | 6891 | Tires & wheels, assembled, glued (SCT Split-Spoke chrome, red beadlock style wheels, SCT off-road racing tires, foam inserts) (2) (4WD f/r, 2WD rear) (TSM® rated) |
| 5877R | Tire & wheel assy, glued (S1 compound) (SCT Split-Spoke, chrome red beadlock wheel, BFGoodrich® Mud-Terrain™ T/A® KM2 tires, inserts) (2) (2WD front) | 6873 | Tires & wheels, assembled, glued (SCT Split-Spoke satin chrome, black beadlock style wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tires, foam inserts) (2) (4WD f/r, 2WD rear) (TSM® rated) |
| 6873R | Tire & wheel assy, glued (S1 compound) (SCT SS, chrome red beadlock wheel, BFGoodrich® Mud-Terrain™ T/A® KM2 tire, inserts) (2) (4WD f/r, 2WD rear) | 6892 | Tires & wheels, assembled, glued (SCT Split-Spoke satin chrome, black beadlock style wheels, SCT off-road racing tires, foam inserts) (2) (4WD f/r, 2WD rear) (TSM® rated) |
| 6873X | Tire & wheel assy, glued (S1 compound) (SCT SS, satin chrome black beadlock wheel, BFGoodrich® Mud-Terrain™ T/A® KM2 tire, inserts) (2) (4WD f/r, 2WD rear) | | |
| 5869 | Tire & wheel assy, glued (SCT chrome, red beadlock style wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tires, foam inserts) (2) (2WD front) | | |
| 5867 | Tire & wheel assy, glued (SCT chrome, red beadlock style wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tires, inserts) (2)(4WD front/rear, 2WD rear only) | | |
| 5881X | Tire & wheel assy, glued (SCT satin chrome, beadlock style wheels, Kumho tires, foam inserts) (2) (2WD front only) | | |
| 5880X | Tire & wheel assy, glued (SCT satin chrome, beadlock style wheels, Kumho tires, foam inserts) (2) (4WD front/rear, 2WD rear only) | | |
| 5881 | Tire & wheel assy, glued (SCT satin chrome, black beadlock style wheels, Kumho tires, foam inserts) (2) (2WD front) | | |
| 5880 | Tire & wheel assy, glued (SCT satin chrome, black beadlock style wheels, Kumho tires, foam inserts) (2) (4WD front/rear, 2WD rear only) | | |
| 5875X | Tire & wheel assy, glued (SCT satin chrome, black beadlock style wheels, SCT off-road racing tires, foam inserts) (2) (2WD front) | | |

| | |
|-------|---|
| 5889 | Tires & wheels, assembled, glued (SCT Split-Spoke, black, satin chrome beadlock style wheel, dual profile (2.2" outer, 3.0" inner), SCT off-road racing tires, foam inserts) (2) (4WD f/r, 2WD rear) (TSM® rated) |
| 5875 | Tires & wheels, assembled, glued (SCT, satin chrome wheels, beadlock type, (dual profile 2.2" outer 3.0" inner), SCT off-road tires, foam inserts) (2) (Front) |
| 5873 | Tires & wheels, assembled, glued (SCT, satin chrome wheels, beadlock type, (dual profile 2.2" outer 3.0" inner), SCT off-road tires, foam inserts) (2) (Rear) (TSM® rated) |
| 5873A | Tires & wheels, assembled, glued (SCT, satin chrome wheels, red beadlock, (dual profile 2.2" outer 3.0" inner), SCT off-road tires, foam inserts) (2) (Rear) |
| 5873R | Tires & wheels, assembled, glued (SCT, satin chrome, red beadlock wheels, ultra soft S1 compound off-road racing tires, foam inserts) (2) (2WD Rear, 4WD F/R) |
| 6871 | Tires, BFGoodrich® Mud-Terrain™ T/A® KM2 (dual profile 4.3x1.7- 2.2/3.0") (2)/ foam inserts (2) |
| 6871R | Tires, BFGoodrich® Mud-Terrain™ T/A® KM2, ultra-soft (S1 off-road racing compound) (dual profile 4.3x1.7- 2.2/3.0") (2)/ foam inserts (2) |
| 6870 | Tires, Kumho (dual profile 4.3x1.7- 2.2/3.0") (2)/ foam inserts (2) |
| 6870R | Tires, Kumho, ultra-soft (S1 off-road racing compound) (dual profile 4.3x1.7- 2.2/3.0") (2)/ foam inserts (2) |
| 5871 | Tires, off-road racing, SCT dual profile 4.3x1.7- 2.2/3.0" (2)/ foam inserts (2) |
| 5871R | Tires, Ultra soft, S1 compound for off-road racing, SCT dual profile 4.3x1.7- 2.2/3.0" (2)/ foam inserts (2) |
| 1654 | Wheel hubs, hex (2)/ stub axle pins (2) |
| 1654X | Wheel hubs, hex (blue-anodized, lightweight aluminum) (2)/ axle pins(2) |
| 3654 | Wheel hubs, hex (front) (tall offset) (2)/ axle pins (2.5x10mm) (2) |
| 5853X | Wheel hubs, splined, 17mm, short (2), long (2) (blue-anodized) / wheel nuts, splined, 17mm (blue-anodized) (4)/ hub retainer M4 X 0.7 (4)/ axle pin (4) (Slash 2WD) |
| 5353 | Wheel nuts, splined, 17mm (blue-anodized) (4) |
| 5480X | Wheel wrench, splined, 17mm |
| 5868A | Wheels, SCT chrome, blue beadlock style, dual profile (2.2" outer 3.0" inner) (2) (4WD front/rear, 2WD rear only) |
| 5870A | Wheels, SCT chrome, blue beadlock style, dual profile (2.2" outer, 3.0" inner) (2) (2WD front only) |
| 5868 | Wheels, SCT chrome, red beadlock style, dual profile (2.2" outer 3.0" inner) (2) (4WD front/rear, 2WD rear only) |
| 5870 | Wheels, SCT chrome, red beadlock style, dual profile (2.2" outer, 3.0" inner) (2) (2WD front only) |
| 5874 | Wheels, SCT satin chrome, beadlock style, dual profile (2.2" outer 3.0" inner) (2) (Front) |
| 5872 | Wheels, SCT satin chrome, beadlock style, dual profile (2.2" outer 3.0" inner) (2) (Rear) |
| 5874X | Wheels, SCT satin chrome, black beadlock style, dual profile (2.2" outer 3.0" inner) (2) (2WD front only) |
| 5872X | Wheels, SCT satin chrome, black beadlock style, dual profile (2.2" outer 3.0" inner) (2) (4WD front/rear, 2WD rear only) |
| 5874A | Wheels, SCT satin chrome, red beadlock style, dual profile (2.2" outer 3.0" inner) (Front) (2) |
| 5886A | Wheels, SCT split-spoke, black, blue beadlock style, dual profile (2.2" outer 3.0" inner) (2WD front) (2) |
| 5884A | Wheels, SCT Split-Spoke, black, blue beadlock style, dual profile (2.2" outer 3.0" inner) (4WD f/r, 2WD rear) (2) |
| 5886 | Wheels, SCT Split-Spoke, black, satin chrome beadlock style, dual profile (2.2" outer 3.0" inner) (2WD front) (2) |
| 5884 | Wheels, SCT Split-Spoke, black, satin chrome beadlock style, dual profile (2.2" outer 3.0" inner) (4WD f/r, 2WD rear) (2) |
| 6872X | Wheels, SCT Split-Spoke, chrome, green beadlock style, dual profile (2.2" outer 3.0" inner) (4WD front/rear, 2WD rear) (2) |
| 6872A | Wheels, SCT Split-Spoke, chrome, red beadlock style, dual profile (2.2" outer 3.0" inner) (4WD front/rear, 2WD rear) (2) |
| 5876 | Wheels, SCT Split-Spoke, satin chrome, black beadlock style, dual profile (2.2" outer 3.0" inner) (2WD front) (2) |
| 6872 | Wheels, SCT Split-Spoke, satin chrome, black beadlock style, dual profile (2.2" outer 3.0" inner) (4WD front/rear, 2WD rear only) (2) |
| 5870X | Wheels, SCT, black, orange beadlock style, dual profile (2.2" outer 3.0" inner) (2WD front) (2) |
| 5868X | Wheels, SCT, black, orange beadlock style, dual profile (2.2" outer 3.0" inner) (4WD f/r, 2WD rear) (2) |
| 5866 | Wheels, SCT, chrome, green beadlock style, dual profile (2.2" outer 3.0" inner) (2) (2WD front only) |
| 6875 | Wheels, SCT, chrome, green beadlock style, dual profile (2.2" outer 3.0" inner) (2) |

Transmission Components

| | |
|-------|---|
| 1552 | 3x8mm Hex Cap Screws (6)/ Washers (6)/ Wrench (1) |
| 5116 | Ball bearings, blue rubber sealed (5x11x4mm) (2) |
| 3792 | Cover, gear/ rubber gear cover plug/ 3x6 RM (2) |
| 3790 | Gear adapter, fixed |
| 3691 | Gearbox halves (L&R) (black) w/ idler gear shaft |
| 3691A | Gearbox halves (L&R) (grey) w/ idler gear shaft |
| 5148 | Grease, white lithium |
| 9492 | Idler gear, 30-tooth/ idler gear shaft (steel) |
| 3696 | Idler gear, steel (30-tooth) |
| 9494 | Input gear, 22-tooth/ input shaft (transmission) (heavy duty) (fits Bandit®, Rustler®, Stampede®, Slash® 2WD) |
| 3793 | Input shaft (slipper shaft) / spring pin |
| 2381X | Main diff with steel ring gear/ side cover plate/ screws (Bandit, Stampede®, Rustler®) |
| 2382 | Planet gears (4)/ planet shafts (4)/ sun gears (2)/sun gear alignment shaft (1) all hardened steel |
| 2388X | Planetary gear differential with steel ring gear (complete) (fits Bandit, Stampede®, Rustler®) |
| 9495 | Pro Series Magnum 272R™ Transmission, complete (assembled) (fits 1/10-scale 2WD Rustler®, Bandit®, Stampede®, Slash®) |
| 5552X | Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/ 4.0mm NL (1)/ 5.0mm NL (1)) |
| 2554 | Screws, 3x6mm caphead machine (hex drive) (6) |
| 3931 | Screws, 3x8mm flat-head machine (hex drive) (6) |
| 1647 | Silicone Grease |
| 5556 | Slipper pressure plate & hub (aluminum alloy) |
| 3195 | Top drive gear, steel (22-tooth) |
| 3695 | Transmission, complete (fits 1/10-scale 2WD Rustler®, Bandit®, Stampede®, Slash®) |

Traxxas Tools

| | |
|-------|---|
| 3433X | Body reamer (aluminum handle) |
| 3433 | Body reamer (plastic handle) |
| 3436 | Cap, body reamer |
| 3432 | Scissors, curved tip |
| 3431 | Scissors, straight tip |
| 8712 | Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive |
| 8720 | Speed bit handle, large (overmolded) |
| 8721 | Speed bit handle, medium (one piece) |
| 8722 | Speed bit handle, premium (rubber overmold) |
| 8710 | Speed Bit Master Set, hex and nut driver, 13-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm, 3.0mm), and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive |
| 8711 | Speed Bit Master Set, hex driver, 7-piece straight and ball end, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm, 2.5mm, 3.0mm), 1/4" drive |
| 8719 | Speed Bit Master Set, nut driver, 6-piece, includes premium handle (medium), travel pouch, and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive |
| 8716 | Speed Bit Set, hex driver, 2-piece ball-end (2.0mm, 2.5mm), 1/4" drive |
| 8716X | Speed Bit Set, hex driver, 3-piece ball-end (2.0mm, 2.5mm, 3.0mm) 1/4" drive |
| 8715 | Speed Bit Set, hex driver, 3-piece straight (1.5mm, 2.0mm, 2.5mm), 1/4" drive |
| 8715X | Speed Bit Set, hex driver, 4-piece straight (1.5mm, 2.0mm, 2.5mm, 3.0mm), 1/4" drive |
| 2748R | Tool set (includes 1.5mm hex wrench / 2.0mm hex wrench / 2.5mm hex wrench/ 4-way wrench/ 8mm & 4mm wrench/ U-joint wrench) |
| 3415 | Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm, 3.5mm, 4mm drivers/4mm, 5mm, 5.5mm, 7mm, and 8mm nut drivers/ 2mm, 3mm, and 4mm slotted screwdrivers/ #00 Phillips, #0 Phillips, and #1 Phillips screwdrivers/ 4mm and 8mm wrenches/ driver handle) |

Turnbuckles & Threaded Rods

| | |
|-------|--|
| 5525 | Rod ends (12)/ hollow balls (12) |
| 5347 | Rod ends, Revo® (large) with hollow balls (12) |
| 3139A | Turnbuckles, aluminum (blue-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477) |

Page 7 Slash VXL: TQi™ Traxxas Link™ Enabled 2.4GHz Radio & TSM® (Model 58076-4) Parts List

- 3139G Turnbuckles, aluminum (green-anodized), toe links, 59mm (2)
(assembled w/ rod ends & hollow balls) (requires 5mm aluminum
wrench #5477)
- 3139T Turnbuckles, aluminum (orange-anodized), toe links, 59mm (2)
(assembled w/ rod ends & hollow balls) (requires 5mm aluminum
wrench #5477)
- 3139P Turnbuckles, aluminum (pink-anodized), toe links, 59mm (2)
(assembled w/ rod ends & hollow balls) (requires 5mm aluminum
wrench #5477)
- 3139X Turnbuckles, aluminum (red-anodized), toe links, 59mm (2)
(assembled with rod ends & hollow balls) (requires 5mm
aluminum wrench #5477)
- 3644 Turnbuckles, camber link, 39mm (69mm center to center) (assembled
with rod ends and hollow balls) (1 left, 1 right)
- 3745 Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled
with rod ends and hollow balls)

If you have questions or need technical assistance, call Traxxas at:

1-888-TRAXXAS

(1-888-872-9927) (U.S. residents only)

For orders, calls outside the U.S., and other information, call 972-549-3000,
or fax to 972-549-3011 e-mail Traxxas at support@Traxxas.com

TRAXXAS.COM