



1/16 E-Revo® VXL (Model 71076-3) Parts List

Parts shown in bold are optional accessories. Part categories and individual part listings are arranged alphabetically.

Bearings & Bushings

- 5124** Ball bearings, blue rubber sealed (4x7x2.5mm) (2)
- 7019 Ball bearings, blue rubber sealed (4x8x3mm) (2)
- 5114** Ball bearings, blue rubber sealed (5x8x2.5mm) (2)
- 7020 Ball bearings, blue rubber sealed (8x12x3.5mm) (2)

Body & Accessories

- 1926 Antenna caps, vinyl (2)/ antenna spool
- 1726 Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
- 1834 Body clips (12) (standard size)
- 7015 Body mounts, front & rear/ body mount posts, front & rear
- 4915 Body washers, foam adhesive (10)
- 6716** Body washers, foam, 2mm (4)/ 3mm (4)/ 4mm (4)
- 7111** Body, 1/16 E-Revo® (clear, requires painting)/ grille and lights decal sheet
- 2514 Decal sheet, racing sponsors
- 7113 Decal sheets, 1/16 E-Revo® VXL
- 9950 Official Team Traxxas® racing decal set (flag logo/ 6-color)
- 7121 Wing mount/ hardware (1/16 E-Revo®)
- 7122 Wing, 1/16 E-Revo® (black)/ decal sheet
- 7122G** Wing, 1/16 E-Revo® (Exo-carbon finish)/ decal sheet
- 7123** Wing, 1/16 E-Revo® (white)/ decal sheet

Bumpers & Skidplates

- 7135 Bumpers, front (1)/ rear (1)
- 7037 Skidplate set, front (1)/ rear (1)/ transmission (1)/ steering servo guards (2) / steering servo cover plate (1)

Chassis & Attachments

- 7015 Body mounts, front & rear/ body mount posts, front & rear
- 7023 Bulkhead tie bars, front & rear (blue-anodized aluminum)/ 2.5x6 CS (1)
- 7030X Bulkhead, front (left & right halves)/ 3x10mm BCS (4)
- 7029X Bulkhead, rear (left & right halves)/ 3x10mm BCS (4)
- 7022 Chassis
- 7026 Door, battery compartment (1)/ vents, battery compartment (1 pair) (fits right or left side)
- 7185A** LED light kit, 1/16 E-Revo® (includes power supply, front & rear bumpers, light harness (4 clear, 4 red), wire ties)
- 7186** LED lights, light harness (4 clear, 4 red)/ bumpers, front & rear/ wire ties (3) (requires power supply #7286A)
- 7286A** LED lights, power supply (regulated, 3V, 0.5-amp)/ power tap connector (with cable)/ 2.6x8 BCS (2)
- 7025 Seal kit, receiver box (includes o-ring, seals, and silicone grease)
- 7037 Skidplate set, front (1)/ rear (1)/ transmission (1)/ steering servo guards (2) / steering servo cover plate (1)
- 7043 Steering arm (upper & lower)/ steering link/ servo horn/ servo saver/ servo saver spring/ servo horn mount/ ball stud (2)/ shock mounts, front & rear/ 2.5x18mm CS (4)
- 7184** Wheelie bar, assembled
- 7121 Wing mount/ hardware (1/16 E-Revo®)

Differential Components

- 7019 Ball bearings, blue rubber sealed (4x8x3mm) (2)
- 7020 Ball bearings, blue rubber sealed (8x12x3.5mm) (2)
- 7080 Cover plates, differential (front or rear)/ gaskets (2)/ o-rings (2)/ 2x14mm BCS (4)
- 7078 Differential assembly (complete)
- 7014** Differential kit, center (complete)
- 7381** Differential locker (2)
- 5136X** Differential oil kit (50cc of 1 each: 10K, 30K, 50K weights)
- 7082 Gear set, differential (output gears (2)/ spider gears (3))/ differential output shafts (2)/ 1.5x6mm pin (3)/ 1.5x8mm pin (2)
- 5130** Oil, differential (100K wt) (0.7 oz (20cc))
- 5135** Oil, differential (10K wt, 50cc)
- 5136 Oil, differential (30K wt, 50cc)
- 5137** Oil, differential (50K wt, 50cc)
- 7014X** Rebuild kit, center differential (includes o-rings and diff gear covers)
- 7079 Ring gear, differential/ pinion gear, differential

Driveline Components

- 7034 Axle carriers, left & right (2 each)
- 7052** Drive cups, inner (2) (steel constant-velocity driveshafts)
- 7151 Driveshaft assembly (1) left or right (fully assembled, ready to install 3x10mm screw pin (1))
- 7151X** Driveshaft, 1/16 E-Revo (steel constant-velocity) (assembled) (4)

- 7153 Driveshaft, steel constant-velocity, 1/16 E-Revo® (shaft only, 68mm)/ drive cup pin (1)
- 7250R** Driveshafts, center (steel constant-velocity) front (1), rear (1) (fully assembled)
- 7056 Half shafts, center front (1), center rear (1) (internal splined half shafts (2)/external splined half shaft) (2))/ metal u-joints (4)
- 7150 Half shafts, left or right (internal splined half shaft (2)/external splined half shaft) (2))/ metal u-joints (4)
- 7055** Rebuild kit, steel constant-velocity driveshafts (includes pins, o-rings, stub axles for driveshafts assemblies)
- 7054 Stub axle, steel (2)/ yokes (2) (assembled)
- 7154 Wheel hubs, hex (4)/ axle pins (1.5x8mm) (4)
- 7154X** Wheel hubs, hex, aluminum (blue-anodized) (4)
- 7057 Yokes, differential and transmission (2)/ 3x10mm screw pin (2)

Front Suspension

- 7033X** Aluminum caps, pivot ball (threaded aluminum, hard-anodized with PTFE-coating) (8)/ hex wrench, 5mm
- 7034 Axle carriers, left & right (2 each)
- 7023 Bulkhead tie bars, front & rear (blue-anodized aluminum)/ 2.5x6 CS (1)
- 7030X Bulkhead, front (left & right halves)/ 3x10mm BCS (4)
- 7028 Hollow balls (20)
- 7028X** Hollow balls, steel (machined)
- 7033 Pivot balls (4)/ pivot ball caps (4)
- 7118G** Push rod (molded composite) (green) (4)/ hollow balls (8)
- 7118 Push rod (molded composite) (red) (4)/ hollow balls (8)
- 7118X** Push rods, aluminum (red-anodized) (4) (assembled with rod ends)
- 7155 Rocker arm post, steel (4)
- 7158 Rocker arm set, progressive e-2/ plastic bushings (8)
- 2523 Screws, 2.5x10mm countersunk machine (hex drive) (6)
- 7043 Steering arm (upper & lower)/ steering link/ servo horn/ servo saver/ servo saver spring/ servo horn mount/ ball stud (2)/ shock mounts, front & rear/ 2.5x18mm CS (4)
- 7131 Suspension arm set, front (includes upper right & left and lower right & left arms)
- 7021 Suspension pin set (front or rear), 2x46mm (2), 2x14mm (4)

Hardware

- 5124** Ball bearings, blue rubber sealed (4x7x2.5mm) (2)
- 7019 Ball bearings, blue rubber sealed (4x8x3mm) (2)
- 5114** Ball bearings, blue rubber sealed (5x8x2.5mm) (2)
- 7020 Ball bearings, blue rubber sealed (8x12x3.5mm) (2)
- 5123 Bellcrank bushings (plastic) (4x7x2.5mm) (4)
- 2545 Bellcrank bushings (plastic) (5x8x2.5mm) (4)
- 1834 Body clips (12) (standard size)
- 5150 E-clips, 1.5mm (24)
- 5477 Flat wrench, 5mm (blue-anodized aluminum)
- 7028 Hollow balls (20)
- 7028X** Hollow balls, steel (machined)
- 2745 Nuts, 3mm nylon locking (12)
- 3647 Nuts, 4mm flanged nylon locking (steel, serrated) (8)
- 1747R** Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4)
- 1747G** Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4)
- 1747T** Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4)
- 1747P** Nuts, aluminum, flanged, serrated (4mm) (pink-anodized) (4)
- 1747A** Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4)
- 7155 Rocker arm post, steel (4)
- 7059** Rod ends (8)/ hollow balls (8)
- 3229 Screws, 2.5x10mm cap-head machine (hex drive) (6)
- 2523 Screws, 2.5x10mm countersunk machine (hex drive) (6)
- 3236 Screws, 2.5x12mm cap-head machine (6)
- 2526 Screws, 2.5x12mm countersunk machine (hex drive) (6)
- 3215 Screws, 2.5x6mm cap-head machine (hex drive) (6)
- 3965 Screws, 2.5x8mm cap-head machine (6)
- 2577 Screws, 3x10mm button-head machine (hex drive) (6)
- 3159 Screws, 3x10mm cap-head machine (hex drive) (6)/ lock washers (6)/ hex wrench
- 2578 Screws, 3x12mm button-head machine (hex drive) (6)
- 2579 Screws, 3x15mm button-head machine (hex drive) (6)
- 2575 Screws, 3x6mm button-head machine (hex drive) (6)
- 2576 Screws, 3x8mm button-head machine (hex drive) (6)
- 2743 Set (grub) screws, 3mm hardened (12)

LED Lights

- 6549** Connector, power tap (with voltage sensor plug)/ wire tie/ 2.6x8 BCS (2)

Page 2 1/16 E-Revo® VXL: TQi™ Traxxas Link™ Enabled 2.4GHz Radio & TSM® (Model 71076-3) Parts List

- 7185A LED light kit, 1/16 E-Revo® (includes power supply, front & rear bumpers, light harness (4 clear, 4 red), wire ties)
7186 LED lights, light harness (4 clear, 4 red)/ bumpers, front & rear/ wire ties (3) (requires power supply #7286A)
7286A LED lights, power supply (regulated, 3V, 0.5-amp)/ power tap connector (with cable)/ 2.6x8 BCS (2)

Motors & Electronics

- 2082A Gear set (for 2080A micro waterproof servo)
2082X Gear set, metal (for 2080X micro waterproof servo)
3374 Heat sink, Velineon® 380 brushless motor, aluminum (blue-anodized)
7060 Motor mount, finned aluminum
3371 Motor, Velineon® Mini Maxx® 380, brushless (assembled with 16-gauge wire and gold-plated connectors)
3372 Rebuild kit, Velineon® 380 (4x9x4mm ball bearings (2), 2x6mm CCS (with threadlock) (2), front shims (2))
3373 Rotor, Velineon® 380 motor
2081A Servo case/ gaskets (for 2080A micro waterproof servo)
2081X Servo case/ gaskets (for 2080X metal gear, micro, waterproof servo)
2080A Servo, micro, waterproof
2080X Servo, micro, waterproof, metal gear
3370 Velineon® VXL-3m Brushless Power System, waterproof (includes waterproof VXL-3m ESC and Velineon 380 motor)
3375 VXL-3m Electronic Speed Control, waterproof (brushless)

Radio System, Batteries & Chargers

- 2823X 1400mAh 11.1v 3-Cell 25C LiPo Battery
2820X 2200mAh 7.4v 2-Cell 25C LiPo Battery
2976 AC to DC converter, 40W
2938X Adapter, Traxxas® iD® LiPo battery (adapts Traxxas iD batteries to separate balance ports)
2943 Battery charge indicators (green (4), blue (4), gray (4))
6548 Battery door, transmitter (replacement for #6516, 6517, 6528, 6529, 6530 transmitters)
2914 Battery, Power Cell AA Alkaline (4)
2925X Battery, Series 1 Power Cell, 1200mAh (NiMH, 6-C flat, 7.2V, 2/3A)
2974 Charger, DC, 2 amp (5 - 7 cell, 6.0 - 8.4 volt, NiMH)
2972 Charger, EZ-Peak® Dual, 100W, NiMH/LiPo with iD® Auto Battery Identification
2973 Charger, EZ-Peak® Live Dual, 200W, NiMH/LiPo with iD® Auto Battery Identification
2971 Charger, EZ-Peak® Live, 100W, NiMH/LiPo with iD® Auto Battery Identification
2981 Charger, EZ-Peak® Plus 4s, 8 amp, NiMH/LiPo with iD® Auto Battery Identification
2970 Charger, EZ-Peak® Plus, 4 amp, NiMH/LiPo with iD® Auto Battery Identification
2978 Fuse, charger, 5A (2) (for #2974, 2975, 2977)
2082A Gear set (for 2080A micro waterproof servo)
2082X Gear set, metal (for 2080X micro waterproof servo)
3374 Heat sink, Velineon® 380 brushless motor, aluminum (blue-anodized)
2968X LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® iD® batteries)
2968 LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries)
6535 Mount, temperature sensor (electric motors)/ wire tie/ thermal pad
6533 Receiver, micro, TQi 2.4GHz with telemetry & TSM (5-channel)
6522 Sensor, RPM (short)/ 3x4mm BCS (2)
6523 Sensor, temperature and voltage (short)
2081A Servo case/ gaskets (for 2080A micro waterproof servo)
2081X Servo case/ gaskets (for 2080X metal gear, micro, waterproof servo)
2080A Servo, micro, waterproof
2080X Servo, micro, waterproof, metal gear
6540 Telemetry trigger magnet, 5X2mm (1)
6509R TQi 2.4 GHz High Output radio system, 2-channel, Traxxas Link™ enabled, TSM (2-ch transmitter, 5-ch micro receiver)
6507R TQi 2.4 GHz High Output radio system, 4-channel with Traxxas Link™ Wireless Module, TSM (4-ch transmitter, 5-ch micro receiver)
6528 Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 2-channel (transmitter only)
6529 Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 3-channel (transmitter only)
6530 Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 4-channel (transmitter only)
6511 Traxxas Link™ Wireless Module
3375 VXL-3m Electronic Speed Control, waterproof (brushless)

- 3064X Wire harness, parallel battery connection (compatible with Traxxas® High Current Connector, NiMH only)
3063X Wire harness, series battery connection (compatible with Traxxas® High Current Connector, NiMH only)

Ready-To-Race Model

- 71076-3 E-Revo® VXL: 1/16-Scale 4WD Racing Monster Truck with TQi™ Traxxas Link™ Enabled 2.4GHz Radio System & Traxxas Stability Management (TSM)®

Rear Suspension

- 7033X Aluminum caps, pivot ball (threaded aluminum, hard-anodized with PTFE-coating) (8)/ hex wrench, 5mm
7034 Axle carriers, left & right (2 each)
7023 Bulkhead tie bars, front & rear (blue-anodized aluminum)/ 2.5x6 CS (1)
7029X Bulkhead, rear (left & right halves)/ 3x10mm BCS (4)
7028 Hollow balls (20)
7028X Hollow balls, steel (machined)
7033 Pivot balls (4)/ pivot ball caps (4)
7118G Push rod (molded composite) (green) (4)/ hollow balls (8)
7118 Push rod (molded composite) (red) (4)/ hollow balls (8)
7118X Push rods, aluminum (red-anodized) (4) (assembled with rod ends)
7155 Rocker arm post, steel (4)
7158 Rocker arm set, progressive e-2/ plastic bushings (8)
2523 Screws, 2.5x10mm countersunk machine (hex drive) (6)
7043 Steering arm (upper & lower)/ steering link/ servo horn/ servo saver/ servo saver spring/ servo horn mount/ ball stud (2)/ shock mounts, front & rear/ 2.5x18mm CS (4)
7132 Suspension arm set, rear (includes upper right & left and lower right & left arms)
7132R Suspension arm set, rear, extended wheelbase (lengthens wheelbase 10mm) (includes upper right & left and lower right & left arms)
7021 Suspension pin set (front or rear), 2x46mm (2), 2x14mm (4)
7138G Toe link, front & rear (molded composite) (green) (4)/ hollow balls (8)
7138 Toe link, front & rear (molded composite) (red) (4)/ hollow balls (8)
7138X Toe links, aluminum (red-anodized) (4) (assembled with rod ends and threaded inserts)

Shock Oil

- 5031 Oil, shock (20 wt, 200 cSt, 60cc) (silicone)
5032 Oil, shock (30 wt, 350 cSt, 60cc) (silicone)
5033 Oil, shock (40 wt, 500 cSt, 60cc) (silicone)
5034 Oil, shock (50 wt, 600 cSt, 60cc) (silicone)
5035 Oil, shock (60 wt, 700 cSt, 60cc) (silicone)
5036 Oil, shock (70 wt, 900 cSt, 60cc) (silicone)
5037 Oil, shock (80 wt, 1,000 cSt, 60cc) (silicone)
5029 Shock oil bottle (60cc) (for mixing shock oil)
5038X Shock oil set (includes 20 wt, 30 wt, 40 wt, 50 wt, 60 wt, 70 wt, & 80 wt premium shock oils with spinning carousel rack)
1667 Silicone shock oil (30 wt), 60cc
5038 Spinning carousel rack

Shocks (GTR)

- 7066 Body, GTR shock (molded composite) (2)
7065 Caps and spring retainers, GTR shock (upper cap (2)/ hollow balls (4)/ bottom cap (2)/ upper retainer (2)/ lower retainer (2))
7028 Hollow balls (20)
7062 Rebuild kit, GTR composite shocks (x-rings, bladders, pistons, e-clips, shock rod ends, hollow balls) (renews 2 shocks)
7063 Shaft, GTR shock (2)
7063T Shaft, GTR shock (TiN-coated) (4)
7061 Shocks, GTR composite (assembled, without springs) (2)
7061X Shocks, GTR hard anodized, PTFE-coated bodies with TiN shafts (fully assembled, without springs) (4)

Slipper Clutch Components

- 7152 Slipper clutch, complete (includes slipper clutch hub, clutch pad, spring, 3.0mm NL, 1.5x6mm pin)

Springs

- 7145 Spring, shock (GTR) (1.76 rate, orange) (1 pair)
7146 Spring, shock (GTR) (1.92 rate, green) (1 pair)
7147 Spring, shock (GTR) (2.06 rate, tan) (1 pair)
7148 Spring, shock (GTR) (2.22 rate, black) (1 pair)

Spur Gears & Pinion Gears

- 2416 Gear, 16-T pinion (48-pitch) / set screw
1918 Gear, 18-T pinion (48-pitch) / set screw
2419 Gear, 19-T pinion (48-pitch) / set screw
2423 Gear, 23-T pinion (48-pitch) (fits 3mm shaft) / set screw
2426 Gear, 26-T pinion (48-pitch) (fits 3mm shaft) / set screw

Page 3 1/16 E-Revo® VXL: TQi™ Traxxas Link™ Enabled 2.4GHz Radio & TSM® (Model 71076-3) Parts List

2431	Gear, 31-T pinion (48-pitch) (fits 3mm shaft)/ set screw
4725	Gear, pinion (25-tooth) (48-pitch) / set screw
4728	Gear, pinion (28-tooth) (48-pitch) (fits 3mm shaft)/ set screw
7045R	Spur gear, 45-tooth
7046R	Spur gear, 50-tooth
7047R	Spur gear, 55-tooth

Steering Components

5114	Ball bearings, blue rubber sealed (5x8x2.5mm) (2)
2545	Bellcrank bushings (plastic) (5x8x2.5mm) (4)
7043	Steering arm (upper & lower)/ steering link/ servo horn/ servo saver/ servo saver spring/ servo horn mount/ ball stud (2)/ shock mounts, front & rear/ 2.5x18mm CS (4)
7138G	Toe link, front & rear (molded composite) (green) (4)/ hollow balls (8)
7138	Toe link, front & rear (molded composite) (red) (4)/ hollow balls (8)
7138X	Toe links, aluminum (red-anodized) (4) (assembled with rod ends and threaded inserts)

Suspension Linkage

7028	Hollow balls (20)
7118G	Push rod (molded composite) (green) (4)/ hollow balls (8)
7118	Push rod (molded composite) (red) (4)/ hollow balls (8)
7118X	Push rods, aluminum (red-anodized) (4) (assembled with rod ends)
7021	Suspension pin set (front or rear), 2x46mm (2), 2x14mm (4)
7138G	Toe link, front & rear (molded composite) (green) (4)/ hollow balls (8)
7138	Toe link, front & rear (molded composite) (red) (4)/ hollow balls (8)
7138X	Toe links, aluminum (red-anodized) (4) (assembled with rod ends and threaded inserts)

Tires & Wheels

7175	Tires & wheels, assembled, glued (white dished 2.2" wheels, Response Pro 2.2" tires, foam inserts) (2)
7174A	Tires and wheels, assembled, glued (Gemini black chrome wheels, Talon tires, foam inserts) (2)
7173	Tires, Response Pro 2.2" (soft-compound, narrow profile, short knobby design)/ foam inserts (2)
7170	Tires, Talon / foam inserts (2)
7154	Wheel hubs, hex (4)/ axle pins (1.5x8mm) (4)
7154X	Wheel hubs, hex, aluminum (blue-anodized) (4)
7171	Wheels, dished 2.2" (white) (2)
7172A	Wheels, Gemini (black chrome) (2)

Transmission Components

7077R	Cover, gear/ motor mount hinge post/ 3x10mm CS with split and flat washers (1)/ 3x8mm BCS (1)
7014	Differential kit, center (complete)
7093	Gear set, transmission (includes 18T, 25T input gears, 13T idler gear (steel), 35T output gear, M3x13.75 screw pin)
7091	Gearbox halves, front & rear
7092	Input shaft/ output shaft
7090	Plate, motor
7014X	Rebuild kit, center differential (includes o-rings and diff gear covers)
7152	Slipper clutch, complete (includes slipper clutch hub, clutch pad, spring, 3.0mm NL, 1.5x6mm pin)
7096	Transmission, complete (fits 1/16-scale VXL models)

Traxxas Tools

3433X	Body reamer (aluminum handle)
3433	Body reamer (plastic handle)
3436	Cap, body reamer
3432	Scissors, curved tip
3431	Scissors, straight tip
8712	Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive
8721	Speed bit handle, medium (one piece)
8720	Speed bit handle, premium, large (rubber overmold)
8722	Speed bit handle, premium, medium (rubber overmold)
8710	Speed Bit Master Set, hex and nut driver, 13-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm, 3.0mm), and nut drivers (4.00mm, 4.50mm, 5.00mm, 5.50mm, 7.00mm, 8.00mm),
8711	Speed Bit Master Set, hex driver, 7-piece straight and ball end, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm, 2.5mm, 3.0mm), 1/4" drive
8719	Speed Bit Master Set, nut driver, 6-piece, includes premium handle (medium), travel pouch, and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive

8716	Speed Bit Set, hex driver, 2-piece ball-end (2.0mm, 2.5mm), 1/4" drive
8716X	Speed Bit Set, hex driver, 3-piece ball-end (2.0mm, 2.5mm, 3.0mm), 1/4" drive
8715	Speed Bit Set, hex driver, 3-piece straight (1.5mm, 2.0mm, 2.5mm), 1/4" drive
8715X	Speed Bit Set, hex driver, 4-piece straight (1.5mm, 2.0mm, 2.5mm, 3.0mm), 1/4" drive
2748R	Tool set (includes 1.5mm hex wrench / 2.0mm hex wrench / 2.5mm hex wrench/ 4-way wrench/ 8mm & 4mm wrench/ U-joint wrench)
3415	Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm, 3.5mm, 4mm drivers/ 4mm, 5mm, 5.5mm, 7mm and 8mm nut drivers/ 2mm, 4mm, and 5mm slotted screwdrivers/ #00 Phillips, #0 Phillips, and #1 Phillips screwdrivers/ 4mm and 8mm wrench/ driver handle

Turnbuckles & Threaded Rods

7028	Hollow balls (20)
7118G	Push rod (molded composite) (green) (4)/ hollow balls (8)
7118	Push rod (molded composite) (red) (4)/ hollow balls (8)
7118X	Push rods, aluminum (red-anodized) (4) (assembled with rod ends)
7138G	Toe link, front & rear (molded composite) (green) (4)/ hollow balls (8)
7138	Toe link, front & rear (molded composite) (red) (4)/ hollow balls (8)
7138X	Toe links, aluminum (red-anodized) (4) (assembled with rod ends and threaded inserts)

If you have questions or need technical assistance, call Traxxas at:

1-888-TRAXXAS

(1-888-872-9927) (U.S. residents only)

For orders, calls outside the U.S., and other information, call 972-549-3000, or fax to 972-549-3011 e-mail support@Traxxas.com

TRAXXAS.COM