

TRX-4® Sport Unassembled Kit (Model 82010-4) Parts List

Parts shown in bold are optional accessories. Part categories and individual part listings are arranged alphabetically.

	Axle Components		Body (1969 Chevrolet® Blazer)
8241	Axle housing, front	8090	LED light set, complete with power supply (contains headlights,
8242	Axle housing, intermediate (TRX-6™) or rear (TRX-4®)		tail lights, side marker lights, & distribution block) (fits #9111 or
8227	Axle mount set (complete) (front & rear) (for suspension links)		9112 body)
8228	Axle shaft, front (left)/ drive pin/ cross pin	9112	Body, Chevrolet Blazer (1969 - 1970) (clear, requires painting)
8229	Axle shaft, front (right)/ drive pin/ cross pin		(includes grille, side mirrors, door handles, windshield wipers, decals, window masks)
8060	Axle shaft, front, heavy duty (left & right) (requires #8064 front	9112X	Body, Chevrolet Blazer (1969), complete (black) (includes grill,
8062	portal drive input gear) Axle shaft, front, heavy duty (left & right)/ portal drive input gear		side mirrors, door handles, windshield wipers, front & rear
0002	(machined) (2) (assembled)		bumpers, decals)
8230	Axle shaft, rear (left)	9125	Bumper pads/ bumper guards (chrome)/ 2.5x10 BCS (4)/ 2.7mm
8231	Axle shaft, rear (right)	0.4.0=	drill bit (fits #9126 or #9127 front bumpers)
8061	Axle shaft, rear, heavy duty (left & right)/ portal drive input gear,	9127 9124	Bumper, front (chrome)/ bumper mount/ 3x10 BCS (2)
	rear (machined)	9113	Bumper, rear (chrome)/ bumper mount/ 3x10 BCS (2) Decal sheets, Chevrolet Blazer (1969 -1972)
8063	Axle, rear, heavy duty (left & right) (requires #8065 rear portal	6593	Distribution block, Pro Scale® Advanced Lighting Control
8233	drive input gear) Cross pin (2)/ drive pin (2) (to rebuild front axle shafts)		System
8256	Portal drive axle mount, rear (left & right)	9115	Door handles, left, right, and rear/ retainers (3)/ windshield
8256X	Portal drive axle mount, rear, 6061-T6 aluminum (blue-anodized)		wipers, left & right/ retainer (1)/ fuel cap/ fuel flange/ fuel cap
	(left and right)/ 2.5x16 CS (4)	0400	mount/ 1.6x5 BCS (self-tapping) (7)/ 2.6x8 BCS (1)
8256A	Portal drive axle mount, rear, 6061-T6 aluminum (charcoal gray-	9123	Grille, Chevrolet Blazer (1969 - 1970)/ grille retainers (5)/ headlight housing (2)/ headlight lens (2)/ turn signal lens (2)/
	anodized) (left and right)/ 2.5x16 CS (4)		hood emblem/ hood emblem mount/ 2.6x8 BCS (5)/ 2.5x6 BCS
8256G	Portal drive axle mount, rear, 6061-T6 aluminum (green-		(4)/ 1.6x5 BCS (self-tapping) (2) (fits #9112 body)
8256R	anodized) (left and right)/ 2.5x16 CS (4) Portal drive axle mount, rear, 6061-T6 aluminum (red-anodized)	9116	Marker light housing (4)/ marker light mount (4)/ marker light
0230K	(left and right)/ 2.5x16 CS (4)		lens (red (2), amber (2))/ reverse lens (left & right)/ 1.6x5 BCS
8252	Portal drive housing, inner, front (left & right)/ 2.5x4 BCS (6)	0404	(self-tapping) (8)
8253	Portal drive housing, inner, rear (left or right) (2)	9121	Mirrors, side, chrome (left & right)/ o-rings (4)/ body clips (4) (fits #9112 body)
8251	Portal drive housing, outer (front or rear) (2)	6592	Power module, Pro Scale® Advanced Lighting Control System
8064	Portal drive input gear, front (machined) (left or right) (requires	6591	Pro Scale® Advanced Lighting Control System (includes power
	#8060 front axle shaft)		module & distribution block)
8257	Portal drive input gear, front/ drive pin/ cross pin	9122	Tail light housing, black (2)/ lens (2)/ retainers (left & right)/ 2.6x8
8259 8065	Portal drive input gear, rear Portal drive input gear, rear (machined) (left or right) (requires		BCS (self-tapping) (4)
0003	#8063 rear axle)		Body (1972 Chevrolet® Blazer)
8258	Portal drive output gear, front or rear	8090	LED light set, complete with power supply (contains headlights,
8252X	Portal housings, inner (front), 6061-T6 aluminum (blue-anodized)		tail lights, side marker lights, & distribution block) (fits #9111 or
	(2)/ 3x12 BCS (2)		9112 body)
8252A	Portal housings, inner (front), 6061-T6 aluminum (charcoal gray-	9111	Body, Chevrolet Blazer (1972) (clear, requires painting) (includes
8252G	anodized) (2)/ 3x12 BCS (2) Portal housings, inner (front), 6061-T6 aluminum (green-		grille, side mirrors, side trim, door handles, windshield wipers, decals, window masks)
0232G	anodized) (2)/ 3x12 BCS (2)	9111X	Body, Chevrolet Blazer (1972), complete (blue) (includes grille,
8252R	Portal housings, inner (front), 6061-T6 aluminum (red-anodized)		side mirrors, door handles, windshield wipers, front & rear
	(2)/ 3x12 BCS (2)		bumpers, decals)
8253X	Portal housings, inner (rear), 6061-T6 aluminum (blue-anodized)	9125	Bumper pads/ bumper guards (chrome)/ 2.5x10 BCS (4)/ 2.7mm
	(2)/ 2.5x10 CS (2)	9126	drill bit (fits #9126 or #9127 front bumpers) Bumper, front (chrome)/ bumper mount/ lens (left and right) (2)/
8253A	Portal housings, inner (rear), 6061-T6 aluminum (charcoal gray-	3120	lens mount (left and right) (2)/ 3x10 BCS (2)/ 2.6x6 BCS (4)
8253G	anodized) (2)/ 2.5x10 CS (2) Portal housings, inner (rear), 6061-T6 aluminum (green-	9124	Bumper, rear (chrome)/ bumper mount/ 3x10 BCS (2)
02330	anodized) (2)/ 2.5x10 CS (2)	9113	Decal sheets, Chevrolet Blazer (1969 -1972)
8253R	Portal housings, inner (rear), 6061-T6 aluminum (red-anodized)	6593	Distribution block, Pro Scale® Advanced Lighting Control
	(2)/ 2.5x10 CS (2)		System
8251X	Portal housings, outer, 6061-T6 aluminum (blue-anodized) (2)/	9115	Door handles, left, right, and rear/ retainers (3)/ windshield
00544	2.5x10 CS (12)		wipers, left & right/ retainer (1)/ fuel cap/ fuel flange/ fuel cap mount/ 1.6x5 BCS (self-tapping) (7)/ 2.6x8 BCS (1)
8251A	Portal housings, outer, 6061-T6 aluminum (charcoal gray- anodized) (2)/ 2.5x10 CS (12)	9120	Grille, Chevrolet Blazer (1972)/ grille retainers (5)/ headlight
8251G	Portal housings, outer, 6061-T6 aluminum (green-anodized) (2)/	J.4V	housing (2)/ lens (2)/ 2.6x8 BCS (5)/ 2.5x6 BCS (4) (fits #9111
020.0	2.5x10 CS (12)		body)
8251R	Portal housings, outer, 6061-T6 aluminum (red-anodized) (2)/	9116	Marker light housing (4)/ marker light mount (4)/ marker light
	2.5x10 CS (12)		lens (red (2), amber (2))/ reverse lens (left & right)/ 1.6x5 BCS
8255	Stub axle (portal drive) (2)	0110	(self-tapping) (8) Mirrors side chrome (left & right) a rings (4)/ hody clips (4) (fits
8255A	Stub axle, extended thread (portal drive) (2)	9118	Mirrors, side, chrome (left & right)/ o-rings (4)/ body clips (4) (fits #9111 body)
8267	Weight, portal housing, brass (34 grams) (2)/ 2.5x8 CS (6) (requires #8251X, 8251R, 8251A, or 8251G outer portal housing)	6592	Power module, Pro Scale® Advanced Lighting Control System
		6591	Pro Scale® Advanced Lighting Control System (includes power
	Bearings & Bushings		module & distribution block)
5119A	Ball bearings, black rubber sealed (10x15x4mm) (2)	9117	Side trim, Chevrolet Blazer (1972), left & right/ rear trim, upper &
5120A	Ball bearings, black rubber sealed (12x18x4mm) (2)		lower/ retainers, left, right & rear/ 2.6x8 BCS (23)/ 1.6x5 BCS
5104A	Ball bearings, black rubber sealed (4x10x4mm) (2)	0440	(self-tapping) (5) (fits #9111 body)
5115A	Ball bearings, black rubber sealed (5x10x4mm) (2)	9119	Tail light housing, chrome (2)/ lens (2)/ retainers (left & right)/ 2.6x8 BCS (self-tapping) (4)
5116A	Ball bearings, black rubber sealed (5x11x4mm) (2)		
5114A 5117A	Ball bearings, black rubber sealed (5x8x2.5mm) (2) Ball bearings, black rubber sealed (6x12x4mm) (2)		Body (1979 Chevrolet® Blazer)
5117A 5180A	Ball bearings, black rubber sealed (6x13x5mm) (2)	8130	Body, Chevrolet Blazer (1979) (clear, requires painting)/ window
5100A	Ball bearings, black rubber sealed (0x10x0mm) (2)		masks

Page 2	TRX-4® Sport Unassembled Kit (Model 82010-4) Pa	arts List	
8130T	Body, Chevrolet Blazer (1979), complete (black) (includes grille, side mirrors, door handles, windshield wipers, front & rear	8020	Mirrors, side (left & right)/ snorkel/ mounting hardware (fits #8011 body)
8130X	bumpers, decals) Body, Chevrolet Blazer (1979), complete (orange) (includes grille, side mirrors, door handles, windshield wipers, front & rear	8015 8021 8014	Roof basket (requires #8016 ExoCage) (fits #8011 body) Spare tire mount/ mounting bracket/ screw pins (2) Tail light housing (2)/ lens (2)/ decals (left & right) (fits #8011
8130R	bumpers, decals) Body, Chevrolet Blazer (1979), complete (red) (includes grille,		Body (Mercedes-Benz® G 500®)
	side mirrors, door handles, windshield wipers, front & rear bumpers, decals)	8811	Body, Mercedes-Benz® G 500® 4x4² (clear, requires painting)/
8131 6593	Decal sheet, Chevrolet Blazer (1979) Distribution block, Pro Scale® Advanced Lighting Control System	8812	decals/ window masks (includes rear body post, grille, side mirrors, door handles, & windshield wipers) Decals, Mercedes-Benz® G 500® 4x4²
8132	Door handles, left, right & rear tailgate/ windshield wipers, left &	6593	Distribution block, Pro Scale® Advanced Lighting Control System
8134	right/ retainers (2)/ 1.6x5 BCS (self-tapping) (7) (fits #8130 body) Grille, Chevrolet Blazer (1979)/ grille retainers (4)/ headlight housing (2)/ lens (2)/ 2.6x8 BCS (4)/ 2.5x6 BCS (2) (fits #8130 body)	8813X	Grille, Mercedes-Benz® G 500® 4x4²/ grille mount/ grille insert/ headlight lens (2)/ headlight reflector (2)/ reflector lens (2)/ bumperette front (2)/ bumperette mount (2)/ turn signal housing
8038	LED light set, complete with power supply (contains headlights, tail lights, side marker lights, distribution block, and power supply) (fits #8130 body)	8899	(2)/ turn signal housing retainer (2)/ turn signal len LED light set (contains headlights, tail lights, roof lights, and distribution block) (fits #8811 or #8825 body, requires #8028
8133X	Mirrors, side (folding) (fits #8130 body)	8898	power supply) LED light set, complete with power supply (contains headlights,
8133	Mirrors, side, chrome (left & right)/ o-rings (4)/ body clips (4) (fits #8130 body)	0000	tail lights, roof lights, & distribution block) (fits #8811 or #8825
6592 6591	Power module, Pro Scale® Advanced Lighting Control System Pro Scale® Advanced Lighting Control System (includes power module & distribution block)	8817	body) Mirrors, side, black (left & right)/ o-rings (4)/ windshield wipers, left, right, & rear/ wiper retainers (2)/ body clips (4)/ 1.6x5 BCS
8135	Tail lights, left & right (assembled)/ tail light retainers, left & right/ side marker lights (assembled) (2)/ side marker retainers	6592	(self-tapping) (3) Power module, Pro Scale® Advanced Lighting Control System
	(2)/ mounting tape (2)/ 1.6x5 BCS (self-tapping) (4)/ 2.6x8 BCS (2)	6591	Pro Scale® Advanced Lighting Control System (includes power module & distribution block)
	(fits #8130 body) Body (1979 Ford® Bronco)	8822	Roof visor/ visor retainer/ visor lens (2)/ 2.6x6 BCS (3)/ 3x4 GS
8010X	Body, Ford Bronco (1979), complete (black) (includes front and	8816X	(4) Side marker light housing (2)/ mount (2)/ lens (2)/ 1.6x7 BCS
	rear bumpers, push bar, rear body mount, grille, side mirrors, door handles, windshield wipers, spare tire mount, red and sunset decals) (requires #8072 inner fenders)	8814X	(self-tapping) (2) Tail light lens (2)/ tail light housing (2)/ tail light housing mount
8078R	Decal sheet, Bronco, red (fits #8010 body)		(2)/ reverse lens (2)/ 1.6x5 BCS (4) (left & right) BOILY (Taglical Unit)
8078	Decal sheet, Bronco, sunset (fits #8010 body)	8215	Body mounts & posts, front & rear (complete set)
6593	Distribution block, Pro Scale® Advanced Lighting Control System	8211X	Body, Tactical Unit, night camo (painted)/ decals
8075	Door handles, left & right/ windshield wipers, left & right/ retainers (3)/ 1.6x5 BCS (self-tapping) (4) (fits #8010 body)	8019 8017	Fender brace, inner, front & rear Fender flares, front & rear (2 each) (fits #8011 or #8211 body)
8070	Grille, Ford Bronco/ grille retainers (6)/ headlight housing (2)/	8018	Fenders, inner, front & rear (2 each)/ rock light covers (8)
8036	lens (2)/ 2.6x8 BCS (6)/ 2.5x6 BCS (2) (fits #8010 body) LED light set (contains headlights, tail lights, side marker lights, & distribution block) (fits #8010 body, requires #8028 power	8020 8021	Mirrors, side (left & right)/ snorkel/ mounting hardware (fits #8011 body) Spare tire mount/ mounting bracket/ screw pins (2)
8035	supply) LED light set, complete with power supply (contains headlights,		Body (TRX-4® Sport)
0033	tail lights, side marker lights, & distribution block) (fits #8010 body)	8112	Body with camper, TRX-4® Sport (clear, trimmed, requires painting)/ window masks/ decal sheet
8037 8073	LED lights, high/low switch (for #8035 or #8036 LED light kits) Mirrors, side, black (left & right)/ retainers (2)/ body clips (4) (fits	8111R	Body, TRX-4® Sport (clear, trimmed, die-cut for LED light kit, requires painting)/ window masks/ decal sheet
8073X	#8010 body) Mirrors, side, chrome (left & right)/ retainers (2)/ body clips (4)	8111	Body, TRX-4® Sport (clear, trimmed, requires painting)/ window masks/ decal sheet
6592	(fits #8010 body) Power module, Pro Scale® Advanced Lighting Control System	8113 6593	Decal sheet, TRX-4® Sport Distribution block, Pro Scale® Advanced Lighting Control
6591	Pro Scale® Advanced Lighting Control System (includes power	8120X	System Expedition rack, complete (includes traction boards, shovel, axe, jack,
8076	module & distribution block) Side trim, left & right (chrome)/ retainers/ LED lens/ 2.6x8 BCS (24) (fits #8010 body)		fire extinguisher, fuel cans, & mounting hardware) (fits #8111 or #8111R body)
8074	Spare tire mount/ mounting bracket/ spare tire cover/ mounting hardware	8120 8116	Expedition rack/ mounting hardware (fits #8111 or #8111R body) Grille/ grille retainers (2)/ grille mount/ lens (2)/ 2.5x8 BCS (6) (fits
8077	Tailgate panel insert (clear, requires painting)/ adhesive foam tape (2) (fits #8010 body)	8083	#8111 or #8112 body) Installation kit, Pro Scale® Advanced Lighting Control System,
8071	Tailgate panel/ tail light lens (2) (left & right) (fits #8010 body)		TRX-4® Sport (includes mount, rear lens, reverse lights and turn signal harnesses, hardware)
	Body (Land Rover® Defender®)	8086	LED expedition rack scene light kit (fits #8111 body, requires
8011A	Body, Land Rover® Defender®, adventure orange (complete with ExoCage, inner fenders, fuel canisters, and jack)	8084	#8028 power supply) LED headlight/tail light kit (fits #8111 or #8112 body, requires
8011T	Body, Land Rover® Defender®, blue (painted)/ decals		#8028 power supply)
8011X 8011R	Body, Land Rover® Defender®, graphite silver (painted)/ decals Body, Land Rover® Defender®, red (painted)/ decals	8088	LED light bar, front bumper (fits #8124 front bumper, requires #8028 power supply)
8012	Decals, Land Rover® Defender®	8087	LED light bar, roof lights (fits #8111 body, requires #8028 power supply)
8016 8019	ExoCage (complete with assembly hardware; #8015 roof basket sold separately) (fits #8011 body) Fender brace, inner, front & rear	8085	LED light set, complete with power supply (contains headlights, tail lights, & distribution block) (fits #8111 or #8112 body)
8017	Fender flares, front & rear (2 each) (fits #8011 or #8211 body)	8119	Mirrors, side (left & right)/ snorkel/ mounting hardware (fits #8111 or
8018	Fenders, inner, front & rear (2 each)/ rock light covers (8)	6592	#8112 body) Power module, Pro Scale® Advanced Lighting Control System
8013	Grille, Land Rover® Defender®/ grille mount (3)/ headlight housing (2)/ lens (2)/ headlight mount (2) (fits #8011 body)	6591	Pro Scale® Advanced Lighting Control System (includes power module & distribution block)
8027	LED headlight/tail light kit (fits #8011 body, requires #8028 power supply)	8122	Shovel/ axe/ accessory mount/ mounting hardware
8025	LED light bar (Rigid®), TRX-4 (requires #8028 power supply)	8118 8117	Spare tire mount/ mounting hardware Tailgate papel/ tailgate retainers (2)/ tailgate mount/ tail light lone (2)
8029	LED light bar kit (Rigid®)/power supply, TRX-4®	8117	Tailgate panel/ tailgate retainers (2)/ tailgate mount/ tail light lens (2) (left & right)/ 2.5x8 BCS (4) (fits #8111 or #8112 body)

Page 3	TRX-4® Sport	Unassembled Kit	(Model 82010-4)	Parts List
--------	--------------	------------------------	-----------------	------------

3121X	Traction boards, blue/ mounting hardware		Driveline Components
3121G 3121A	Traction boards, green/ mounting hardware Traction boards, yellow/ mounting hardware	8250	Half shafts, center (internal splined, front (2) & internal splined, rear
3121	Traction boards/ mounting hardware		(2)/ external splined (2)/ pin retainer (4)) (plastic parts only)
121	Body Accessories	8269	Wheel hubs, 12mm hex (2)/ stub axle pins (2) (steel)
	_	8269X	Wheel hubs, 12mm hex, 6061-T6 aluminum (blue-anodized) (4)/ screw pin (4)
926 726	Antenna caps, vinyl (2)/ antenna spool Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)	8269A	Wheel hubs, 12mm hex, 6061-T6 aluminum (charcoal gray-
720 834	Body clips (12) (standard size)	020071	anodized) (4)/ screw pin (4)
834A	Body clips, black (12) (standard size)	8269G	Wheel hubs, 12mm hex, 6061-T6 aluminum (green-anodized) (4
934	Body clips, heavy duty (12)		screw pin (4)
934A	Body clips, heavy duty (black) (12)	8269R	Wheel hubs, 12mm hex, 6061-T6 aluminum (red-anodized) (4)/
215	Body mounts & posts, front & rear (complete set)		screw pin (4)
115	Body posts, front & rear		Hardware
915	Body washers, foam adhesive (10)	1552	Backplate screws (3x8mm cap-head machine) (6)/washers (6)/
514 081	Decal sheet, racing sponsors Fender extensions (4)/ 3x8 flat-head screws (24) (requires #8080	1834	wrench Rody cline (42) (standard cize)
	narrow inner fenders)	1834A	Body clips (12) (standard size) Body clips, black (12) (standard size)
080	Fenders, inner (narrow), front & rear (2 each)/ rock light covers	3934	Body clips, heavy duty (12)
	(8)/ battery plate/ body mount/ 3x8 flat-head screws (4)/ 2.5x6 CS	3934A	Body clips, heavy duty (black) (12)
070	(10)	8167X	Hardware kit, stainless steel, beadlock rings (contains stainles
072	Fenders, inner, front & rear (2 each)/ rock light covers (8)/ battery plate/ 3x8 flat-head screws (4)		steel hardware for 4 wheels)
950	Official Team Traxxas® racing decal set (flag logo/ 6-color)	8298	Hardware kit, stainless steel, TRX-4® (contains all stainless steel
	Bumpers & Skidplates	9151	hardware used on TRX-4) Hardware kit, stainless steel, TRX-4® High Lift Kit (contains all
		8151	stainless steel hardware used on TRX-4® Long Arm Lift Kit)
234	Bumper D rings, gray (front or rear)/ 2x12 CS (4)	5476X	Hex wrenches; 1.5mm, 2mm, 2.5mm, 3mm, 2.5mm ball
234R 067X	Bumper D-rings, red (front or rear)/ 2.0x12 CS (4) Bumper mounts, front & rear/ bumper mount, rear (offset)	3647	Nuts, 4mm flanged nylon locking (steel, serrated) (8)
237	Bumper mounts, front & rear/ screw pins (4)	8347	Nuts, 4mm flanged nylon locking, serrated (black) (10)
124	Bumper, front (178mm wide)/ winch/ 2.6x8 BCS (1)	1747R	Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4)
235	Bumper, front/ winch	1747G	Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4)
236	Bumper, rear	1747T 1747P	Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4
125	Bumper, rear (176mm wide)	1747P 1747A	Nuts, aluminum, flanged, serrated (4mm) (pink-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4)
238	Skidplate/ lower gear cover	1985	PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings)
	Chassis & Attachments	8221	Screw pin, 3x10mm (6)
327	Battery hold-down/ battery clip/ hold-down post/ screw pin/ pivot post	3229	Screws, 2.5x10mm cap-head machine (hex drive) (6)
	screw (for 256mm wheelbase)	2523	Screws, 2.5x10mm countersunk machine (hex drive) (6)
215	Body mounts & posts, front & rear (complete set)	3236	Screws, 2.5x12mm cap-head machine (6)
224	Box, receiver (sealed)/ wire cover/ foam pads/ silicone grease/ 3x8	2618	Screws, 2.5x16mm cap-head machine (6)
058	BCS (5)/ 2.5x8 CS (2) Chassis conversion kit, TRX-4® (long to short wheelbase)	3215	Screws, 2.5x6mm cap-head machine (hex drive) (6)
000	(includes rear upper & lower suspension links, front & rear inner	2617 3965	Screws, 2.5x8mm button-head machine (hex drive) (6) Screws, 2.5x8mm cap-head machine (6)
	fenders, short female half shaft, battery tray, 3x8mm FCS (4))	2524	Screws, 2.5x8mm countersunk machine (b)
057	Chassis conversion kit, TRX-4® (short to long wheelbase)	8299	Screws, 2.6x12mm button-head, self-tapping (hex drive) (6)
	(includes rear upper & lower suspension links, front & rear	8167	Screws, 2x10mm cap-head, self-tapping (hex drive) (10)
220	shock towers, long female half shaft) Chassis rails, 448mm (steel) (left & right)	2564	Screws, 2x8mm cap-head machine (hex drive) (6)
218	Floor pans, left & right	2577	Screws, 3x10mm button-head machine (hex drive) (6)
224X	Receiver box cover (for use only with #8224 receiver box &	4859	Screws, 3x10mm flat-head machine (hex drive) (4)
	#2260 BEC)/ foam pads/ seals/ silicone grease	2578	Screws, 3x12mm button-head machine (hex drive) (6)
219	Rock sliders, left & right	2579 2591	Screws, 3x15mm button-head machine (hex drive) (6) Screws, 3x23mm button-head machine (hex drive) (6)
225	Seal kit, receiver box (includes o-ring, seals, and silicone	2581	Screws, 3x25mm button-head machine (hex drive) (6)
0.401/	grease)	2616	Screws, 3x27mm button-head machine (hex drive) (6)
240X	Servo mount, 2-speed/ servo mount, T-Lock/ wire clips Servo mount, steering/ chassis crossmember	2582	Screws, 3x30mm button-head machine (hex drive) (6)
239 216	Shock towers, front & rear (left & right)	2575	Screws, 3x6mm button-head machine (hex drive) (6)
118	Spare tire mount/ mounting hardware	3932	Screws, 3x6mm flat-head machine (hex drive) (6)
226	Tray, battery	2576	Screws, 3x8mm button-head machine (hex drive) (6)
	Differential Components	3931	Screws, 3x8mm flat-head machine (hex drive) (6)
004		3933	Screws, 4x16mm button-head machine (hex drive) (6)
281 280A	Carrier, differential/ differential slider/ T-Lock fork Differential cover, front or rear (black)		LED Light Accessories
280A 280X	Differential cover, front or rear (black) Differential cover, front or rear (chrome-plated)	8031	3-in-1 wire harness, LED light kit
280 280	Differential cover, front or rear (gray)	8089	4-in-2 wire harness, LED light kit
280R	Differential cover, front or rear (red)	6589	Distribution block, LED light set
195	Differential, locking, front and rear (assembled) (includes T-Lock cables and servo)	8028 8026X	LED lights, power supply (regulated, 3V, 0.5-amp)/ 3-in-1 wire harness LED rock light kit, TRX-4®/TRX-6™ (requires #8028 power sup
282	Gear set, differential (output gears (2), spider gears (4), spider gear shaft (2))	0020X	and #8018, #8072, or #8080 inner fenders)
295	Output drive, transmission or differential (pin retainer (1)/ drive cup (1)/ drive ball (1)/ drive pin (1)/ 3x11 screw pin (1)/ cross pin (black) (1) 3x6 BCS with threadlock (1))	8162X	Long Arm Lift Kit Body, GTS shock, long (aluminum, blue-anodized) (1) (for use
279	Ring gear, differential/ pinion gear, differential	8162R	with #8140X TRX-4® Long Arm Lift Kit) Body, GTS shock, long (aluminum, red-anodized) (1) (for use
279R	Ring gear, differential/ pinion gear, differential (machined)	0 102K	with #8140R TRX-4® Long Arm Lift Kit)
287	Ring gear, differential/ pinion gear, differential (overdrive, machined)	8162	Body, GTS shock, long (silver aluminum) (1) (for use with #814 TRX-4® Long Arm Lift Kit)
288	Ring gear, differential/ pinion gear, differential (underdrive,	8147	Cable, T-lock (medium) (for use with TRX-4® Long Arm Lift Kit
	machined)	8148	Cable, T-lock, extra long (193mm) (for use with TRX-4® Long
297	Spool/ differential housing plug/ e-clip	0.70	Arm Lift Kit)

Page 4	TRX-4® Sport Unassembled Kit (Model 82010-4) Pa	arts List	
8150	Driveshaft extension kit, center (includes internal splined, x-long (2), internal splined, long (1) and internal splined, medium (1)) (for use with TRX-4® Long Arm Lift Kit)	2064A 2064R 2064X	Gear set (for 2065A waterproof sub-micro servo) Gear set, metal (for 2065R waterproof sub-micro servo) Gear set, metal (for 2065X waterproof sub-micro servo)
8140	Long Arm Lift Kit, TRX-4®, complete	2072X	Gear set, metal (for 2070, 2075 servos)
8140X	Long Arm Lift Kit, TRX-4®, complete (includes blue powder	2252	Gear set, metal (for 2250, 2255 servos)
8140R	coated links, blue-anodized shocks) Long Arm Lift Kit, TRX-4®, complete (includes red powder	2072R	Gear set, metal, high speed (for 2070, 2075 servos)
014010	coated links, red-anodized shocks)	8290X 8290A	Motor mount plate, 6061-T6 aluminum (blue-anodized) Motor mount plate, 6061-T6 aluminum (charcoal gray-anodized)
8149	Rod ends, extended (standard (4), angled (4))/ hollow balls (8)	8290G	Motor mount plate, 6061-T6 aluminum (green-anodized)
04.44	(for use with TRX-4® Long Arm Lift Kit)	8290R	Motor mount plate, 6061-T6 aluminum (red-anodized)
8141 8161	Servo mount, steering (for use with TRX-4® Long Arm Lift Kit) Shock shaft, 3x57mm (GTS) (2) (includes bump stops) (for use	3975R	Motor, Titan® 550, reverse rotation (21-turns/ 14 volts) (1)
0101	with TRX-4® Long Arm Lift Kit)	8290	Plate, motor/ upper spur gear cover
8160X	Shocks, GTS, aluminum (blue-anodized) (assembled without	2254 2253	Servo case, aluminum (blue-anodized) (middle) (for 2250 servo) Servo case, aluminum (red-anodized) (middle) (for 2255 servo)
8160R	springs) (4) (for use with #8140X TRX-4® Long Arm Lift Kit) Shocks, GTS, aluminum (red-anodized) (assembled without	2251	Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for
01001	springs) (4) (for use with #8140R TRX-4® Long Arm Lift Kit)		2250, 2255 servos)
8160	Shocks, GTS, silver aluminum (assembled without springs) (4)	2063A 2063R	Servo case/gaskets (for 2065A waterproof sub-micro servo) Servo case/gaskets (for 2065R metal gear, waterproof, sub-micro
0450	(for use with #8140 TRX-4® Long Arm Lift Kit)	2003K	servo)
8153	Springs, shock, long (natural finish) (GTS) (0.29 rate, white stripe) (for use with TRX-4® Long Arm Lift Kit)	2063X	Servo case/gaskets (for 2065X metal gear, waterproof, sub-micro
8154	Springs, shock, long (natural finish) (GTS) (0.39 rate, orange		servo)
	stripe) (for use with TRX-4® Long Arm Lift Kit)	5669	Servo horn (with built-in spring and hardware) (for Summit locking differential)
8155	Springs, shock, long (natural finish) (GTS) (0.47 rate) (included	2075R	Servo, digital high-speed, metal gear (ball bearing), waterproof
8156	with TRX-4® Long Arm Lift Kit) Springs, shock, long (natural finish) (GTS) (0.54 rate, green	2250	Servo, digital high-torque 330 coreless, metal gear (ball bearing),
0100	stripe) (for use with TRX-4® Long Arm Lift Kit)		waterproof (#2262 external BEC and #8247X metal servo horn
8157	Springs, shock, long (natural finish) (GTS) (0.62 rate, blue stripe)	2255	recommended for optimal performance) Servo, digital high-torque 400 brushless, metal gear (ball
04.407	(for use with TRX-4® Long Arm Lift Kit)	2233	bearing), waterproof (#2262 external BEC and #8247X metal
8146X	Steering link, 5x117mm (1)/ draglink, 5x60mm (1)/ panhard link, 5x63mm (blue powder coated steel) (assembled with hollow		servo horn recommended for optimal performance)
	balls) (for use with #8140X TRX-4® Long Arm Lift Kit)	2075X	Servo, digital high-torque, metal gear (ball bearing), waterproof
8146R	Steering link, 5x117mm (1)/ draglink, 5x60mm (1)/ panhard link,	2065A 2065R	Servo, sub-micro, waterproof Servo, sub-micro, waterproof, metal gear
	5x63mm (red powder coated steel) (assembled with hollow balls) (for use with #8140R TRX-4® Long Arm Lift Kit)	3025	XL-5HV 3s Electronic Speed Control, waterproof (low-voltage
8144X	Suspension link, front upper, 5x68mm (1) (blue powder coated		detection, fwd/rev/brake)
	steel) (assembled with hollow balls) (for use with #8140X TRX-4®	2261	Y-harness, BEC
04.440	Long Arm Lift Kit)		Pro Scale® Advanced Lighting Control System
8144R	Suspension link, front upper, 5x68mm (1) (red powder coated steel) (assembled with hollow balls) (for use with #8140R TRX-4®	6593	Distribution block, Pro Scale® Advanced Lighting Control
	Long Arm Lift Kit)	8083	System Installation kit, Pro Scale® Advanced Lighting Control System,
8144	Suspension link, front upper, 5x68mm (1) (steel) (assembled with	0003	TRX-4® Sport (includes mount, rear lens, reverse lights and turn
8143	hollow balls) (for use with #8140 TRX-4® Long Arm Lift Kit) Suspension links, front lower (2) (5x104mm, steel) (assembled		signal harnesses, hardware)
0140	with hollow balls) (for use with #8140 TRX-4® Long Arm Lift Kit)	6592	Power module, Pro Scale® Advanced Lighting Control System
8143X	Suspension links, front lower, blue (2) (5x104mm, powder coated	6591	Pro Scale® Advanced Lighting Control System (includes power module & distribution block)
	steel) (assembled with hollow balls) (for use with #8140X TRX-4® Long Arm Lift Kit)		Pro Scale® Winch & Accessories
8143R	Suspension links, front lower, red (2) (5x104mm, powder coated	8866	Bumper, front, winch, TRX-4® Sport (includes bumper mount, D-
	steel) (assembled with hollow balls) (for use with #8140R TRX-4®	0000	Rings, fairlead, hardware) (fits TRX-4® Sport with 8855 winch)
0445	Long Arm Lift Kit)		(191mm wide)
8145	Suspension links, rear lower (2) (5x115mm, steel) (assembled with hollow balls) (for use with #8140 TRX-4® Long Arm Lift Kit)	8859	Fairlead, winch
8145X	Suspension links, rear lower, blue (2) (5x115mm, powder coated	8870X	Fairlead, winch, aluminum (blue-anodized) (use with front bumpers #8865, 8866, 8867, 8869, or 9224)
	steel) (assembled with hollow balls) (for use with #8140X TRX-4®	8870A	Fairlead, winch, aluminum (gray-anodized) (use with front
8145R	Long Arm Lift Kit) Suspension links, rear lower, red (2) (5x115mm, powder coated		bumpers #8865, 8866, 8867, 8869, or 9224)
014010	steel) (assembled with hollow balls) (for use with #8140R TRX-4®	8870G	Fairlead, winch, aluminum (green-anodized) (use with front bumpers #8865, 8866, 8867, 8869, or 9224)
	Long Arm Lift Kit)	8870T	Fairlead, winch, aluminum (orange-anodized) (use with front
8142	Suspension links, rear upper (2) (5x115mm, steel) (assembled with hollow halls) (for use with #8140 TPX-4® Long Arm Lift Kit)		bumpers #8865, 8866, 8867, 8869, or 9224)
8142X	with hollow balls) (for use with #8140 TRX-4® Long Arm Lift Kit) Suspension links, rear upper, blue (2) (5x115mm, powder coated	8870R	Fairlead, winch, aluminum (red-anodized) (use with front
	steel) (assembled with hollow balls) (for use with #8140X TRX-4®	8862	bumpers #8865, 8866, 8867, 8869, or 9224) Gearmotor, winch
8142R	Long Arm Lift Kit) Suspension links, rear upper, red (2) (5x115mm, powder coated	8863	Hook, winch (steel)
0142K	steel) (assembled with hollow balls) (for use with #8140R TRX-4®	8858	Housings (front & rear), winch/ decal
	Long Arm Lift Kit)	8864X	Line, winch (blue)
8172	Tires and wheels, assembled (Method 105 2.2" black chrome	8864 8864R	Line, winch (gray) Line, winch (red)
	beadlock wheels, Canyon Trail 5.3x2.2" tires, foam inserts) (1 left, 1 right)	8860	Spool shaft assembly, winch
8181	Tires and wheels, assembled, glued (TRX-4® Sport 2.2" wheels,	8861	Spool, winch
	Canyon Trail 5.3x2.2" tires) (2)	8855	Winch kit with wireless controller, TRX-4
8170 8171	Tires, Canyon Trail 5.3x2.2"/ foam inserts (2)	8856 8857	Winch, TRX-4® (requires #8857 wireless remote) Wireless remote, winch, TRX-4®
8171	Wheels, Method 105 2.2" (black chrome, beadlock) (beadlock rings sold separately)	0001	
8171A	Wheels, Method 105 2.2" (charcoal gray, beadlock) (beadlock	2022	Radio System, Batteries & Chargers
0400	rings sold separately)	2823X 2820X	1400mAh 11.1v 3-Cell 25C LiPo Battery 2200mAh 7.4v 2-Cell 25C LiPo Battery
8180	Wheels, TRX-4® Sport 2.2 (2)	2849X	4000mAh 11.1v 3-Cell 25C LiPo Battery
4000	Motors & Electronics	2872X	5000mAh 11.1v 3-Cell 25C LiPo Battery
1926 1726	Antenna caps, vinyl (2)/ antenna spool Antenna. tube (1)/ vinyl antenna cap (1)/ wire retainer (1)	2842X 2843X	5000mAh 7.4v 2-Cell 25C LiPo Battery 5800mAh 7.4v 2-Cell 25C LiPo Battery

2843X

2869X

2976

Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
BEC, complete (includes receiver box cover and seals)
Gear set (for 2065 waterproof sub-micro servo)

1726

2262

2064

5800mAh 7.4v 2-Cell 25C LiPo Battery 7600mAh 7.4v 2-Cell 25C LiPo Battery

AC to DC converter, 40W

Page 5	TRX-4® Sport Unassembled Kit (Model 82010-4) Pa	arts List	
2938X	Adapter, Traxxas® iD® LiPo battery (adapts Traxxas iD batteries to separate balance ports)	6509R	TQi 2.4 GHz High Output radio system, 2-channel, Traxxas Link™ enabled, TSM (2-ch transmitter, 5-ch micro receiver)
1726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)	6507R	TQi 2.4 GHz High Output radio system, 4-channel with Traxxas
2943	Battery charge indicators (green (4), blue (4), gray (4))		Link™ Wireless Module, TSM (4-ch transmitter, 5-ch micro
6548	Battery door, transmitter (replacement for #6516, 6517, 6528,		receiver)
	6529, 6530 transmitters)	6516	Transmitter, TQ 2.4GHz, 2-channel (transmitter only)
8222	Battery strap (for 2200 2-cell and 1400 3-cell LiPo batteries)	6530	Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 4-
2914	Battery, Power Cell AA Alkaline (4)	0544	channel (transmitter only)
2923X	Battery, Power Cell, 3000mAh (NiMH, 7-C flat, 8.4V)	6511	Traxxas Link™ Wireless Module
2940X	Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C flat, 8.4V)	2261	Y-harness, BEC
2950X	Battery, Series 4 Power Cell, 4200mAh (NiMH, 7-C flat, 8.4V)		Scale Details
2960X	Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C flat, 8.4V)	8120X	Expedition rack, complete (includes traction boards, shovel, axe, jack,
2983	Battery/charger completer pack (includes #2969 2-amp NiMH peak detecting AC charger (1), #2923X 3000mAh 8.4V 7-cell NiMH battery (1))		fire extinguisher, fuel cans, & mounting hardware) (fits #8111 or #8111R body)
2992	Battery/charger completer pack (includes #2970 iD® charger (1),	8022T	Fuel canisters (black) (2)/ 3x8 FCS (1)
	#2843X 5800mAh 7.4V 2-cell 25C LiPo battery (1))	8022R	Fuel canisters (blue) (2)/ 3x8 FCS (1)
2994	Battery/charger completer pack (includes #2970 iD® charger (1),	8022 8022X	Fuel canisters (red) (2)/ 3x8 FCS (1)
	#2849X 4000mAh 11.1v 3-Cell 25C LiPo Battery (1))	8022A	Fuel canisters (white) (2)/ 3x8 FCS (1) Fuel canisters (yellow) (2)/ 3x8 FCS (1)
2991	Battery/charger completer pack (includes #2972 Dual iD®	8022A	Jack (black) (1)/ 2x8 BCS (1)
	charger (1), #2869X 7600mAh 7.4V 2-cell 25C LiPo battery (2))	8023	Jack (red) (1)/ 2x8 BCS (1)
2262	BEC, complete (includes receiver box cover and seals)	8122	Shovel/ axe/ accessory mount/ mounting hardware
2975	Charger, DC, 4 amp (6 - 7 cell, 7.2 - 8.4 volt, NiMH)	8121X	Traction boards, blue/ mounting hardware
2972	Charger, EZ-Peak® Dual, 100W, NiMH/LiPo with iD® Auto Battery Identification	8121G	Traction boards, green/ mounting hardware
2973	Charger, EZ-Peak® Live Dual, 200W, NiMH/LiPo with iD® Auto	8121A	Traction boards, yellow/ mounting hardware
2370	Battery Identification	8121	Traction boards/ mounting hardware
2971	Charger, EZ-Peak® Live, 100W, NiMH/LiPo with iD® Auto Battery		Shock Oil
	Identification	5031	Oil, shock (20 wt, 200 cSt, 60cc) (silicone)
2981	Charger, EZ-Peak® Plus 4s, 8 amp, NiMH/LiPo with iD® Auto	5032	Oil, shock (30 wt, 350 cSt, 60cc) (silicone)
0070	Battery Identification	5033	Oil, shock (40 wt, 500 cSt, 60cc) (silicone)
2970	Charger, EZ-Peak® Plus, 4 amp, NiMH/LiPo with iD® Auto Battery Identification	5034	Oil, shock (50 wt, 600 cSt, 60cc) (silicone)
6525	Communication link, telemetry expander	5035	Oil, shock (60 wt, 700 cSt, 60cc) (silicone)
6512	Cover plate, Traxxas Link™ Wireless Module	5036	Oil, shock (70 wt, 900 cSt, 60cc) (silicone)
2978	Fuse, charger, 5A (2) (for #2974, 2975, 2977)	5037	Oil, shock (80 wt, 1,000 cSt, 60cc) (silicone)
2064	Gear set (for 2065 waterproof sub-micro servo)	5029	Shock oil bottle (60cc) (for mixing shock oil)
2064A	Gear set (for 2065A waterproof sub-micro servo)	5038X	Shock oil set (includes 20 wt, 30 wt, 40 wt, 50 wt, 60 wt, 70 wt, &
2064R	Gear set, metal (for 2065R waterproof sub-micro servo)		80 wt premium shock oils with spinning carousel rack)
2064X	Gear set, metal (for 2065X waterproof sub-micro servo)	1667	Silicone shock oil (30 wt), 60cc
2072X	Gear set, metal (for 2070, 2075 servos)	5038	Spinning carousel rack
20120			
2252	Gear set, metal (for 2250, 2255 servos)		Shocks (GTS)
		8266	Shocks (GTS) Rody, GTS shock (aluminum silver-anodized) (1)
2252	Gear set, metal (for 2250, 2255 servos)	8266 8266X	Body, GTS shock (aluminum, silver-anodized) (1)
2252 2072R	Gear set, metal (for 2250, 2255 servos) Gear set, metal, high speed (for 2070, 2075 servos) LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® iD® batteries)	8266X	Body, GTS shock (aluminum, silver-anodized) (1) Body, GTS shock (hard-anodized, PTFE-coated aluminum) (1)
2252 2072R	Gear set, metal (for 2250, 2255 servos) Gear set, metal, high speed (for 2070, 2075 servos) LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® iD® batteries) LiPo cell voltage checker/balancer (requires #2938X adapter for	8266X 8266A 8266G	Body, GTS shock (aluminum, silver-anodized) (1)
2252 2072R 2968X 2968	Gear set, metal (for 2250, 2255 servos) Gear set, metal, high speed (for 2070, 2075 servos) LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® iD® batteries) LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries)	8266X 8266A 8266G 8266R	Body, GTS shock (aluminum, silver-anodized) (1) Body, GTS shock (hard-anodized, PTFE-coated aluminum) (1) Body, GTS shock, aluminum (blue-anodized) (1) Body, GTS shock, aluminum (green-anodized) (1) Body, GTS shock, aluminum (red-anodized) (1)
2252 2072R 2968X 2968 6561	Gear set, metal (for 2250, 2255 servos) Gear set, metal, high speed (for 2070, 2075 servos) LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® iD® batteries) LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries) Mount, telemetry expander (fits TRX-4®)	8266X 8266A 8266G	Body, GTS shock (aluminum, silver-anodized) (1) Body, GTS shock (hard-anodized, PTFE-coated aluminum) (1) Body, GTS shock, aluminum (blue-anodized) (1) Body, GTS shock, aluminum (green-anodized) (1) Body, GTS shock, aluminum (red-anodized) (1) Caps & spring retainers, GTS shocks (upper cap (2)/ hollow balls (4)/
2252 2072R 2968X 2968	Gear set, metal (for 2250, 2255 servos) Gear set, metal, high speed (for 2070, 2075 servos) LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® iD® batteries) LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries) Mount, telemetry expander (fits TRX-4®) Mount, temperature sensor (electric motors)/ wire tie/ thermal	8266X 8266A 8266G 8266R 8264	Body, GTS shock (aluminum, silver-anodized) (1) Body, GTS shock (hard-anodized, PTFE-coated aluminum) (1) Body, GTS shock, aluminum (blue-anodized) (1) Body, GTS shock, aluminum (green-anodized) (1) Body, GTS shock, aluminum (red-anodized) (1) Caps & spring retainers, GTS shocks (upper cap (2)/ hollow balls (4)/ bottom cap (2)/ upper retainer (2)/ lower retainer (2))
2252 2072R 2968X 2968 6561 6535	Gear set, metal (for 2250, 2255 servos) Gear set, metal, high speed (for 2070, 2075 servos) LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® iD® batteries) LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries) Mount, telemetry expander (fits TRX-4®) Mount, temperature sensor (electric motors)/ wire tie/ thermal pad	8266X 8266A 8266G 8266R 8264	Body, GTS shock (aluminum, silver-anodized) (1) Body, GTS shock (hard-anodized, PTFE-coated aluminum) (1) Body, GTS shock, aluminum (blue-anodized) (1) Body, GTS shock, aluminum (green-anodized) (1) Body, GTS shock, aluminum (red-anodized) (1) Caps & spring retainers, GTS shocks (upper cap (2)/ hollow balls (4)/ bottom cap (2)/ upper retainer (2)/ lower retainer (2)) Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated)
2252 2072R 2968X 2968 6561	Gear set, metal (for 2250, 2255 servos) Gear set, metal, high speed (for 2070, 2075 servos) LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® iD® batteries) LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries) Mount, telemetry expander (fits TRX-4®) Mount, temperature sensor (electric motors)/ wire tie/ thermal	8266X 8266A 8266G 8266R 8264 8274 5475	Body, GTS shock (aluminum, silver-anodized) (1) Body, GTS shock (hard-anodized, PTFE-coated aluminum) (1) Body, GTS shock, aluminum (blue-anodized) (1) Body, GTS shock, aluminum (green-anodized) (1) Body, GTS shock, aluminum (red-anodized) (1) Caps & spring retainers, GTS shocks (upper cap (2)/ hollow balls (4)/ bottom cap (2)/ upper retainer (2)/ lower retainer (2)) Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated) Multi-tool (plastic)
2252 2072R 2968X 2968 6561 6535	Gear set, metal (for 2250, 2255 servos) Gear set, metal, high speed (for 2070, 2075 servos) LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® iD® batteries) LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries) Mount, telemetry expander (fits TRX-4®) Mount, temperature sensor (electric motors)/ wire tie/ thermal pad Receiver, micro, TQ 2.4GHz (3-channel)	8266X 8266A 8266G 8266R 8264 8274 5475 8261	Body, GTS shock (aluminum, silver-anodized) (1) Body, GTS shock (hard-anodized, PTFE-coated aluminum) (1) Body, GTS shock, aluminum (blue-anodized) (1) Body, GTS shock, aluminum (green-anodized) (1) Body, GTS shock, aluminum (red-anodized) (1) Caps & spring retainers, GTS shocks (upper cap (2)/ hollow balls (4)/ bottom cap (2)/ upper retainer (2)/ lower retainer (2)) Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated) Multi-tool (plastic) Piston, damper (red) (4)/ e-clips (8)
2252 2072R 2968X 2968 6561 6535 6519 6533	Gear set, metal (for 2250, 2255 servos) Gear set, metal, high speed (for 2070, 2075 servos) LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® iD® batteries) LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries) Mount, telemetry expander (fits TRX-4®) Mount, temperature sensor (electric motors)/ wire tie/ thermal pad Receiver, micro, TQ 2.4GHz (3-channel) Receiver, micro, TQi 2.4GHz with telemetry & TSM (5-channel)	8266X 8266A 8266G 8266R 8264 8274 5475	Body, GTS shock (aluminum, silver-anodized) (1) Body, GTS shock (hard-anodized, PTFE-coated aluminum) (1) Body, GTS shock, aluminum (blue-anodized) (1) Body, GTS shock, aluminum (green-anodized) (1) Body, GTS shock, aluminum (red-anodized) (1) Caps & spring retainers, GTS shocks (upper cap (2)/ hollow balls (4)/ bottom cap (2)/ upper retainer (2)/ lower retainer (2)) Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated) Multi-tool (plastic) Piston, damper (red) (4)/ e-clips (8) Rebuild kit, GTS shocks (x-rings, o-rings, pistons, bushings, e-
2252 2072R 2968X 2968 6561 6535 6519 6533	Gear set, metal (for 2250, 2255 servos) Gear set, metal, high speed (for 2070, 2075 servos) LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® iD® batteries) LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries) Mount, telemetry expander (fits TRX-4®) Mount, temperature sensor (electric motors)/ wire tie/ thermal pad Receiver, micro, TQ 2.4GHz (3-channel) Receiver, micro, TQi 2.4GHz with telemetry & TSM (5-channel) Seal kit, expander box (includes o-ring, seals, and silicone	8266X 8266A 8266G 8266R 8264 8274 5475 8261 8262	Body, GTS shock (aluminum, silver-anodized) (1) Body, GTS shock (hard-anodized, PTFE-coated aluminum) (1) Body, GTS shock, aluminum (blue-anodized) (1) Body, GTS shock, aluminum (green-anodized) (1) Body, GTS shock, aluminum (red-anodized) (1) Caps & spring retainers, GTS shocks (upper cap (2)/ hollow balls (4)/ bottom cap (2)/ upper retainer (2)/ lower retainer (2)) Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated) Multi-tool (plastic) Piston, damper (red) (4)/ e-clips (8) Rebuild kit, GTS shocks (x-rings, o-rings, pistons, bushings, e-clips, and rod ends)
2252 2072R 2968X 2968 6561 6535 6519 6533 6552 6526 6527	Gear set, metal (for 2250, 2255 servos) Gear set, metal, high speed (for 2070, 2075 servos) LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® iD® batteries) LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries) Mount, telemetry expander (fits TRX-4®) Mount, temperature sensor (electric motors)/ wire tie/ thermal pad Receiver, micro, TQ 2.4GHz (3-channel) Receiver, micro, TQi 2.4GHz with telemetry & TSM (5-channel) Seal kit, expander box (includes o-ring, seals, and silicone grease)	8266X 8266A 8266G 8266R 8264 8274 5475 8261 8262	Body, GTS shock (aluminum, silver-anodized) (1) Body, GTS shock (hard-anodized, PTFE-coated aluminum) (1) Body, GTS shock, aluminum (blue-anodized) (1) Body, GTS shock, aluminum (green-anodized) (1) Body, GTS shock, aluminum (red-anodized) (1) Caps & spring retainers, GTS shocks (upper cap (2)/ hollow balls (4)/ bottom cap (2)/ upper retainer (2)/ lower retainer (2)) Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated) Multi-tool (plastic) Piston, damper (red) (4)/ e-clips (8) Rebuild kit, GTS shocks (x-rings, o-rings, pistons, bushings, e-clips, and rod ends) Shock shaft, 3x47mm (GTS) (2)
2252 2072R 2968X 2968 6561 6535 6519 6533 6552 6526 6527 6521	Gear set, metal (for 2250, 2255 servos) Gear set, metal, high speed (for 2070, 2075 servos) LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® iD® batteries) LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries) Mount, telemetry expander (fits TRX-4®) Mount, temperature sensor (electric motors)/ wire tie/ thermal pad Receiver, micro, TQ 2.4GHz (3-channel) Receiver, micro, TQi 2.4GHz with telemetry & TSM (5-channel) Seal kit, expander box (includes o-ring, seals, and silicone grease) Sensor, auto-detectable, temperature Sensor, auto-detectable, voltage Sensor, temperature and voltage (long)	8266X 8266A 8266G 8266R 8264 8274 5475 8261 8262	Body, GTS shock (aluminum, silver-anodized) (1) Body, GTS shock (hard-anodized, PTFE-coated aluminum) (1) Body, GTS shock, aluminum (blue-anodized) (1) Body, GTS shock, aluminum (green-anodized) (1) Body, GTS shock, aluminum (red-anodized) (1) Caps & spring retainers, GTS shocks (upper cap (2)/ hollow balls (4)/ bottom cap (2)/ upper retainer (2)/ lower retainer (2)) Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated) Multi-tool (plastic) Piston, damper (red) (4)/ e-clips (8) Rebuild kit, GTS shocks (x-rings, o-rings, pistons, bushings, e-clips, and rod ends)
2252 2072R 2968X 2968 6561 6535 6519 6533 6552 6526 6527 6521 2254	Gear set, metal (for 2250, 2255 servos) Gear set, metal, high speed (for 2070, 2075 servos) LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® iD® batteries) LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries) Mount, telemetry expander (fits TRX-4®) Mount, telemetry expander (fits TRX-4®) Mount, temperature sensor (electric motors)/ wire tie/ thermal pad Receiver, micro, TQ 2.4GHz (3-channel) Receiver, micro, TQ i 2.4GHz with telemetry & TSM (5-channel) Seal kit, expander box (includes o-ring, seals, and silicone grease) Sensor, auto-detectable, temperature Sensor, auto-detectable, voltage Sensor, temperature and voltage (long) Servo case, aluminum (blue-anodized) (middle) (for 2250 servo)	8266X 8266A 8266G 8266R 8264 8274 5475 8261 8262 8263 8263T	Body, GTS shock (aluminum, silver-anodized) (1) Body, GTS shock (hard-anodized, PTFE-coated aluminum) (1) Body, GTS shock, aluminum (blue-anodized) (1) Body, GTS shock, aluminum (green-anodized) (1) Body, GTS shock, aluminum (red-anodized) (1) Caps & spring retainers, GTS shocks (upper cap (2)/ hollow balls (4)/ bottom cap (2)/ upper retainer (2)/ lower retainer (2)) Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated) Multi-tool (plastic) Piston, damper (red) (4)/ e-clips (8) Rebuild kit, GTS shocks (x-rings, o-rings, pistons, bushings, e-clips, and rod ends) Shock shaft, 3x47mm (GTS) (2) Shock shaft, 3x47mm (GTS) (titanium nitride-coated) (2)
2252 2072R 2968X 2968 6561 6535 6519 6533 6552 6526 6527 6521 2254 2253	Gear set, metal (for 2250, 2255 servos) Gear set, metal, high speed (for 2070, 2075 servos) LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® iD® batteries) LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries) Mount, telemetry expander (fits TRX-4®) Mount, telemetry expander (fits TRX-4®) Mount, temperature sensor (electric motors)/ wire tie/ thermal pad Receiver, micro, TQ 2.4GHz (3-channel) Receiver, micro, TQ i 2.4GHz with telemetry & TSM (5-channel) Seal kit, expander box (includes o-ring, seals, and silicone grease) Sensor, auto-detectable, temperature Sensor, auto-detectable, voltage Sensor, temperature and voltage (long) Servo case, aluminum (blue-anodized) (middle) (for 2250 servo) Servo case, aluminum (red-anodized) (middle) (for 2255 servo)	8266X 8266A 8266G 8266R 8264 8274 5475 8261 8262 8263 8263T	Body, GTS shock (aluminum, silver-anodized) (1) Body, GTS shock (hard-anodized, PTFE-coated aluminum) (1) Body, GTS shock, aluminum (blue-anodized) (1) Body, GTS shock, aluminum (green-anodized) (1) Body, GTS shock, aluminum (red-anodized) (1) Caps & spring retainers, GTS shocks (upper cap (2)/ hollow balls (4)/ bottom cap (2)/ upper retainer (2)/ lower retainer (2)) Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated) Multi-tool (plastic) Piston, damper (red) (4)/ e-clips (8) Rebuild kit, GTS shocks (x-rings, o-rings, pistons, bushings, e-clips, and rod ends) Shock shaft, 3x47mm (GTS) (2) Shocks, GTS hard-anodized, PTFE-coated aluminum bodies with
2252 2072R 2968X 2968 6561 6535 6519 6533 6552 6526 6527 6521 2254	Gear set, metal (for 2250, 2255 servos) Gear set, metal, high speed (for 2070, 2075 servos) LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® iD® batteries) LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries) Mount, telemetry expander (fits TRX-4®) Mount, telemetry expander (fits TRX-4®) Mount, temperature sensor (electric motors)/ wire tie/ thermal pad Receiver, micro, TQ 2.4GHz (3-channel) Receiver, micro, TQi 2.4GHz with telemetry & TSM (5-channel) Seal kit, expander box (includes o-ring, seals, and silicone grease) Sensor, auto-detectable, temperature Sensor, auto-detectable, voltage Sensor, temperature and voltage (long) Servo case, aluminum (red-anodized) (middle) (for 2250 servo) Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for	8266X 8266A 8266G 8266R 8264 8274 5475 8261 8262 8263 8263T 8260X 8260A	Body, GTS shock (aluminum, silver-anodized) (1) Body, GTS shock (hard-anodized, PTFE-coated aluminum) (1) Body, GTS shock, aluminum (blue-anodized) (1) Body, GTS shock, aluminum (green-anodized) (1) Body, GTS shock, aluminum (red-anodized) (1) Caps & spring retainers, GTS shocks (upper cap (2)/ hollow balls (4)/ bottom cap (2)/ upper retainer (2)/ lower retainer (2)) Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated) Multi-tool (plastic) Piston, damper (red) (4)/ e-clips (8) Rebuild kit, GTS shocks (x-rings, o-rings, pistons, bushings, e-clips, and rod ends) Shock shaft, 3x47mm (GTS) (2) Shocks shaft, 3x47mm (GTS) (titanium nitride-coated) (2) Shocks, GTS hard-anodized, PTFE-coated aluminum bodies with TiN shafts (assembled with spring retainers) (2) Shocks, GTS, aluminum (blue-anodized) (assembled with spring retainers) (2)
2252 2072R 2968X 2968 6561 6535 6519 6533 6552 6526 6527 6521 2254 2253 2251	Gear set, metal (for 2250, 2255 servos) Gear set, metal, high speed (for 2070, 2075 servos) LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® iD® batteries) LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries) Mount, telemetry expander (fits TRX-4®) Mount, telemetry expander (fits TRX-4®) Mount, temperature sensor (electric motors)/ wire tie/ thermal pad Receiver, micro, TQ 2.4GHz (3-channel) Receiver, micro, TQi 2.4GHz with telemetry & TSM (5-channel) Seal kit, expander box (includes o-ring, seals, and silicone grease) Sensor, auto-detectable, temperature Sensor, auto-detectable, voltage Sensor, temperature and voltage (long) Servo case, aluminum (blue-anodized) (middle) (for 2250 servo) Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos)	8266X 8266A 8266G 8266R 8264 8274 5475 8261 8262 8263 8263T 8260X	Body, GTS shock (aluminum, silver-anodized) (1) Body, GTS shock (hard-anodized, PTFE-coated aluminum) (1) Body, GTS shock, aluminum (blue-anodized) (1) Body, GTS shock, aluminum (green-anodized) (1) Body, GTS shock, aluminum (red-anodized) (1) Body, GTS shock, aluminum (red-anodized) (1) Caps & spring retainers, GTS shocks (upper cap (2)/ hollow balls (4)/ bottom cap (2)/ upper retainer (2)/ lower retainer (2)) Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated) Multi-tool (plastic) Piston, damper (red) (4)/ e-clips (8) Rebuild kit, GTS shocks (x-rings, o-rings, pistons, bushings, e-clips, and rod ends) Shock shaft, 3x47mm (GTS) (2) Shock shaft, 3x47mm (GTS) (titanium nitride-coated) (2) Shocks, GTS hard-anodized, PTFE-coated aluminum bodies with TiN shafts (assembled with spring retainers) (2) Shocks, GTS, aluminum (blue-anodized) (assembled with
2252 2072R 2968X 2968 6561 6535 6519 6533 6552 6526 6527 6521 2254 2253 2251	Gear set, metal (for 2250, 2255 servos) Gear set, metal, high speed (for 2070, 2075 servos) LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® iD® batteries) LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries) Mount, telemetry expander (fits TRX-4®) Mount, temperature sensor (electric motors)/ wire tie/ thermal pad Receiver, micro, TQ 2.4GHz (3-channel) Receiver, micro, TQi 2.4GHz with telemetry & TSM (5-channel) Seal kit, expander box (includes o-ring, seals, and silicone grease) Sensor, auto-detectable, temperature Sensor, auto-detectable, voltage Sensor, temperature and voltage (long) Servo case, aluminum (blue-anodized) (middle) (for 2250 servo) Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos) Servo case/gaskets (for 2065A waterproof sub-micro servo)	8266X 8266A 8266G 8266R 8264 8274 5475 8261 8262 8263 8263T 8260X 8260A	Body, GTS shock (aluminum, silver-anodized) (1) Body, GTS shock (hard-anodized, PTFE-coated aluminum) (1) Body, GTS shock, aluminum (blue-anodized) (1) Body, GTS shock, aluminum (green-anodized) (1) Body, GTS shock, aluminum (red-anodized) (1) Caps & spring retainers, GTS shocks (upper cap (2)/ hollow balls (4)/ bottom cap (2)/ upper retainer (2)/ lower retainer (2)) Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated) Multi-tool (plastic) Piston, damper (red) (4)/ e-clips (8) Rebuild kit, GTS shocks (x-rings, o-rings, pistons, bushings, e-clips, and rod ends) Shock shaft, 3x47mm (GTS) (2) Shocks shaft, 3x47mm (GTS) (titanium nitride-coated) (2) Shocks, GTS hard-anodized, PTFE-coated aluminum bodies with TiN shafts (assembled with spring retainers) (2) Shocks, GTS, aluminum (blue-anodized) (assembled with spring retainers) (2)
2252 2072R 2968X 2968 6561 6535 6519 6533 6552 6526 6527 6521 2254 2253 2251	Gear set, metal (for 2250, 2255 servos) Gear set, metal, high speed (for 2070, 2075 servos) LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® iD® batteries) LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries) Mount, telemetry expander (fits TRX-4®) Mount, telemetry expander (fits TRX-4®) Mount, temperature sensor (electric motors)/ wire tie/ thermal pad Receiver, micro, TQ 2.4GHz (3-channel) Receiver, micro, TQi 2.4GHz with telemetry & TSM (5-channel) Seal kit, expander box (includes o-ring, seals, and silicone grease) Sensor, auto-detectable, temperature Sensor, auto-detectable, voltage Sensor, temperature and voltage (long) Servo case, aluminum (blue-anodized) (middle) (for 2250 servo) Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos) Servo case/gaskets (for 2065A waterproof sub-micro servo) Servo case/gaskets (for 2065R metal gear, waterproof, sub-micro	8266X 8266A 8266G 8266R 8264 8274 5475 8261 8262 8263 8263T 8260X 8260A	Body, GTS shock (aluminum, silver-anodized) (1) Body, GTS shock (hard-anodized, PTFE-coated aluminum) (1) Body, GTS shock, aluminum (blue-anodized) (1) Body, GTS shock, aluminum (green-anodized) (1) Body, GTS shock, aluminum (red-anodized) (1) Body, GTS shock, aluminum (red-anodized) (1) Caps & spring retainers, GTS shocks (upper cap (2)/ hollow balls (4)/ bottom cap (2)/ upper retainer (2)/ lower retainer (2)) Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated) Multi-tool (plastic) Piston, damper (red) (4)/ e-clips (8) Rebuild kit, GTS shocks (x-rings, o-rings, pistons, bushings, e-clips, and rod ends) Shock shaft, 3x47mm (GTS) (2) Shock shaft, 3x47mm (GTS) (2) Shocks, GTS hard-anodized, PTFE-coated aluminum bodies with TiN shafts (assembled with spring retainers) (2) Shocks, GTS, aluminum (blue-anodized) (assembled with spring retainers) (2) Shocks, GTS, aluminum (green-anodized) (assembled with spring retainers) (2)
2252 2072R 2968X 2968 6561 6535 6519 6533 6552 6526 6527 6521 2254 2253 2251 2063A 2063R	Gear set, metal (for 2250, 2255 servos) Gear set, metal, high speed (for 2070, 2075 servos) LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® iD® batteries) LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries) Mount, telemetry expander (fits TRX-4®) Mount, telemetry expander (fits TRX-4®) Mount, temperature sensor (electric motors)/ wire tie/ thermal pad Receiver, micro, TQ 2.4GHz (3-channel) Receiver, micro, TQi 2.4GHz with telemetry & TSM (5-channel) Seal kit, expander box (includes o-ring, seals, and silicone grease) Sensor, auto-detectable, temperature Sensor, auto-detectable, voltage Sensor, temperature and voltage (long) Servo case, aluminum (blue-anodized) (middle) (for 2250 servo) Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos) Servo case/gaskets (for 2065A waterproof sub-micro servo) Servo case/gaskets (for 2065R metal gear, waterproof, sub-micro servo)	8266X 8266A 8266G 8266R 8264 8274 5475 8261 8262 8263 8263T 8260X 8260A 8260G	Body, GTS shock (aluminum, silver-anodized) (1) Body, GTS shock (hard-anodized, PTFE-coated aluminum) (1) Body, GTS shock, aluminum (blue-anodized) (1) Body, GTS shock, aluminum (green-anodized) (1) Body, GTS shock, aluminum (red-anodized) (1) Body, GTS shock, aluminum (red-anodized) (1) Caps & spring retainers, GTS shocks (upper cap (2)/ hollow balls (4)/ bottom cap (2)/ upper retainer (2)/ lower retainer (2)) Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated) Multi-tool (plastic) Piston, damper (red) (4)/ e-clips (8) Rebuild kit, GTS shocks (x-rings, o-rings, pistons, bushings, e-clips, and rod ends) Shock shaft, 3x47mm (GTS) (2) Shock shaft, 3x47mm (GTS) (titanium nitride-coated) (2) Shocks, GTS hard-anodized, PTFE-coated aluminum bodies with TiN shafts (assembled with spring retainers) (2) Shocks, GTS, aluminum (blue-anodized) (assembled with spring retainers) (2) Shocks, GTS, aluminum (green-anodized) (assembled with spring retainers) (2)
2252 2072R 2968X 2968 6561 6535 6519 6533 6552 6526 6527 6521 2254 2253 2251	Gear set, metal (for 2250, 2255 servos) Gear set, metal, high speed (for 2070, 2075 servos) LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® iD® batteries) LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries) Mount, telemetry expander (fits TRX-4®) Mount, telemetry expander (fits TRX-4®) Mount, temperature sensor (electric motors)/ wire tie/ thermal pad Receiver, micro, TQ 2.4GHz (3-channel) Receiver, micro, TQi 2.4GHz with telemetry & TSM (5-channel) Seal kit, expander box (includes o-ring, seals, and silicone grease) Sensor, auto-detectable, temperature Sensor, auto-detectable, voltage Sensor, temperature and voltage (long) Servo case, aluminum (blue-anodized) (middle) (for 2250 servo) Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos) Servo case/gaskets (for 2065A waterproof sub-micro servo) Servo case/gaskets (for 2065R metal gear, waterproof, sub-micro	8266X 8266A 8266G 8266R 8264 8274 5475 8261 8262 8263 8263T 8260X 8260A	Body, GTS shock (aluminum, silver-anodized) (1) Body, GTS shock (hard-anodized, PTFE-coated aluminum) (1) Body, GTS shock, aluminum (blue-anodized) (1) Body, GTS shock, aluminum (green-anodized) (1) Body, GTS shock, aluminum (red-anodized) (1) Body, GTS shock, aluminum (red-anodized) (1) Caps & spring retainers, GTS shocks (upper cap (2)/ hollow balls (4)/ bottom cap (2)/ upper retainer (2)/ lower retainer (2)) Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated) Multi-tool (plastic) Piston, damper (red) (4)/ e-clips (8) Rebuild kit, GTS shocks (x-rings, o-rings, pistons, bushings, e-clips, and rod ends) Shock shaft, 3x47mm (GTS) (2) Shock shaft, 3x47mm (GTS) (titanium nitride-coated) (2) Shocks, GTS hard-anodized, PTFE-coated aluminum bodies with TiN shafts (assembled with spring retainers) (2) Shocks, GTS, aluminum (blue-anodized) (assembled with spring retainers) (2) Shocks, GTS, aluminum (red-anodized) (assembled with spring retainers) (2) Shocks, GTS, silver aluminum (assembled with spring retainers) (2)
2252 2072R 2968X 2968 6561 6535 6519 6533 6552 6526 6527 6521 2254 2253 2251 2063A 2063R	Gear set, metal (for 2250, 2255 servos) Gear set, metal, high speed (for 2070, 2075 servos) LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® iD® batteries) LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries) Mount, telmetry expander (fits TRX-4®) Mount, telmetry expander (fits TRX-4®) Mount, temperature sensor (electric motors)/ wire tie/ thermal pad Receiver, micro, TQ 2.4GHz (3-channel) Receiver, micro, TQ i2.4GHz with telemetry & TSM (5-channel) Seal kit, expander box (includes o-ring, seals, and silicone grease) Sensor, auto-detectable, temperature Sensor, auto-detectable, voltage Sensor, temperature and voltage (long) Servo case, aluminum (blue-anodized) (middle) (for 2250 servo) Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos) Servo case/gaskets (for 2065A waterproof sub-micro servo) Servo case/gaskets (for 2065R metal gear, waterproof, sub-micro servo) Servo case/gaskets (for 2065X metal gear, waterproof, sub-micro	8266X 8266A 8266G 8266R 8264 8274 5475 8261 8262 8263 8263T 8260X 8260A 8260G	Body, GTS shock (aluminum, silver-anodized) (1) Body, GTS shock (hard-anodized, PTFE-coated aluminum) (1) Body, GTS shock, aluminum (blue-anodized) (1) Body, GTS shock, aluminum (green-anodized) (1) Body, GTS shock, aluminum (red-anodized) (1) Body, GTS shock, aluminum (red-anodized) (1) Caps & spring retainers, GTS shocks (upper cap (2)/ hollow balls (4)/ bottom cap (2)/ upper retainer (2)/ lower retainer (2)) Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated) Multi-tool (plastic) Piston, damper (red) (4)/ e-clips (8) Rebuild kit, GTS shocks (x-rings, o-rings, pistons, bushings, e-clips, and rod ends) Shock shaft, 3x47mm (GTS) (2) Shock shaft, 3x47mm (GTS) (titanium nitride-coated) (2) Shocks, GTS hard-anodized, PTFE-coated aluminum bodies with TiN shafts (assembled with spring retainers) (2) Shocks, GTS, aluminum (blue-anodized) (assembled with spring retainers) (2) Shocks, GTS, aluminum (green-anodized) (assembled with spring retainers) (2)
2252 2072R 2968X 2968 6561 6535 6519 6533 6552 6526 6527 6521 2254 2253 2251 2063A 2063R	Gear set, metal (for 2250, 2255 servos) Gear set, metal, high speed (for 2070, 2075 servos) LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® iD® batteries) LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries) Mount, telemetry expander (fits TRX-4®) Mount, telemetry expander (fits TRX-4®) Mount, temperature sensor (electric motors)/ wire tie/ thermal pad Receiver, micro, TQ 2.4GHz (3-channel) Receiver, micro, TQi 2.4GHz with telemetry & TSM (5-channel) Seal kit, expander box (includes o-ring, seals, and silicone grease) Sensor, auto-detectable, temperature Sensor, auto-detectable, voltage Sensor, temperature and voltage (long) Servo case, aluminum (blue-anodized) (middle) (for 2250 servo) Servo case, aluminum (red-anodized) (middle) (for 2255 servo) Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos) Servo case/gaskets (for 2065A waterproof sub-micro servo) Servo case/gaskets (for 2065R metal gear, waterproof, sub-micro servo)	8266X 8266A 8266G 8266R 8264 8274 5475 8261 8262 8263 8263T 8260X 8260A 8260G	Body, GTS shock (aluminum, silver-anodized) (1) Body, GTS shock (hard-anodized, PTFE-coated aluminum) (1) Body, GTS shock, aluminum (blue-anodized) (1) Body, GTS shock, aluminum (green-anodized) (1) Body, GTS shock, aluminum (red-anodized) (1) Body, GTS shock, aluminum (red-anodized) (1) Caps & spring retainers, GTS shocks (upper cap (2)/ hollow balls (4)/ bottom cap (2)/ upper retainer (2)/ lower retainer (2)) Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated) Multi-tool (plastic) Piston, damper (red) (4)/ e-clips (8) Rebuild kit, GTS shocks (x-rings, o-rings, pistons, bushings, e-clips, and rod ends) Shock shaft, 3x47mm (GTS) (2) Shock shaft, 3x47mm (GTS) (titanium nitride-coated) (2) Shocks, GTS hard-anodized, PTFE-coated aluminum bodies with TiN shafts (assembled with spring retainers) (2) Shocks, GTS, aluminum (blue-anodized) (assembled with spring retainers) (2) Shocks, GTS, aluminum (red-anodized) (assembled with spring retainers) (2) Shocks, GTS, silver aluminum (assembled with spring retainers) (2)
2252 2072R 2968X 2968 6561 6535 6519 6533 6552 6526 6527 6521 2254 2253 2251 2063A 2063R 2063X 2075R	Gear set, metal (for 2250, 2255 servos) Gear set, metal, high speed (for 2070, 2075 servos) LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® iD® batteries) LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries) Mount, telemetry expander (fits TRX-4®) Mount, telemetry expander (fits TRX-4®) Mount, temperature sensor (electric motors)/ wire tie/ thermal pad Receiver, micro, TQ 2.4GHz (3-channel) Receiver, micro, TQi 2.4GHz with telemetry & TSM (5-channel) Seal kit, expander box (includes o-ring, seals, and silicone grease) Sensor, auto-detectable, temperature Sensor, auto-detectable, voltage Sensor, temperature and voltage (long) Servo case, aluminum (blue-anodized) (middle) (for 2250 servo) Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos) Servo case/gaskets (for 2065A waterproof sub-micro servo) Servo case/gaskets (for 2065R metal gear, waterproof, sub-micro servo) Servo case/gaskets (for 2065X metal gear, waterproof, sub-micro servo, digital high-speed, metal gear (ball bearing), waterproof Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof (#2262 external BEC and #8247X metal servo horn	8266X 8266A 8266G 8266R 8264 8274 5475 8261 8262 8263 8263T 8260X 8260A 8260G 8260R	Body, GTS shock (aluminum, silver-anodized) (1) Body, GTS shock (hard-anodized, PTFE-coated aluminum) (1) Body, GTS shock, aluminum (blue-anodized) (1) Body, GTS shock, aluminum (green-anodized) (1) Body, GTS shock, aluminum (red-anodized) (1) Caps & spring retainers, GTS shocks (upper cap (2)/ hollow balls (4)/ bottom cap (2)/ upper retainer (2)/ lower retainer (2)) Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated) Multi-tool (plastic) Piston, damper (red) (4)/ e-clips (8) Rebuild kit, GTS shocks (x-rings, o-rings, pistons, bushings, e-clips, and rod ends) Shock shaft, 3x47mm (GTS) (2) Shock shaft, 3x47mm (GTS) (2) Shocks, GTS hard-anodized, PTFE-coated aluminum bodies with TiN shafts (assembled with spring retainers) (2) Shocks, GTS, aluminum (blue-anodized) (assembled with spring retainers) (2) Shocks, GTS, aluminum (green-anodized) (assembled with spring retainers) (2) Shocks, GTS, silver aluminum (assembled with spring retainers) (2) Shocks, GTS, silver aluminum (assembled with spring retainers) (2)
2252 2072R 2968X 2968 6561 6535 6519 6533 6552 6526 6527 6521 2254 2253 2251 2063A 2063R 2063X 2075R 2250	Gear set, metal (for 2250, 2255 servos) Gear set, metal, high speed (for 2070, 2075 servos) LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® iD® batteries) LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries) Mount, telemetry expander (fits TRX-4®) Mount, telemetry expander (fits TRX-4®) Mount, temperature sensor (electric motors)/ wire tie/ thermal pad Receiver, micro, TQ 2.4GHz (3-channel) Receiver, micro, TQi 2.4GHz with telemetry & TSM (5-channel) Seal kit, expander box (includes o-ring, seals, and silicone grease) Sensor, auto-detectable, temperature Sensor, auto-detectable, voltage Sensor, temperature and voltage (long) Servo case, aluminum (blue-anodized) (middle) (for 2250 servo) Servo case, aluminum (red-anodized) (middle) (for 2255 servo) Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos) Servo case/gaskets (for 2065A waterproof sub-micro servo) Servo case/gaskets (for 2065R metal gear, waterproof, sub-micro servo) Servo case/gaskets (for 2065X metal gear, waterproof, sub-micro servo) Servo, digital high-speed, metal gear (ball bearing), waterproof Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof (#2262 external BEC and #8247X metal servo horn recommended for optimal performance)	8266X 8266A 8266G 8266R 8264 8274 5475 8261 8262 8263 8263T 8260X 8260A 8260G 8260R	Body, GTS shock (aluminum, silver-anodized) (1) Body, GTS shock (hard-anodized, PTFE-coated aluminum) (1) Body, GTS shock, aluminum (blue-anodized) (1) Body, GTS shock, aluminum (green-anodized) (1) Body, GTS shock, aluminum (red-anodized) (1) Body, GTS shock, aluminum (red-anodized) (1) Caps & spring retainers, GTS shocks (upper cap (2)/ hollow balls (4)/ bottom cap (2)/ upper retainer (2)/ lower retainer (2)) Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated) Multi-tool (plastic) Piston, damper (red) (4)/ e-clips (8) Rebuild kit, GTS shocks (x-rings, o-rings, pistons, bushings, e-clips, and rod ends) Shock shaft, 3x47mm (GTS) (2) Shocks shaft, 3x47mm (GTS) (2) Shocks, GTS hard-anodized, PTFE-coated aluminum bodies with TiN shafts (assembled with spring retainers) (2) Shocks, GTS, aluminum (blue-anodized) (assembled with spring retainers) (2) Shocks, GTS, aluminum (green-anodized) (assembled with spring retainers) (2) Shocks, GTS, silver aluminum (assembled with spring retainers) (2) Shocks, GTS, silver aluminum (assembled with spring retainers) (2) Shocks, GTS, silver aluminum (assembled with spring retainers) (2) Shocks, GTS, silver aluminum (assembled with spring retainers) (2) Shocks, GTS, silver aluminum (assembled with spring retainers) (2) Shocks, GTS, silver aluminum (red-anodized) (assembled with spring retainers) (2) Shocks, GTS, silver aluminum (assembled with spring retainers) (2)
2252 2072R 2968X 2968 6561 6535 6519 6533 6552 6526 6527 6521 2254 2253 2251 2063A 2063R 2063X 2075R	Gear set, metal (for 2250, 2255 servos) Gear set, metal, high speed (for 2070, 2075 servos) LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® iD® batteries) LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries) Mount, telmetry expander (fits TRX-4®) Mount, telmetry expander (fits TRX-4®) Mount, temperature sensor (electric motors)/ wire tie/ thermal pad Receiver, micro, TQ 2.4GHz (3-channel) Receiver, micro, TQi 2.4GHz with telemetry & TSM (5-channel) Seal kit, expander box (includes o-ring, seals, and silicone grease) Sensor, auto-detectable, temperature Sensor, auto-detectable, voltage Sensor, temperature and voltage (long) Servo case, aluminum (red-anodized) (middle) (for 2250 servo) Servo case, aluminum (red-anodized) (middle) (for 2255 servo) Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos) Servo case/gaskets (for 2065A waterproof sub-micro servo) Servo case/gaskets (for 2065R metal gear, waterproof, sub-micro servo) Servo case/gaskets (for 2065X metal gear, waterproof, sub-micro servo) Servo, digital high-speed, metal gear (ball bearing), waterproof (#2262 external BEC and #8247X metal servo horn recommended for optimal performance) Servo, digital high-torque 400 brushless, metal gear (ball	8266X 8266A 8266G 8266R 8264 8274 5475 8261 8262 8263 8263T 8260X 8260A 8260G 8260R 8260 8254	Body, GTS shock (aluminum, silver-anodized) (1) Body, GTS shock (hard-anodized, PTFE-coated aluminum) (1) Body, GTS shock, aluminum (blue-anodized) (1) Body, GTS shock, aluminum (green-anodized) (1) Body, GTS shock, aluminum (green-anodized) (1) Body, GTS shock, aluminum (red-anodized) (1) Caps & spring retainers, GTS shocks (upper cap (2)/ hollow balls (4)/ bottom cap (2)/ upper retainer (2)/ lower retainer (2)) Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated) Multi-tool (plastic) Piston, damper (red) (4)/ e-clips (8) Rebuild kit, GTS shocks (x-rings, o-rings, pistons, bushings, e-clips, and rod ends) Shock shaft, 3x47mm (GTS) (2) Shock shaft, 3x47mm (GTS) (2) Shocks, GTS hard-anodized, PTFE-coated aluminum bodies with TiN shafts (assembled with spring retainers) (2) Shocks, GTS, aluminum (blue-anodized) (assembled with spring retainers) (2) Shocks, GTS, aluminum (green-anodized) (assembled with spring retainers) (2) Shocks, GTS, aluminum (red-anodized) (assembled with spring retainers) (2) Shocks, GTS, silver aluminum (assembled with spring retainers) (2) Shocks, GTS, silver aluminum (assembled with spring retainers) (2) Shocks, GTS, silver aluminum (assembled with spring retainers) (2) Shocks, GTS, silver aluminum (assembled with spring retainers) (2) Shocks, GTS, silver aluminum (assembled with spring retainers) (2) Shocks, GTS, silver aluminum (assembled with spring retainers) (2)
2252 2072R 2968X 2968 6561 6535 6519 6533 6552 6526 6527 6521 2254 2253 2251 2063A 2063R 2063X 2075R 2250	Gear set, metal (for 2250, 2255 servos) Gear set, metal, high speed (for 2070, 2075 servos) LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® iD® batteries) LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries) Mount, telemetry expander (fits TRX-4®) Mount, telemetry expander (fits TRX-4®) Mount, temperature sensor (electric motors)/ wire tie/ thermal pad Receiver, micro, TQ 2.4GHz (3-channel) Receiver, micro, TQi 2.4GHz with telemetry & TSM (5-channel) Seal kit, expander box (includes o-ring, seals, and silicone grease) Sensor, auto-detectable, temperature Sensor, auto-detectable, voltage Sensor, temperature and voltage (long) Servo case, aluminum (blue-anodized) (middle) (for 2250 servo) Servo case, aluminum (red-anodized) (middle) (for 2255 servo) Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos) Servo case/gaskets (for 2065A waterproof sub-micro servo) Servo case/gaskets (for 2065R metal gear, waterproof, sub-micro servo) Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof (#2262 external BEC and #8247X metal servo horn recommended for optimal performance) Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof (#2262 external BEC and #8247X metal	8266X 8266A 8266G 8266R 8264 8274 5475 8261 8262 8263 8263T 8260X 8260A 8260G 8260R	Body, GTS shock (aluminum, silver-anodized) (1) Body, GTS shock (hard-anodized, PTFE-coated aluminum) (1) Body, GTS shock, aluminum (blue-anodized) (1) Body, GTS shock, aluminum (green-anodized) (1) Body, GTS shock, aluminum (green-anodized) (1) Body, GTS shock, aluminum (red-anodized) (1) Caps & spring retainers, GTS shocks (upper cap (2)/ hollow balls (4)/ bottom cap (2)/ upper retainer (2)/ lower retainer (2)) Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated) Multi-tool (plastic) Piston, damper (red) (4)/ e-clips (8) Rebuild kit, GTS shocks (x-rings, o-rings, pistons, bushings, e-clips, and rod ends) Shock shaft, 3x47mm (GTS) (2) Shock shaft, 3x47mm (GTS) (2) Shocks, GTS hard-anodized, PTFE-coated aluminum bodies with TiN shafts (assembled with spring retainers) (2) Shocks, GTS, aluminum (blue-anodized) (assembled with spring retainers) (2) Shocks, GTS, aluminum (green-anodized) (assembled with spring retainers) (2) Shocks, GTS, silver aluminum (assembled with spring retainers) (2) Shocks, GTS, silver aluminum (assembled with spring retainers) (2) Shocks, GTS, silver aluminum (assembled with spring retainers) (2) Shocks, GTS, silver aluminum (assembled with spring retainers) (2) Shocks, GTS, silver aluminum (assembled with spring retainers) (2) Shocks, GTS, silver aluminum (assembled with spring retainers) (2) Shocks, GTS, silver aluminum (assembled with spring retainers) (2) Shocks, GTS, silver aluminum (assembled with spring retainers) (2) Shocks, GTS, silver aluminum (assembled with spring retainers) (2)
2252 2072R 2968X 2968 6561 6535 6519 6533 6552 6526 6527 6521 2254 2253 2251 2063A 2063X 2063X 2075R 2250	Gear set, metal (for 2250, 2255 servos) Gear set, metal, high speed (for 2070, 2075 servos) LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® iD® batteries) LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries) Mount, telemetry expander (fits TRX-4®) Mount, telemetry expander (fits TRX-4®) Mount, temperature sensor (electric motors)/ wire tie/ thermal pad Receiver, micro, TQ 2.4GHz (3-channel) Receiver, micro, TQ i 2.4GHz with telemetry & TSM (5-channel) Seal kit, expander box (includes o-ring, seals, and silicone grease) Sensor, auto-detectable, temperature Sensor, auto-detectable, voltage Sensor, temperature and voltage (long) Servo case, aluminum (blue-anodized) (middle) (for 2250 servo) Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos) Servo case/gaskets (for 2065A waterproof sub-micro servo) Servo case/gaskets (for 2065K metal gear, waterproof, sub-micro servo) Servo case/gaskets (for 2065X metal gear, waterproof, sub-micro servo) Servo, digital high-speed, metal gear (ball bearing), waterproof (#2262 external BEC and #8247X metal servo horn recommended for optimal performance) Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof (#2262 external BEC and #8247X metal servo horn recommended for optimal performance)	8266X 8266A 8266G 8266R 8264 8274 5475 8261 8262 8263 8263T 8260X 8260A 8260G 8260R 8260 8254	Body, GTS shock (aluminum, silver-anodized) (1) Body, GTS shock (hard-anodized, PTFE-coated aluminum) (1) Body, GTS shock, aluminum (blue-anodized) (1) Body, GTS shock, aluminum (green-anodized) (1) Body, GTS shock, aluminum (green-anodized) (1) Body, GTS shock, aluminum (red-anodized) (1) Caps & spring retainers, GTS shocks (upper cap (2)/ hollow balls (4)/ bottom cap (2)/ upper retainer (2)/ lower retainer (2)) Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated) Multi-tool (plastic) Piston, damper (red) (4)/ e-clips (8) Rebuild kit, GTS shocks (x-rings, o-rings, pistons, bushings, e-clips, and rod ends) Shock shaft, 3x47mm (GTS) (2) Shock shaft, 3x47mm (GTS) (2) Shocks, GTS hard-anodized, PTFE-coated aluminum bodies with TiN shafts (assembled with spring retainers) (2) Shocks, GTS, aluminum (blue-anodized) (assembled with spring retainers) (2) Shocks, GTS, aluminum (green-anodized) (assembled with spring retainers) (2) Shocks, GTS, aluminum (red-anodized) (assembled with spring retainers) (2) Shocks, GTS, silver aluminum (assembled with spring retainers) (2) Shocks, GTS, silver aluminum (assembled with spring retainers) (2) Shocks, GTS, silver aluminum (assembled with spring retainers) (2) Shocks, GTS, silver aluminum (assembled with spring retainers) (2) Shocks, GTS, silver aluminum (assembled with spring retainers) (2) Shocks, GTS, silver aluminum (assembled with spring retainers) (2)
2252 2072R 2968X 2968 6561 6535 6519 6533 6552 6526 6527 6521 2254 2253 2251 2063A 2063R 2063X 2075R 2255	Gear set, metal (for 2250, 2255 servos) Gear set, metal, high speed (for 2070, 2075 servos) LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® iD® batteries) LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries) Mount, telemetry expander (fits TRX-4®) Mount, telemetry expander (fits TRX-4®) Mount, temperature sensor (electric motors)/ wire tie/ thermal pad Receiver, micro, TQ 2.4GHz (3-channel) Receiver, micro, TQ i2.4GHz with telemetry & TSM (5-channel) Seal kit, expander box (includes o-ring, seals, and silicone grease) Sensor, auto-detectable, temperature Sensor, auto-detectable, voltage Sensor, temperature and voltage (long) Servo case, aluminum (blue-anodized) (middle) (for 2250 servo) Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos) Servo case/gaskets (for 2065A waterproof sub-micro servo) Servo case/gaskets (for 2065R metal gear, waterproof, sub-micro servo) Servo case/gaskets (for 2065X metal gear, waterproof, sub-micro servo, digital high-speed, metal gear (ball bearing), waterproof (#2262 external BEC and #8247X metal servo horn recommended for optimal performance) Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof (#2262 external BEC and #8247X metal servo horn recommended for optimal performance) Servo, digital high-torque, metal gear (ball bearing), waterproof	8266X 8266A 8266G 8266R 8264 8274 5475 8261 8262 8263 8263T 8260X 8260A 8260G 8260R 8260 8254	Body, GTS shock (aluminum, silver-anodized) (1) Body, GTS shock (hard-anodized, PTFE-coated aluminum) (1) Body, GTS shock, aluminum (blue-anodized) (1) Body, GTS shock, aluminum (green-anodized) (1) Body, GTS shock, aluminum (green-anodized) (1) Body, GTS shock, aluminum (red-anodized) (1) Caps & spring retainers, GTS shocks (upper cap (2)/ hollow balls (4)/ bottom cap (2)/ upper retainer (2)/ lower retainer (2)) Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated) Multi-tool (plastic) Piston, damper (red) (4)/ e-clips (8) Rebuild kit, GTS shocks (x-rings, o-rings, pistons, bushings, e-clips, and rod ends) Shock shaft, 3x47mm (GTS) (2) Shock shaft, 3x47mm (GTS) (2) Shocks, GTS hard-anodized, PTFE-coated aluminum bodies with TiN shafts (assembled with spring retainers) (2) Shocks, GTS, aluminum (blue-anodized) (assembled with spring retainers) (2) Shocks, GTS, aluminum (green-anodized) (assembled with spring retainers) (2) Shocks, GTS, silver aluminum (assembled with spring retainers) (2) Shocks, GTS, silver aluminum (assembled with spring retainers) (2) Shocks, GTS, silver aluminum (assembled with spring retainers) (2) Shocks, GTS, silver aluminum (assembled with spring retainers) (2) Shocks, GTS, silver aluminum (assembled with spring retainers) (2) Shocks, GTS, silver aluminum (assembled with spring retainers) (2) Shocks, GTS, silver aluminum (assembled with spring retainers) (2) Shocks, GTS, silver aluminum (assembled with spring retainers) (2) Shocks, GTS, silver aluminum (assembled with spring retainers) (2)
2252 2072R 2968X 2968 6561 6535 6519 6533 6552 6526 6527 6521 2254 2253 2251 2063R 2063R 2063R 2075R 2250	Gear set, metal (for 2250, 2255 servos) Gear set, metal, high speed (for 2070, 2075 servos) LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® iD® batteries) LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries) Mount, telemetry expander (fits TRX-4®) Mount, telemetry expander (fits TRX-4®) Mount, temperature sensor (electric motors)/ wire tie/ thermal pad Receiver, micro, TQ 2.4GHz (3-channel) Receiver, micro, TQi 2.4GHz with telemetry & TSM (5-channel) Seal kit, expander box (includes o-ring, seals, and silicone grease) Sensor, auto-detectable, temperature Sensor, auto-detectable, voltage Sensor, temperature and voltage (long) Servo case, aluminum (blue-anodized) (middle) (for 2250 servo) Servo case, aluminum (red-anodized) (middle) (for 2255 servo) Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos) Servo case/gaskets (for 2065A waterproof sub-micro servo) Servo case/gaskets (for 2065R metal gear, waterproof, sub-micro servo) Servo case/gaskets (for 2065X metal gear, waterproof, sub-micro servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof (#2262 external BEC and #8247X metal servo horn recommended for optimal performance) Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof (#2262 external BEC and #8247X metal servo horn recommended for optimal performance) Servo, digital high-torque, metal gear (ball bearing), waterproof (#2262 external BEC and #8247X metal servo horn recommended for optimal performance) Servo, digital high-torque, metal gear (ball bearing), waterproof (#2262 external BEC and #8247X metal servo horn recommended for optimal performance)	8266X 8266A 8266G 8266R 8264 8274 5475 8261 8262 8263 8263T 8260X 8260A 8260G 8260G 8260C 8260 8254	Body, GTS shock (aluminum, silver-anodized) (1) Body, GTS shock (hard-anodized, PTFE-coated aluminum) (1) Body, GTS shock, aluminum (blue-anodized) (1) Body, GTS shock, aluminum (green-anodized) (1) Body, GTS shock, aluminum (green-anodized) (1) Body, GTS shock, aluminum (red-anodized) (1) Caps & spring retainers, GTS shocks (upper cap (2)/ hollow balls (4)/ bottom cap (2)/ upper retainer (2)/ lower retainer (2)) Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated) Multi-tool (plastic) Piston, damper (red) (4)/ e-clips (8) Rebuild kit, GTS shocks (x-rings, o-rings, pistons, bushings, e-clips, and rod ends) Shock shaft, 3x47mm (GTS) (2) Shock shaft, 3x47mm (GTS) (2) Shocks, GTS hard-anodized, PTFE-coated aluminum bodies with TiN shafts (assembled with spring retainers) (2) Shocks, GTS, aluminum (blue-anodized) (assembled with spring retainers) (2) Shocks, GTS, aluminum (green-anodized) (assembled with spring retainers) (2) Shocks, GTS, aluminum (red-anodized) (assembled with spring retainers) (2) Shocks, GTS, silver aluminum (assembled with spring retainers) (2) Sliptor Glitch Colligions Output shaft (transmission) Output shafts (transfer case), front & rear Rebuild kit, slipper clutch (steel disc (2)/ friction insert (2)/ 4.0mm NL (1)/ spring washers (4), metal washer (1)) Slipper eliminator plate
2252 2072R 2968X 2968 6561 6535 6519 6533 6552 6526 6527 6521 2254 2253 2251 2063A 2063R 2063X 2075R 2255	Gear set, metal (for 2250, 2255 servos) Gear set, metal, high speed (for 2070, 2075 servos) LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® iD® batteries) LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries) Mount, telemetry expander (fits TRX-4®) Mount, telemetry expander (fits TRX-4®) Mount, temperature sensor (electric motors)/ wire tie/ thermal pad Receiver, micro, TQ 2.4GHz (3-channel) Receiver, micro, TQi 2.4GHz with telemetry & TSM (5-channel) Seal kit, expander box (includes o-ring, seals, and silicone grease) Sensor, auto-detectable, temperature Sensor, auto-detectable, voltage Sensor, temperature and voltage (long) Servo case, aluminum (blue-anodized) (middle) (for 2250 servo) Servo case, aluminum (red-anodized) (middle) (for 2255 servo) Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos) Servo case/gaskets (for 2065A waterproof sub-micro servo) Servo case/gaskets (for 2065R metal gear, waterproof, sub-micro servo) Servo case/gaskets (for 2065X metal gear, waterproof, sub-micro servo) Servo, digital high-speed, metal gear (ball bearing), waterproof Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof (#2262 external BEC and #8247X metal servo horn recommended for optimal performance) Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof (#2262 external BEC and #8247X metal servo horn recommended for optimal performance) Servo, digital high-torque, metal gear (ball bearing), waterproof Servo, sub-micro, waterproof, metal gear	8266X 8266A 8266G 8266R 8264 8274 5475 8261 8262 8263 8263T 8260X 8260A 8260G 8260G 8260C 8260 8254	Body, GTS shock (aluminum, silver-anodized) (1) Body, GTS shock (hard-anodized, PTFE-coated aluminum) (1) Body, GTS shock, aluminum (blue-anodized) (1) Body, GTS shock, aluminum (green-anodized) (1) Body, GTS shock, aluminum (green-anodized) (1) Body, GTS shock, aluminum (red-anodized) (1) Caps & spring retainers, GTS shocks (upper cap (2)/ hollow balls (4)/ bottom cap (2)/ upper retainer (2)/ lower retainer (2)) Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated) Multi-tool (plastic) Piston, damper (red) (4)/ e-clips (8) Rebuild kit, GTS shocks (x-rings, o-rings, pistons, bushings, e-clips, and rod ends) Shock shaft, 3x47mm (GTS) (2) Shock shaft, 3x47mm (GTS) (2) Shocks, GTS hard-anodized, PTFE-coated aluminum bodies with TiN shafts (assembled with spring retainers) (2) Shocks, GTS, aluminum (blue-anodized) (assembled with spring retainers) (2) Shocks, GTS, aluminum (green-anodized) (assembled with spring retainers) (2) Shocks, GTS, aluminum (red-anodized) (assembled with spring retainers) (2) Shocks, GTS, silver aluminum (assembled with spring retainers) (2) Shocks, GTS, silver aluminum (assembled with spring retainers) (2) Shocks, GTS, silver aluminum (assembled with spring retainers) (2) Shocks, GTS, silver aluminum (assembled with spring retainers) (2) Slipper Glitch Collipper (2) friction insert (2)/ 4.0mm NL (1)/ spring washers (4), metal washer (1)) Slipper eliminator plate
2252 2072R 2968X 2968 6561 6535 6519 6533 6552 6526 6527 6521 2254 2253 2251 2063A 2063R 2063X 2075R 2250 2255	Gear set, metal (for 2250, 2255 servos) Gear set, metal, high speed (for 2070, 2075 servos) LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® iD® batteries) LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries) Mount, telemetry expander (fits TRX-4®) Mount, telemetry expander (fits TRX-4®) Mount, temperature sensor (electric motors)/ wire tie/ thermal pad Receiver, micro, TQ 2.4GHz (3-channel) Receiver, micro, TQi 2.4GHz with telemetry & TSM (5-channel) Seal kit, expander box (includes o-ring, seals, and silicone grease) Sensor, auto-detectable, temperature Sensor, auto-detectable, voltage Sensor, temperature and voltage (long) Servo case, aluminum (red-anodized) (middle) (for 2250 servo) Servo case, aluminum (red-anodized) (middle) (for 2255 servo) Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos) Servo case/gaskets (for 2065A waterproof sub-micro servo) Servo case/gaskets (for 2065R metal gear, waterproof, sub-micro servo) Servo case/gaskets (for 2065X metal gear, waterproof, sub-micro servo) Servo, digital high-speed, metal gear (ball bearing), waterproof Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof (#2262 external BEC and #8247X metal servo horn recommended for optimal performance) Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof (#2262 external BEC and #8247X metal servo horn recommended for optimal performance) Servo, digital high-torque, metal gear (ball bearing), waterproof Servo, sub-micro, waterproof, metal gear	8266X 8266A 8266G 8266R 8264 8274 5475 8261 8262 8263 8263T 8260X 8260A 8260G 8260G 8260C 8260 8254 8292 8286 8254	Body, GTS shock (aluminum, silver-anodized) (1) Body, GTS shock (hard-anodized, PTFE-coated aluminum) (1) Body, GTS shock, aluminum (blue-anodized) (1) Body, GTS shock, aluminum (green-anodized) (1) Body, GTS shock, aluminum (red-anodized) (1) Caps & spring retainers, GTS shocks (upper cap (2)/ hollow balls (4)/ bottom cap (2)/ upper retainer (2)/ lower retainer (2)) Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated) Multi-tool (plastic) Piston, damper (red) (4)/ e-clips (8) Rebuild kit, GTS shocks (x-rings, o-rings, pistons, bushings, e-clips, and rod ends) Shock shaft, 3x47mm (GTS) (2) Shock shaft, 3x47mm (GTS) (2) Shocks, GTS hard-anodized, PTFE-coated aluminum bodies with TiN shafts (assembled with spring retainers) (2) Shocks, GTS, aluminum (blue-anodized) (assembled with spring retainers) (2) Shocks, GTS, aluminum (green-anodized) (assembled with spring retainers) (2) Shocks, GTS, silver aluminum (assembled with spring retainers) (2) Shocks, GTS, silver aluminum (assembled with spring retainers) (2) Shocks, GTS, silver aluminum (assembled with spring retainers) (2) Shocks, GTS, silver aluminum (assembled with spring retainers) (2) Shocks, GTS, silver aluminum (assembled with spring retainers) (2) Shocks, GTS, silver aluminum (assembled with spring retainers) (2) Shocks, GTS, silver aluminum (assembled with spring retainers) (2) Shocks, GTS, silver aluminum (assembled with spring retainers) (2) Shocks, GTS, silver aluminum (assembled with spring retainers) (2) Shocks, GTS, silver aluminum (assembled with spring retainers) (2) Shocks, GTS, silver aluminum (assembled with spring retainers) (2) Shocks, GTS, silver aluminum (assembled with spring retainers) (2) Shocks, GTS, silver aluminum (assembled with spring retainers) (2) Shocks, GTS, silver aluminum (assembled with spring retainers) (2) Shocks, GTS, silver aluminum (assembled with spring retainers) (2)
2252 2072R 2968X 2968 6561 6535 6519 6533 6552 6526 6527 6521 2254 2253 2251 2063A 2063R 2063X 2075R 2250 2255	Gear set, metal (for 2250, 2255 servos) Gear set, metal, high speed (for 2070, 2075 servos) LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® iD® batteries) LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries) Mount, telemetry expander (fits TRX-4®) Mount, telemetry expander (fits TRX-4®) Mount, temperature sensor (electric motors)/ wire tie/ thermal pad Receiver, micro, TQ 2.4GHz (3-channel) Receiver, micro, TQi 2.4GHz with telemetry & TSM (5-channel) Seal kit, expander box (includes o-ring, seals, and silicone grease) Sensor, auto-detectable, temperature Sensor, auto-detectable, voltage Sensor, temperature and voltage (long) Servo case, aluminum (blue-anodized) (middle) (for 2250 servo) Servo case, aluminum (red-anodized) (middle) (for 2255 servo) Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos) Servo case/gaskets (for 2065A waterproof sub-micro servo) Servo case/gaskets (for 2065R metal gear, waterproof, sub-micro servo) Servo case/gaskets (for 2065X metal gear, waterproof, sub-micro servo) Servo, digital high-speed, metal gear (ball bearing), waterproof Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof (#2262 external BEC and #8247X metal servo horn recommended for optimal performance) Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof (#2262 external BEC and #8247X metal servo horn recommended for optimal performance) Servo, digital high-torque, metal gear (ball bearing), waterproof Servo, sub-micro, waterproof, metal gear	8266X 8266A 8266G 8266R 8264 8274 5475 8261 8262 8263 8263T 8260X 8260A 8260G 8260G 8260C 8292 8286 8254 8249	Body, GTS shock (aluminum, silver-anodized) (1) Body, GTS shock (hard-anodized, PTFE-coated aluminum) (1) Body, GTS shock, aluminum (blue-anodized) (1) Body, GTS shock, aluminum (green-anodized) (1) Body, GTS shock, aluminum (red-anodized) (1) Caps & spring retainers, GTS shocks (upper cap (2)/ hollow balls (4)/ bottom cap (2)/ upper retainer (2)/ lower retainer (2)) Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated) Multi-tool (plastic) Piston, damper (red) (4)/ e-clips (8) Rebuild kit, GTS shocks (x-rings, o-rings, pistons, bushings, e-clips, and rod ends) Shock shaft, 3x47mm (GTS) (2) Shocks shaft, 3x47mm (GTS) (titanium nitride-coated) (2) Shocks, GTS hard-anodized, PTFE-coated aluminum bodies with TiN shafts (assembled with spring retainers) (2) Shocks, GTS, aluminum (blue-anodized) (assembled with spring retainers) (2) Shocks, GTS, aluminum (green-anodized) (assembled with spring retainers) (2) Shocks, GTS, silver aluminum (assembled with spring retainers) (2) Shocks, GTS, silver aluminum (assembled with spring retainers) (2) Shocks, GTS, silver aluminum (assembled with spring retainers) (2) Shocks, GTS, silver aluminum (assembled with spring retainers) (2) Shocks, GTS, silver aluminum (assembled with spring retainers) (2) Shocks, GTS, silver aluminum (assembled with spring retainers) (2) Shocks, GTS, silver aluminum (assembled with spring retainers) (2) Shocks, GTS, silver aluminum (assembled with spring retainers) (2) Shocks, GTS, silver aluminum (assembled with spring retainers) (2) Shocks, GTS, silver aluminum (assembled with spring retainers) (2) Shocks, GTS, silver aluminum (assembled with spring retainers) (2) Shocks, GTS, silver aluminum (assembled with spring retainers) (2) Shocks, GTS, silver aluminum (assembled with spring retainers) (2) Shocks, GTS, silver aluminum (assembled with spring retainers) (2) Shocks, GTS, silver aluminum (assembled with spring retainers) (2)
2252 2072R 2968X 2968 6561 6535 6519 6533 6552 6526 6527 6521 2254 2253 2251 2063A 2063R 2063X 2075R 2250 2255	Gear set, metal (for 2250, 2255 servos) Gear set, metal, high speed (for 2070, 2075 servos) LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® iD® batteries) LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries) Mount, telemetry expander (fits TRX-4®) Mount, telemetry expander (fits TRX-4®) Mount, temperature sensor (electric motors)/ wire tie/ thermal pad Receiver, micro, TQ 2.4GHz (3-channel) Receiver, micro, TQi 2.4GHz with telemetry & TSM (5-channel) Seal kit, expander box (includes o-ring, seals, and silicone grease) Sensor, auto-detectable, temperature Sensor, auto-detectable, voltage Sensor, temperature and voltage (long) Servo case, aluminum (blue-anodized) (middle) (for 2250 servo) Servo case, aluminum (red-anodized) (middle) (for 2255 servo) Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos) Servo case/gaskets (for 2065A waterproof sub-micro servo) Servo case/gaskets (for 2065X metal gear, waterproof, sub-micro servo) Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof (#2262 external BEC and #8247X metal servo horn recommended for optimal performance) Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof (#2262 external BEC and #8247X metal servo horn recommended for optimal performance) Servo, digital high-torque, metal gear (ball bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof Servo, sub-micro, waterproof, metal gear	8266X 8266A 8266A 8266G 8266R 8264 8274 5475 8261 8262 8263 8263T 8260X 8260A 8260G 8260G 8292 8286 8254 8249 8042 8043 8044 8041	Body, GTS shock (aluminum, silver-anodized) (1) Body, GTS shock (hard-anodized, PTFE-coated aluminum) (1) Body, GTS shock, aluminum (blue-anodized) (1) Body, GTS shock, aluminum (green-anodized) (1) Body, GTS shock, aluminum (red-anodized) (1) Caps & spring retainers, GTS shocks (upper cap (2)/ hollow balls (4)/ bottom cap (2)/ upper retainer (2)/ lower retainer (2)) Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated) Multi-tool (plastic) Piston, damper (red) (4)/ e-clips (8) Rebuild kit, GTS shocks (x-rings, o-rings, pistons, bushings, e-clips, and rod ends) Shock shaft, 3x47mm (GTS) (2) Shocks shaft, 3x47mm (GTS) (2) Shocks, GTS hard-anodized, PTFE-coated aluminum bodies with TiN shafts (assembled with spring retainers) (2) Shocks, GTS, aluminum (blue-anodized) (assembled with spring retainers) (2) Shocks, GTS, aluminum (green-anodized) (assembled with spring retainers) (2) Shocks, GTS, silver aluminum (assembled with spring retainers) (2) Shocks, GTS, silver aluminum (assembled with spring retainers) (2) Shocks, GTS, silver aluminum (assembled with spring retainers) (2) Shocks, GTS, silver aluminum (assembled with spring retainers) (2) Shocks, GTS, silver aluminum (assembled with spring retainers) (2) Shocks, GTS, silver aluminum (assembled with spring retainers) (2) Shocks, GTS, silver aluminum (assembled with spring retainers) (2) Shocks, GTS, silver aluminum (assembled with spring retainers) (2) Shocks, GTS, silver aluminum (assembled with spring retainers) (2) Shocks, GTS, silver aluminum (assembled with spring retainers) (2) Spring washers (4), metal washer (1)) Slipper eliminator plate Springs, shock (natural finish) (GTS) (0.30 rate, white stripe) (2) Springs, shock (natural finish) (GTS) (0.39 rate, orange stripe) (2) Springs, shock (natural finish) (GTS) (0.45 rate) (2)

	Spur Gears & Pinion Gears		Team Traxxas Items
746	Gear, 10-T pinion (32-p) (steel) (fits 3mm shaft)/ set screw	2514	Decal sheet, racing sponsors
47	Gear, 11-T pinion (32-p) (steel) (fits 3mm shaft)/ set screw	6160X	DVD, Maxx® Power! Full Throttle Action (sleeve)
42X	Gear, 12-T pinion (32-p), heavy duty (machined, hardened steel)	9950	Official Team Traxxas® racing decal set (flag logo/ 6-color)
	(fits 3mm shaft)/ set screw	9909	Traxxas® racing banner, red & black (3x7 feet)
43X	Gear, 13-T pinion (32-p), heavy duty (machined, hardened steel)		Tires & Wheels
	(fits 3mm shaft)/ set screw	04607	
14X	Gear, 14-T pinion (32-p), heavy duty (machined, hardened steel)	8169T	Beadlock rings, black (1.9") (aluminum) (4)/ 2x10 CS (48)
	(fits 3mm shaft)/ set screw	8168T	Beadlock rings, black (2.2") (aluminum) (4)/ 2x10 CS (48)
15X	Gear, 15-T pinion (32-p), heavy duty (machined, hardened steel)	8169X	Beadlock rings, blue (1.9") (aluminum) (4)/ 2x10 CS (48)
	(fits 3mm shaft)/ set screw	8168X	Beadlock rings, blue (2.2") (aluminum) (4)/ 2x10 CS (48)
16X	Gear, 16-T pinion (32-p), heavy duty (machined, hardened steel)	8169G	Beadlock rings, green (1.9") (aluminum) (4)/ 2x10 CS (48)
	(fits 3mm shaft)/ set screw	8168G	Beadlock rings, green (2.2") (aluminum) (4)/ 2x10 CS (48)
47X	Gear, 17-T pinion (32-p), heavy duty (machined, hardened steel)	8169R	Beadlock rings, red (1.9") (aluminum) (4)/ 2x10 CS (48)
	(fits 3mm shaft)/ set screw	8168R	Beadlock rings, red (2.2") (aluminum) (4)/ 2x10 CS (48)
48X	Gear, 18-T pinion (32-p), heavy duty (machined, hardened steel)	8169	Beadlock rings, satin (1.9") (aluminum) (4)/ 2x10 CS (48)
	(fits 3mm shaft)/ set screw	8168	Beadlock rings, satin (2.2") (aluminum) (4)/ 2x10 CS (48)
19X	Gear, 19-T pinion (32-p), heavy duty (machined, hardened steel)	1747R	Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4)
	(fits 3mm shaft)/ set screw	1747G	Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4
0X	Gear, 20-T pinion (32-p), heavy duty (machined, hardened steel)	1747T	Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (
	(fits 3mm shaft)/ set screw	1747P	Nuts, aluminum, flanged, serrated (4mm) (pink-anodized) (4)
51X	Gear, 21-T pinion (32-p), heavy duty (machined, hardened steel)	1747A	Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4)
	(fits 3mm shaft)/ set screw	8174	Tires and wheels, assembled (Method 105 1.9" black chrome
52X	Gear, 22-T pinion (32-p), heavy duty (machined, hardened steel)		beadlock wheels, Canyon Trail 4.6x1.9" tires, foam inserts) (1
	(fits 3mm shaft)/ set screw		left, 1 right)
45	Gear, 9-T pinion (32-p) (steel) (fits 3mm shaft)/ set screw	8172	Tires and wheels, assembled (Method 105 2.2" black chrome
52	Spur gear, 39-tooth (32-pitch)		beadlock wheels, Canyon Trail 5.3x2.2" tires, foam inserts) (1
53	Spur gear, 45-tooth (32-pitch)		left, 1 right) (for use with TRX-4 Long Arm Lift Kit)
	Steering Components	8166X	Tires and wheels, assembled, glued (1.9" chrome wheels,
22			Canyon Trail 4.6x1.9" tires) (4)/ center caps (4)/ decal sheet
32 22 V	Caster blocks (portal drive), left & right/ kingpin bushings (4)		(requires #8255A extended thread stub axle)
32X	Caster blocks, 6061-T6 aluminum (blue-anodized), left and right	8166	Tires and wheels, assembled, glued (1.9" chrome wheels,
32A	Caster blocks, 6061-T6 aluminum (charcoal gray-anodized), left		Canyon Trail 4.6x1.9" tires) (2)/ center caps (2)/ decal sheet
	and right		(requires #8255A extended thread stub axle)
32G	Caster blocks, 6061-T6 aluminum (green-anodized), left and right	8183X	Tires and wheels, assembled, glued (1.9" classic chrome who
32R	Caster blocks, 6061-T6 aluminum (red-anodized), left and right		Canyon Trail 4.6x1.9" tires) (4)/ center caps (4) (requires #825
72X	Gear set, metal (for 2070, 2075 servos)		extended thread stub axle)
72R	Gear set, metal, high speed (for 2070, 2075 servos)	8182	Tires and wheels, assembled, glued (Method 105 1.9" black
74	Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated)		chrome, blue beadlock style wheels, Canyon Trail 4.6x1.9" tir
55	Hollow ball, tall centered (2)/ tall offset hollow ball (2)/ bump steer		foam inserts) (1 left, 1 right)
	adjustment shims; 3.5mm (2), 1.17mm (2)	8273	Tires and wheels, assembled, glued (Tactical 1.9" wheels,
75	Rod end set, complete (standard (10), angled 10-degrees (8), offset		Canyon Trail 4.6x1.9" tires) (2)
	(4))	8272X	Tires and wheels, assembled, glued (TRX-4® 1.9" satin beadle
76	Rod ends (10)		wheels, Canyon Trail 4.6x1.9" tires) (2)
77	Rod ends, angled 10-degrees (8)	8272	Tires and wheels, assembled, glued (TRX-4® 1.9" wheels,
42	Rod ends, long (6)/ hollow ball connectors (6)		Canyon Trail 4.6x1.9" tires) (2)
78	Rod ends, offset (4)	8179	Tires and wheels, assembled, glued (TRX-4® Sport 1.9" wheels,
47X	Servo horn, steering, metal/ 3x14 BCS (1)		Canyon Trail 4.6x1.9" tires) (2)
75R	Servo, digital high-speed, metal gear (ball bearing), waterproof	8181	Tires and wheels, assembled, glued (TRX-4® Sport 2.2" whee
50	Servo, digital high-torque 330 coreless, metal gear (ball bearing),		Canyon Trail 5.3x2.2" tires) (2) (for use with TRX-4 Long Arm
	waterproof		Kit)
55	Servo, digital high-torque 400 brushless, metal gear (ball	8270	Tires, Canyon Trail 4.6x1.9" (S1 compound)/ foam inserts (2)
	bearing), waterproof	8170	Tires, Canyon Trail 5.3x2.2"/ foam inserts (2) (for use with TR
75X	Servo, digital high-torque, metal gear (ball bearing), waterproof		Long-Arm Lift Kit)
29	Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls,	8269	Wheel hubs, 12mm hex (2)/ stub axle pins (2) (steel)
	captured (4)	8269X	Wheel hubs, 12mm hex, 6061-T6 aluminum (blue-anodized) (4
46	Steering link, 5x60mm (1)/ draglink, 5x117mm (1) (steel)		screw pin (4)
13	Suspension link, front, 5x100mm (lower) (steel) (2)	8269A	Wheel hubs, 12mm hex, 6061-T6 aluminum (charcoal gray-
14	Suspension link, front, 5x63mm (upper) (steel) (2)		anodized) (4)/ screw pin (4)
15	Suspension link, rear, 5x121mm (upper or lower) (steel) (2)	8269G	Wheel hubs, 12mm hex, 6061-T6 aluminum (green-anodized)
			screw pin (4)
	Suspension Linkage	8269R	Wheel hubs, 12mm hex, 6061-T6 aluminum (red-anodized) (4)
58	Chassis conversion kit, TRX-4® (long to short wheelbase)		screw pin (4)
	(includes rear upper & lower suspension links, front & rear inner	8173	Wheels, Method 105 1.9" (black chrome, beadlock) (beadlock
	fenders, short female half shaft, battery tray, 3x8mm FCS (4))		rings sold separately)
57	Chassis conversion kit, TRX-4® (short to long wheelbase)	8173A	Wheels, Method 105 1.9" (charcoal gray, beadlock) (beadlock
	(includes rear upper & lower suspension links, front & rear		rings sold separately)
	shock towers, long female half shaft)	8171	Wheels, Method 105 2.2" (black chrome, beadlock) (beadlock
74	Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated)		rings sold separately) (for use with TRX-4 Long Arm Lift Kit)
55	Hollow ball, tall centered (2)/ tall offset hollow ball (2)/ bump steer	8171A	Wheels, Method 105 2.2" (charcoal gray, beadlock) (beadlock
	adjustment shims; 3.5mm (2), 1.17mm (2)		rings sold separately) (for use with TRX-4 Long Arm Lift Kit)
75	Rod end set, complete (standard (10), angled 10-degrees (8), offset	8268	Wheels, Tactical 1.9 (2)
	(4))	8271	Wheels, TRX-4® 1.9 (2)
76	Rod ends (10)	8271X	Wheels, TRX-4® 1.9 (satin beadlock) (2)
77	Rod ends, angled 10-degrees (8)	8178	Wheels, TRX-4® Sport 1.9 (2)
12	Rod ends, long (6)/ hollow ball connectors (6)	8180	Wheels, TRX-4 Sport 2.2 (2) (for use with TRX-4 Long Arm Lif
78	Rod ends, offset (4)		Kit)
29	Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls,		
-0	captured (4)		Transmission Components
13	Suspension link, front, 5x100mm (lower) (steel) (2)	8283	Cable, T-lock (front)
	. , , , , , , , , , , , , , , , , , , ,	8284	Cable, T-lock (rear)
1.4	Suspension link front Synamm Junner Jeteon 77		
14 18	Suspension link, front, 5x63mm (upper) (steel) (2) Suspension link, rear, 5x109mm (upper or lower) (steel) (2)	8289	Drive hub, 2-speed/ shift dog/ shift fork/ 2-speed linkage

Page 7 TRX-4® Sport Unassembled Kit (Model 82010-4) Parts List

Page 7	TRX-4® Sport Unassembled Kit (Model 82010-4) Pa
8293X	Gear set, transmission, metal (includes 18T, 30T input gears, 36T output gear, 2x9.8 pins (5))
8291	Gearbox housing (includes main housing, front housing, & cover)
8285	Gears, transfer case (3)
5041	Grease, premium high performance (20cc)
8292	Input shaft/ output shaft (transmission)
8290X 8290A	Motor mount plate, 6061-T6 aluminum (blue-anodized) Motor mount plate, 6061-T6 aluminum (charcoal gray-anodized)
8290G	Motor mount plate, 6061-T6 aluminum (green-anodized)
8290R	Motor mount plate, 6061-T6 aluminum (gred-anodized)
8295	Output drive, transmission or differential (pin retainer (1)/ drive cup
	(1)/ drive ball (1)/ drive pin (1)/ 3x11 screw pin (1)/ cross pin (black)
0004	(1) 3x6 BCS with threadlock (1))
8294 8286	Output gear, high range, 24T (metal) Output shafts (transfer case), front & rear
8290	Plate, motor/ upper spur gear cover
8249	Slipper eliminator plate
8296	Transmission gears, single speed, metal
8196	Two speed conversion kit
	Traxxas Tools
3433X	Body reamer (aluminum handle)
3433	Body reamer (plastic handle)
3436	Cap, body reamer
3432	Scissors, curved tip
3431	Scissors, straight tip
8712	Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight:
	1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm,
	and 8.0mm), 1/4" drive
8721	Speed bit handle, medium (one piece)
8720	Speed bit handle, premium, large (rubber overmold)
8722 8710	Speed bit handle, premium, medium (rubber overmold) Speed Bit Master Set, hex and nut driver, 13-piece, includes
0710	premium handle (medium), travel pouch, hex drivers (straight:
	1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm,
	3.0mm), and nut drivers (4.00mm, 4.50mm, 5.00mm, 5.50mm,
8711	7.00mm, 8.00mm), Speed Bit Master Set, hex driver, 7-piece straight and ball end,
• • • • • • • • • • • • • • • • • • • •	includes premium handle (medium), travel pouch, hex drivers
	(straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm,
0740	2.5mm, 3.0mm), 1/4" drive
8719	Speed Bit Master Set, nut driver, 6-piece, includes premium handle (medium), travel pouch, and nut drivers (4.0mm, 4.5mm,
	5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive
8716	Speed Bit Set, hex driver, 2-piece ball-end (2.0mm, 2.5mm), 1/4"
8716X	drive Speed Bit Set, hex driver, 3-piece ball-end (2.0mm, 2.5mm,
07 107	3.0mm), 1/4" drive
8715	Speed Bit Set, hex driver, 3-piece straight (1.5mm, 2.0mm,
	2.5mm), 1/4" drive
8715X	Speed Bit Set, hex driver, 4-piece straight (1.5mm, 2.0mm, 2.5mm, 3.0mm), 1/4" drive
2748R	Tool set (includes 1.5mm hex wrench / 2.0mm hex wrench /
	2.5mm hex wrench/ 4-way wrench/ 8mm & 4mm wrench/ U-joint
	wrench)
3415	Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm, 3.5mm, 4mm drivers/ 4mm, 5mm, 5.5mm, 7mm and 8mm nut
	drivers/ 2mm, 4mm, and 5mm slotted screwdrivers/ #00 Phillips,
	#0 Phillips, and #1 Phillips screwdrivers/ 4mm and 8mm wrench/
	driver handle
	TRX-4® Traxx®
8889	Bearing retainers, inner (2), outer (2)
8890	Drive wheel (1)
8885	Shock mounts (frame, left (2), frame, right (2))/ portal mounts (1
8888	each, front (left & right), rear (left & right)) Spring (4)
8887	Stub axle (1)
8886	Stub axle nut (4)
8891	Tension wheels (6)/ road wheels (4)
8881	Traxx®, front, left (assembled) (requires #8887 stub axle, #7061
0002	GTR shock, & #8878 or #8895 rubber track) Traxx®, front, right (assembled) (requires #8887 stub axle, #7061
8882	GTR shock, & #8878 or #8895 rubber track)
8883	Traxx®, rear, left (assembled) (requires #8887 stub axle, #7061
	GTR shock, & #8879 or #8896 rubber track)
8884	Traxx®, rear, right (assembled) (requires #8887 stub axle, #7061
8880	GTR shock, & #8879 or #8896 rubber track) Traxx®, TRX-4® (4) (complete set, front & rear)
8895	Treads, All-Terrain, TRX-4® Traxx® (front, left or right) (rubber)
	(1)
8896	Treads, All-Terrain, TRX-4® Traxx® (rear, left or right) (rubber)
	(1)

If you have questions or need technical assistance, call Traxxas at:

1-888-TRAXXAS

(1-888-872-9927) (U.S. residents only)

For orders, calls outside the U.S., and other information, call 972-549-3000, or fax to 972-549-3011 e-mail Traxxas at support@Traxxas.com

TRAXXAS.CDM