



Slash (Model 58024) Parts List

Parts shown in bold are optional accessories. Part categories and individual part listings are arranged alphabetically.

Bearings & Bushings

- 5116 Ball bearings, blue rubber sealed (5x11x4mm) (2)
- 5114 Ball bearings, blue rubber shield (5x8x2.5mm) (2)**
- 2545 Bushings (plastic) (5x8x2.5mm) (4)
- 1985 PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings)

Body & Accessories

- 1926 Antenna caps, vinyl (2)/ antenna spool**
- 1726 Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
- 3935 Body clip (mounting clip), angled, 90-degrees (10)
- 3935A Body clip (mounting clip), angled, 90-degrees (black) (10)**
- 3934 Body clips, heavy duty (12)
- 1914R Body mount, front & rear (black)/ body posts, 52mm (2), 38mm (2), 25mm (2), 6.5mm (2)/ body post extensions (4)/ hardware
- 1815 Body washers (8)
- 6716 Body Washers, Foam, 2mm/3mm/4mm**
- 5851X Body, Slash® 2WD (also fits Slash® VXL & Slash® 4X4), blue (painted, decals applied)**
- 5851G Body, Slash® 2WD (also fits Slash® VXL & Slash® 4X4), green & blue (painted, decals applied)**
- 5851T Body, Slash® 2WD (also fits Slash® VXL & Slash® 4X4), orange & blue (painted, decals applied)**
- 5851P Body, Slash® 2WD (also fits Slash® VXL & Slash® 4X4), pink & purple (painted, decals applied)**
- 5851R Body, Slash® 2WD (also fits Slash® VXL & Slash® 4X4), red & blue (painted, decals applied)**
- 5851 Body, Slash® 2WD (also fits Slash® VXL & Slash® 4X4), red (painted, decals applied)**
- 5851L Body, Slash® 2WD, ProGraphix® (graphics are printed, requires paint & final color application)/ decal sheet**
- 6928G Body, Slash® 4X4 (also fits Slash® VXL & Slash® 2WD), green & blue (painted, decals applied)**
- 6928T Body, Slash® 4X4 (also fits Slash® VXL & Slash® 2WD), orange & blue (painted, decals applied)**
- 6928R Body, Slash® 4X4 (also fits Slash® VXL & Slash® 2WD), red & blue (painted, decals applied)**
- 6811 Body, Slash® 4X4 (clear, requires painting)/ window masks/ decal sheet**
- 6811R Body, Slash® 4X4, heavy duty (clear, requires painting)/ window masks/ decal sheet**
- 5850X Body, Slash® 4X4, orange (painted, decals applied)**
- 6811X Body, Slash® 4X4, ProGraphix® (Graphics are printed, requires paint & final color application) decal sheet
- 6849 Body, Slash® 4X4/Slash®, Fox Edition (painted, decals applied)**
- 2514 Decal sheet, racing sponsors
- 5813 Decal Sheet, Slash
- 9950 Official Team Traxxas® racing decal set(flag logo/ 6-color)
- 5846 Paint masks, body**

Chassis & Attachments

- 5526 Antenna crimp nut, aluminum (blue-anodized)/ antenna nut tool
- 5526R Antenna crimp nut, aluminum (red-anodized)/ antenna nut tool**
- 9463X Axle, wheelie bar, 6061-T6 aluminum (blue-anodized) (1)/ 3x12 BCS (with threadlock) (2)**
- 9463 Axle, wheelie bar, 6061-T6 aluminum (gray-anodized) (1)/ 3x12 BCS (with threadlock) (2)**
- 9463G Axle, wheelie bar, 6061-T6 aluminum (green-anodized) (1)/ 3x12 BCS (with threadlock) (2)**
- 9463A Axle, wheelie bar, 6061-T6 aluminum (orange-anodized) (1)/ 3x12 BCS (with threadlock) (2)**
- 9463P Axle, wheelie bar, 6061-T6 aluminum (pink-anodized) (1)/ 3x12 BCS (with threadlock) (2)**
- 9463R Axle, wheelie bar, 6061-T6 aluminum (red-anodized) (1)/ 3x12 BCS (with threadlock) (2)**
- 1914R Body mount, front & rear (black)/ body posts, 52mm (2), 38mm (2), 25mm (2), 6.5mm (2)/ body post extensions (4)/ hardware
- 5624 Box, receiver (sealed)/ foam pad/ silicone grease/ 3x8mm BCS (2)/ 2.5x8mm CS (2) 3x6mm BCS (2)
- 5835X Bumper, front/ bumper mount (fits 2WD Slash®) (for LED light kit installation)**
- 5835 Bumper, front/ bumper mount, front (black)
- 5835P Bumper, front/ bumper mount, front (pink)**
- 5838 Bumper, rear/ bumper mount (fits 2WD Slash®) (for LED light kit installation)**
- 5836 Bumper, rear/ bumper mount, rear (black)
- 5836P Bumper, rear/ bumper mount, rear (pink)**
- 5830 Chassis conversion kit, low CG (Slash®)**

- 5832 Chassis, low CG (black)**
- 5832A Chassis, low CG (blue)**
- 5832G Chassis, low CG (grey)**
- 5822 Chassis, Slash
- 5822A Chassis, Slash (black)**
- 5827 Hold down, battery/ hold down retainer/ battery post/ foam spacer/ angled body clip
- 5827X Hold down, battery/ hold down retainer/ battery post/ foam spacer/ angled body clip (allows for installation of taller, multi-cell batteries)**
- 5831 Lower chassis, low CG (black)**
- 5831A Lower chassis, low CG (blue)**
- 5831G Lower chassis, low CG (grey)**
- 5823 Nerf bars, chassis (black)
- 5833 Nerf bars, low CG (black)**
- 5833A Nerf bars, low CG (blue)**
- 5833G Nerf bars, low CG (grey)**
- 5625 Seal kit, receiver box (includes o-ring, seals, and silicone grease)
- 9462X Side plates, wheelie bar, blue (aluminum) (2)**
- 9462 Side plates, wheelie bar, charcoal gray (aluminum) (2)**
- 9462G Side plates, wheelie bar, green (aluminum) (2)**
- 9462A Side plates, wheelie bar, orange (aluminum) (2)**
- 9462P Side plates, wheelie bar, pink (aluminum) (2)**
- 9462R Side plates, wheelie bar, red (aluminum) (2)**
- 5837 Skidplates, front & rear (black)
- 5185 Tires, rubber (2) (fits Traxxas® wheelie bar wheels)**
- 4974 Wheelie Bar arm (1)/ connector (1)/ 3x12 SS (hex drive) (4)**
- 3677X Wheelie bar mount (1) / hardware (blue)**
- 3677A Wheelie bar mount (1) / hardware (green)**
- 3677P Wheelie bar mount (1) / hardware (pink)**
- 3677 Wheelie bar mount (1)/ hardware (Stampede®, Rustler®, Bandit series)
- 9464 Wheelie bar mount (heavy duty)**
- 3678 Wheelie bar, assembled (black) (fits Slash®, Stampede®, Rustler®, Bandit® series)**
- 3678X Wheelie bar, assembled (blue) (fits Stampede®, Rustler®, Bandit series)**
- 3678A Wheelie bar, assembled (green) (fits Slash®, Stampede®, Rustler®, Bandit® series)**
- 3678T Wheelie bar, assembled (orange) (fits Slash®, Stampede®, Rustler®, Bandit® series)**
- 3678P Wheelie bar, assembled (pink) (fits Slash®, Stampede®, Rustler®, Bandit series)**
- 3678R Wheelie bar, assembled (red) (fits Slash®, Stampede®, Rustler®, Bandit® series)**
- 9460 Wheelie bar, black (assembled)/ wheelie bar mount**
- 9460X Wheelie bar, black chrome (assembled)/ wheelie bar mount**
- 4976 Wheels (4)/ Axles (2), for Maxx® Wheelie Bar**
- 5186A Wheels, aluminum (blue-anodized) (2)/ 5x8mm ball bearings (4)/ axles (2)/ rubber tires (2)**
- 5186 Wheels, aluminum (red-anodized) (2)/ 5x8mm ball bearings (4)/ axles (2)/ rubber tires (2)**
- 9461X Wheels, wheelie bar, 6061-T6 aluminum (blue-anodized) (2)/ 5x8x2.5mm ball bearings (4)/ o-rings (2)/ 5x8x0.3mm TW (2)**
- 9461T Wheels, wheelie bar, 6061-T6 aluminum (gray-anodized) (2)/ 5x8x2.5mm ball bearings (4)/ o-rings (2)/ 5x8x0.3mm TW (2)**
- 9461G Wheels, wheelie bar, 6061-T6 aluminum (green-anodized) (2)/ 5x8x2.5mm ball bearings (4)/ o-rings (2)/ 5x8x0.3mm TW (2)**
- 9461A Wheels, wheelie bar, 6061-T6 aluminum (orange-anodized) (2)/ 5x8x2.5mm ball bearings (4)/ o-rings (2)/ 5x8x0.3mm TW (2)**
- 9461P Wheels, wheelie bar, 6061-T6 aluminum (pink-anodized) (2)/ 5x8x2.5mm ball bearings (4)/ o-rings (2)/ 5x8x0.3mm TW (2)**
- 9461R Wheels, wheelie bar, 6061-T6 aluminum (red-anodized) (2)/ 5x8x2.5mm ball bearings (4)/ o-rings (2)/ 5x8x0.3mm TW (2)**
- 9461 Wheels, wheelie bar, black (26mm (2), 18mm (2))**

Differential Components

- 2380 Differential, complete (fits 1/10-scale 2WD Rustler®, Bandit, Stampede®, Slash®)**
- 2381X Main diff with steel ring gear/ side cover plate/ screws (Bandit, Stampede®, Rustler®)
- 2382 Planet gears (4)/ planet shafts (4)/ sun gears (2)/sun gear alignment shaft (1) all hardened steel
- 2388X Planetary gear differential with steel ring gear (complete) (fits Bandit, Stampede®, Rustler®)
- 5169 Screws, 2.6x8mm countersunk machine (6) (EZ Start 2 motor)
- 1647 Silicone Grease

Driveline Components

5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)
9059X	Cross pin (2)/ drive pin (2) (repairs 1 axle shaft)
9057X	Differential output shafts, steel-splined constant-velocity (2)
4628R	Differential output yokes, black (2)/ 3x5mm countersunk screws (2)/ screw pin (2)
4628X	Differential output yokes, hardened steel (w/ U-joints) (2)
6828X	Differential output yokes, heavy duty (2)/ screw pin (2)
6852A	Driveshaft assembly, rear, extreme heavy duty (1) (left or right) (fully assembled, ready to install)/ screw pin (1)
6852X	Driveshaft assembly, rear, heavy duty (1) (left or right) (fully assembled, ready to install)/ screw pin (1)
9052X	Driveshafts, rear, steel-spline constant-velocity (complete assembly) (2)
6852R	Driveshafts, rear, steel-spline constant-velocity (complete assembly) (2)
1953	Half shaft pro-pack (internal-splined (6)/ external-splined (6) (plastic shafts only)
9055X	Half shaft, external splined (steel-spline constant velocity) (1)
9056X	Half shaft, internal splined (steel-spline constant velocity) (1)
6850X	Half shafts, heavy duty (external splined (2)/ internal splined (2))/ metal u-joints (4)
1951	Half shafts, long truck (external-splined (2) & internal-splined (2)/ metal U-joints (4)
9058X	Rebuild kit, steel-splined constant-velocity driveshafts (includes pins and hardware for one axle shaft)
3752	Stub axle carriers (2) (requires 5x11x4mm bearings)
3652A	Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (blue-anodized)/ 5x11mm ball bearings (4)
3652G	Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (green-anodized)/ 5x11mm ball bearings (4)
3652T	Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (orange-anodized)/ 5x11mm ball bearings (4)
3652P	Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (pink-anodized)/ 5x11mm ball bearings (4)
3652X	Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (red-anodized)/ 5x11mm ball bearings (4)
2754	Stub axle pins (4)
9053X	Stub axle, rear, steel-splined constant velocity (1)
2753X	Stub axles, rear (2)
6853X	Stub axles, rear, heavy duty (2)/pins (2)

Front Suspension & Steering

3637	Axles (front) (2)
5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)
2530	Bulkhead (front) (black)
2530A	Bulkhead (front) (grey)
2545	Bushings (plastic) (5x8x2.5mm) (4)
3632	Caster blocks (l&r) (30-degree)
3632A	Caster blocks, 30-degree, blue-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2)
3632G	Caster blocks, 30-degree, green-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2)
3632T	Caster blocks, 30-degree, orange-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2)
3632P	Caster blocks, 30-degree, pink-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2)
3632X	Caster blocks, 30-degree, red-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2)
5347	Rod ends, Revo® (large) with hollow balls (12)
3646	Screws, 3x15mm flat-head machine (hex drive) (6)
3744	Servo saver w/ adapters
3639	Shock tower (front)
3743	Steering bellcranks (l&r) draglink
3743A	Steering bellcranks, drag link (blue-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled)
3743G	Steering bellcranks, drag link (green-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled)
3743T	Steering bellcranks, drag link (orange-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled)
3743P	Steering bellcranks, drag link (pink-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled)
3743X	Steering bellcranks, drag link (red-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled)
6845X	Steering bellcranks/ servo saver/ servo saver spring/ servo spring retainer/servo horn, steering
3736	Steering blocks, left & right (2) (requires 5x11x4mm bearings)
3636A	Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (blue-anodized)/ 5x11mm ball bearings (4)
3636G	Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (green-anodized)/ 5x11mm ball bearings (4)
3636T	Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (orange-anodized)/ 5x11mm ball bearings (4)

3636P	Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (pink-anodized)/ 5x11mm ball bearings (4)
3636X	Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (red-anodized)/ 5x11mm ball bearings (4)
3631	Suspension arms (front) (2)
3631X	Suspension arms, black, front, heavy duty (2)
3631A	Suspension arms, blue, front, heavy duty (2)
3631G	Suspension arms, green, front, heavy duty (2)
3631T	Suspension arms, orange, front, heavy duty (2)
3631R	Suspension arms, red, front, heavy duty (2)
2640	Suspension pins, 44mm (2) w/ E-clips
3640	Suspension screw pin set, steel (hex drive) (requires part # 2640 for a complete suspension pin set) (Rustler®, Stampede®, Bandit)
2532	Tie bar, fiberglass
1935	Turnbuckles, 36mm (2)
3139A	Turnbuckles, aluminum (blue-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)
3139G	Turnbuckles, aluminum (green-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)
3139T	Turnbuckles, aluminum (orange-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)
3139P	Turnbuckles, aluminum (pink-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)
3139X	Turnbuckles, aluminum (red-anodized), toe links, 59mm (2) (assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477)
3644	Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) (fits front & rear on Slash)
3745	Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls)

Hardware

1926	Antenna caps, vinyl (2)/ antenna spool
1726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
3935	Body clip (mounting clip), angled, 90-degrees (10)
3935A	Body clip (mounting clip), angled, 90-degrees (black) (10)
3934	Body clips, heavy duty (12)
4859	CS 3x10 flathead (hex drive)
1589	Double-sided adhesive tape (25mm x 25mm)
1633	E-clips/ C-rings
2745	Nuts, 3mm nylon locking (12)
1747P	Nuts, 4mm flanged nylon locking (aluminum, pink anodized) (4)
3647	Nuts, 4mm flanged nylon locking (steel, serrated) (8)
1747	Nuts, 4mm nylon locking (10)
1747R	Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4)
1747G	Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4)
1747T	Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4)
1747A	Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4)
1985	PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings)
5525	Rod ends (12)/ hollow balls (12)
5347	Rod ends, Revo® (large) with hollow balls (12)
2742X	Rod ends, short (6)/ hollow balls (6)
3215	Screws, 2.5x6mm cap-head machine (hex drive) (6)
3965	Screws, 2.5x8mm cap-head machine (6)
2577	Screws, 3x10mm button-head machine (hex drive) (6)
2578	Screws, 3x12mm button-head machine (hex drive) (6)
2552	Screws, 3x12mm countersunk machine (6) (hex drive)
2579	Screws, 3x15mm button-head machine (hex drive) (6)
2586	Screws, 3x15mm cap-head machine (hex drive) (6)
3646	Screws, 3x15mm flat-head machine (hex drive) (6)
2583	Screws, 3x18 button-head machine (hex drive) (6)
2580	Screws, 3x20mm button-head machine (hex drive) (6)
2591	Screws, 3x23mm button-head machine (hex drive) (6)
2582	Screws, 3x30mm button-head machine (hex drive) (6)
2592	Screws, 3x40mm button-head machine (hex drive) (6)
2575	Screws, 3x6mm button-head machine (hex drive) (6)
3932	Screws, 3x6mm flat-head machine (hex drive) (6)
2576	Screws, 3x8mm button-head machine (hex drive) (6)
3931	Screws, 3x8mm flat-head machine (hex drive) (6)
3937	Screws, 4x12mm button-head machine (hex drive) (6)
2542	Screws, 4x12mm countersunk machine (hex drive) (6)
2546	Screws, 4x15mm countersunk machine (hex drive) (6)
2743	Set (grub) screws, 3mm hardened (12)
5529	Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls, captured (4)
3742	Shoulder screws, steering bellcranks (3x30mm cap-head machine) (2)/ draglink shoulder screws (chrome) (2)

Page 3 Slash: TQ™ 2.4GHz Radio (Model 58024) Parts List

3642X	Shoulder screws, Ultra Shocks (3x12 hex drive) (6)
2754	Stub axle pins (4)
2746	Washers, 3x6mm metal (12)

LED Lights

3690	LED light bar, front (assembled)/ 3x8 BCS (2)/ 2.5x8 BCS (2) (requires front bumper #5835X for 2WD Slash®, #3635 for 2WD Stampede®, #3630 for 2WD Bigfoot® No. 1, #6835X for 4WD Slash®, or #6735 for 4WD Stampede®)
5893	LED light harness, rear (requires #5838, 6737X, or 6836 rear bumper)
5894	LED light set, complete (includes front and rear bumpers with LED light bar, rear LED harness, & BEC Y-harness) (fits 2WD Slash®)
2263	Y-harness, BEC to LED light set

Motors & Electronics

1726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
2260	BEC assembly (complete) (12.6 volts (3s LiPo) maximum input voltage)
3790	Gear adapter, fixed
2072A	Gear set (for 2070, 2075 servos)
2252	Gear set, metal (for 2250, 2255 servos)
2272	Gear set, metal (for 2270 waterproof servo)
3785	Motor, Titan® 12T (12-Turn, 550 size)
3351R	Motor, Velineon® 3500, brushless (assembled with 12-gauge wire and gold-plated bullet connectors)
3931	Screws, 3x8mm flat-head machine (hex drive) (6)
2254	Servo case, aluminum (middle) (blue-anodized) (for 2250 servo)
2253	Servo case, aluminum (middle) (red-anodized) (for 2255 servo)
2251	Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos)
2271	Servo case/ gaskets (for 2270 waterproof servo)
2074	Servo case/gaskets (for 2056 and 2075 waterproof servos)
2075R	Servo, digital high-speed, metal gear (ball bearing), waterproof
2075	Servo, digital high-torque (ball bearing), waterproof
2250	Servo, digital high-torque 300 coreless, metal gear (ball bearing), waterproof
2255	Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof
2075X	Servo, digital high-torque, metal gear (ball bearing), waterproof
2270	Servo, digital high-torque, metal gear (ball bearing), waterproof
3350R	Velineon® VXL-3s Brushless Power System, waterproof (includes VXL-3s waterproof ESC, Velineon® 3500 motor, and speed control mounting plate (part #3725))
3355R	VXL-3s Waterproof Electronic Speed Control (brushless) (fwd/rev/brake)
3018R	XL-5 Electronic Speed Control, waterproof (land version, low-voltage detection, fwd/rev/brake)

Radio System, Batteries & Chargers

2842X	5000mah 7.4v 2-Cell 25C LiPo Battery
2843X	5800mah 7.4v 2-Cell 25C LiPo Battery
2869X	7600mah 7.4v 2-Cell 25C LiPo Battery
5526	Antenna crimp nut, aluminum (blue-anodized)/ antenna nut tool
5526R	Antenna crimp nut, aluminum (red-anodized)/ antenna nut tool
2943	Battery charge indicators, green (4), grey (4), blue (4)
6548	Battery door, TQ 2.4 transmitter (replacement for #6516, 6517 transmitter)
2923X	Battery, Power Cell, 3000mAh (NiMH, 7-C flat, 8.4V)
2926X	Battery, Power Cell, 3000mAh (NiMH, 7-C hump, 8.4V)
2940X	Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C flat, 8.4V)
2941X	Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C hump, 8.4V)
2950X	Battery, Series 4 Power Cell, 4200mAh (NiMH, 7-C flat, 8.4V)
2951X	Battery, Series 4 Power Cell, 4200mAh (NiMH, 7-C hump, 8.4V)
2960X	Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C flat, 8.4V)
2961X	Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C hump, 8.4V)
2983	Battery/charger completer pack (includes #2969 2-amp NiMH peak detecting AC charger (1), #2923X 3000mAh 8.4V 7-cell NiMH iD® battery (1))
2260	BEC assembly (complete) (12.6 volts (3s LiPo) maximum input voltage)
2975	Charger, D/C, 4 amp (6 - 7 cell, 7.2 - 8.4 volt, NiMH)
2972	Charger, EZ-Peak Dual, 100W, NiMH/LiPo with iD Auto Battery Identification
2973	Charger, EZ-Peak Live Dual, 200W, NiMH/LiPo with iD Auto Battery Identification
2970	Charger, EZ-Peak Plus, 4 amp, NiMH/LiPo with iD Auto Battery Identification
2971	Charger, EZ-Peak® Live, 100W, NiMH/LiPo with iD® Auto Battery Identification
2981	Charger, EZ-Peak® Plus 4s, 8 amp, NiMH/LiPo with iD® Auto Battery Identification
2978	Fuse, D/C charger, 5A (2) (for #2974, 2975, 2977)

2072A	Gear set (for 2070, 2075 servos)
2252	Gear set, metal (for 2250, 2255 servos)
2272	Gear set, metal (for 2270 waterproof servo)
2968X	LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® iD® batteries)
2968	LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries)
6554X	Mount, telemetry expander (fits Rustler®, Bandit, Slash 2WD)
6535	Mount, temperature sensor (electric motors)/ wire tie/ thermal pad
6519	Receiver, micro, TQ 2.4GHz (3-channel)
6526	Sensor, auto-detectable, temperature
6527	Sensor, auto-detectable, voltage
6520	Sensor, RPM (long)/ 3x4mm BCS (1)/ 3x4 GS (1)
6521	Sensor, temperature and voltage (long)
2254	Servo case, aluminum (middle) (blue-anodized) (for 2250 servo)
2253	Servo case, aluminum (middle) (red-anodized) (for 2255 servo)
2251	Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos)
2271	Servo case/ gaskets (for 2270 waterproof servo)
2074	Servo case/gaskets (for 2056 and 2075 waterproof servos)
2075R	Servo, digital high-speed, metal gear (ball bearing), waterproof
2075	Servo, digital high-torque (ball bearing), waterproof
2250	Servo, digital high-torque 300 coreless, metal gear (ball bearing), waterproof
2255	Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof
2075X	Servo, digital high-torque, metal gear (ball bearing), waterproof
2270	Servo, digital high-torque, metal gear (ball bearing), waterproof
6553X	Telemetry Expander 2.0 and GPS module 2.0, TQi radio system
6550X	Telemetry expander 2.0, TQi radio system (for use only with #6551X GPS module)
6551X	Telemetry GPS module 2.0, TQi radio system (for use only with #6550X telemetry expander)
6538	Telemetry trigger magnet holders, spur gear/ magnet, 5x2mm (1)/ 3x8mm CCS (3)/ 3x10mm CCS (3)
6540	Telemetry trigger magnet, 5X2mm (1)
6509R	TQi 2.4 GHz High Output radio system, 2-channel, Traxxas® Link enabled, TSM® (2-ch transmitter, 5-ch micro receiver)
6507R	TQi 2.4 GHz High Output radio system, 4-channel with Traxxas® Link Bluetooth® module, TSM® (4-ch transmitter, 5-ch micro receiver)
6516	Transmitter, TQ 2.4GHz, 2-channel (transmitter only)
6528	Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 2-channel (transmitter only)
6529	Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 3-channel (transmitter only)
6530	Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 4-channel (transmitter only)
6511	Traxxas® Link Bluetooth® module
3355R	VXL-3s Waterproof Electronic Speed Control (brushless) (fwd/rev/brake)
6537	Wire retainers, gear cover/ 3x4mm BCS (2)
3018R	XL-5 Electronic Speed Control, waterproof (land version, low-voltage detection, fwd/rev/brake)

Ready-To-Race Model

58024	Slash: 1/10-Scale 2WD Short Course Racing Truck with TQ™ 2.4GHz radio system
-------	--

Rear Suspension

5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)
1951	Half shafts, long truck (external-splined (2) & internal-splined (2)/ metal U-joints (4)
3638	Shock tower (rear)
3752	Stub axle carriers (2) (requires 5x11x4mm bearings)
3652A	Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (blue-anodized)/ 5x11mm ball bearings (4)
3652G	Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (green-anodized)/ 5x11mm ball bearings (4)
3652T	Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (orange-anodized)/ 5x11mm ball bearings (4)
3652P	Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (pink-anodized)/ 5x11mm ball bearings (4)
3652X	Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (red-anodized)/ 5x11mm ball bearings (4)
2753X	Stub axles, rear (2)
2555	Suspension arms, (rear) (2)
2555X	Suspension arms, black, rear, heavy duty (2)
2555A	Suspension arms, blue, rear, heavy duty (2)
2555G	Suspension arms, green, rear, heavy duty (2)
2555T	Suspension arms, orange, rear, heavy duty (2)
2555R	Suspension arms, red, rear, heavy duty (2)

Page 4 Slash: TQ™ 2.4GHz Radio (Model 58024) Parts List

- 3640 Suspension screw pin set, steel (hex drive) (requires part # 2640 for a complete suspension pin set) (Rustler®, Stampede®, Bandit)
- 3644 Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) (fits front & rear on Slash)

Shock Oil

- 5031 Oil, shock (20 wt, 200 cSt, 60cc) (silicone)
- 5032 Oil, shock (30 wt, 350 cSt, 60cc) (silicone)
- 5033 Oil, shock (40 wt, 500 cSt, 60cc) (silicone)
- 5034 Oil, shock (50 wt, 600 cSt, 60cc) (silicone)
- 5035 Oil, shock (60 wt, 700 cSt, 60cc) (silicone)
- 5036 Oil, shock (70 wt, 900 cSt, 60cc) (silicone)
- 5037 Oil, shock (80 wt, 1,000 cSt, 60cc) (silicone)
- 5029 Shock oil bottle (60cc) (for mixing shock oil)
- 5038X Shock oil set (includes 20 wt, 30 wt, 40 wt, 50 wt, 60 wt, 70 wt, & 80 wt premium shock oils with spinning carousel rack)
- 5038 Spinning carousel rack

Shocks (Pro-level Aluminum)

- 2664 Big Bore shock cylinder (long) (1)
- 5862 Big Bore shocks (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts and springs) (front & rear) (4)
- 2660 Big-bore shocks (long) (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts) w/o springs (rear) (2)
- 2662 Big-bore shocks (xx-long) (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts) w/o springs (rear) (2)
- 2669 Piston head set (2-hole (2)/ 3-hole (2))/ shock mounting bushings & washers (2) (Big Bore Shocks)
- 1942 Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)
- 2742X Rod ends, short (6)/ hollow balls (6)
- 2667 Shock caps, aluminum (2) (Big Bore Shocks)
- 2362 Shock rebuild kit (for 2 shocks)
- 1664T Shock shafts, hardened steel, titanium nitride coated (long) (2)
- 2656T Shock shafts, hardened steel, titanium nitride coated (xx-long) (2)
- 1664 Shock shafts, steel, chrome finish (long) (2)
- 2656 Shock shafts, steel, chrome finish (xx-long) (2)
- 1765 Silicone diaphragms (4)
- 2668 Spring retainers, upper & lower (2)/ spring pre-load spacers: 1mm (4)/ 1.5mm (2)/ 2mm (2)/ 4mm (2)/ 8mm (2) (Big Bore Shocks)
- 5860 Springs, front (white) (progressive rate) (2) (for Slash big bore shocks)
- 5859 Springs, rear (white) (progressive rate) (2) (for Slash big bore shocks)

Shocks (Ultra Shocks)

- 3765A Body, Ultra Shock (long) (grey) (2)
- 3766A Body, Ultra Shock (XXL) (grey) (2)
- 1942 Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)
- 2742X Rod ends, short (6)/ hollow balls (6)
- 3767 Shock caps (2)/ shock bottoms (2)
- 8361 Shock caps (black) (4) (assembled with hollow balls)
- 2667 Shock caps, aluminum (2) (Big Bore Shocks)
- 3767A Shock caps, aluminum (blue-anodized) (4) (fits all Ultra Shocks)
- 3767G Shock caps, aluminum (green-anodized) (4) (fits all Ultra Shocks)
- 3767T Shock caps, aluminum (orange-anodized) (4) (fits all Ultra Shocks)
- 3767P Shock caps, aluminum (pink-anodized) (4) (fits all Ultra Shocks)
- 3767X Shock caps, aluminum (red-anodized) (4) (fits all Ultra Shocks)
- 2362 Shock rebuild kit (for 2 shocks)
- 1664T Shock shafts, hardened steel, titanium nitride coated (long) (2)
- 2656T Shock shafts, hardened steel, titanium nitride coated (xx-long) (2)
- 1664 Shock shafts, steel, chrome finish (long) (2)
- 2656 Shock shafts, steel, chrome finish (xx-long) (2)
- 3642X Shoulder screws, Ultra Shocks (3x12 hex drive) (6)
- 1765 Silicone diaphragms (4)
- 3769 Spring pre-load spacers: 1mm (4)/ 2mm (2)/ 4mm (2)/ 8mm (2)
- 3768 Spring retainers, upper & lower (2)/ piston head set (2-hole (2)/ 3-hole (2))
- 2458P Springs (front) (pink) (2)
- 2458A Springs (front) (white) (2)
- 3757T Springs, blue (rear) (2)
- 2458 Springs, front (black) (2)
- 5857P Springs, front (pink) (progressive rate) (2)
- 5857 Springs, front (white) (progressive rate) (2)
- 3757A Springs, green (rear) (2)
- 3757P Springs, pink (rear) (2)

- 3757 Springs, rear (black) (2)
- 5858P Springs, rear (pink) (progressive rate) (2)
- 5858 Springs, rear (white) (progressive rate) (2)
- 4957 Springs, red (for Ultra Shocks only) (2.5 rate) (f/r) (2)
- 3757X Springs, white (rear) (2)
- 3760 Ultra Shocks (black) (long) (complete w/ spring pre-load spacers & springs) (front) (2)
- 3762 Ultra Shocks (black) (xx-long) (complete w/ spring pre-load spacers & springs) (rear) (2)
- 3760A Ultra Shocks (grey) (long) (complete w/ spring pre-load spacers & springs) (2)
- 3762A Ultra Shocks (grey) (xx-long) (complete w/ spring pre-load spacers & springs) (rear) (2)

Slipper Clutch Components

- 3793 Input shaft (slipper shaft) / spring pin
- 5552X Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/ 4.0mm NL (1)/ 5.0mm NL (1))
- 2554 Screws, 3x6mm caphead machine (hex drive) (6)
- 5556 Slipper pressure plate & hub (aluminum alloy)

Spur Gears & Pinion Gears

- 3790 Gear adapter, fixed
- 2416 Gear, 16-T pinion (48-pitch) / set screw
- 1918 Gear, 18-T pinion (48-pitch) / set screw
- 2419 Gear, 19-T pinion (48-pitch) / set screw
- 2423 Gear, 23-T pinion (48-pitch) (fits 3mm shaft) / set screw
- 2426 Gear, 26-T pinion (48-pitch) (fits 3mm shaft) / set screw
- 4728 Gear, 28-T pinion (48-pitch) (fits 3mm shaft) / set screw
- 2431 Gear, 31-T pinion (48-pitch) (fits 3mm shaft) / set screw
- 4725 Gear, pinion (25-tooth) (48-pitch) / set screw
- 4683 Spur gear, 83-tooth (48-pitch) (for models with Torque Control slipper clutch)
- 4686 Spur gear, 86-tooth (48-pitch) (for models with Torque-Control slipper clutch)
- 4690 Spur gear, 90-tooth (48-pitch) (for models with Torque-Control slipper clutch)

Steering Components

- 2545 Bushings (plastic) (5x8x2.5mm) (4)
- 1985 PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings)
- 2742 Rod ends, long (6)/ hollow ball connectors (6)
- 5347 Rod ends, Revo® (large) with hollow balls (12)
- 3744 Servo saver w/ adapters
- 3742 Shoulder screws, steering bellcranks (3x30mm cap-head machine) (2)/ draglink shoulder screws (chrome) (2)
- 3743 Steering bellcranks (l&r)/ draglink
- 3743A Steering bellcranks, drag link (blue-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled)
- 3743G Steering bellcranks, drag link (green-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled)
- 3743T Steering bellcranks, drag link (orange-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled)
- 3743P Steering bellcranks, drag link (pink-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled)
- 3743X Steering bellcranks, drag link (red-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled)
- 6845X Steering bellcranks/ servo saver/ servo spring/ servo spring retainer/servo horn, steering
- 1935 Turnbuckles, 36mm (2)
- 3139A Turnbuckles, aluminum (blue-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)
- 3139G Turnbuckles, aluminum (green-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)
- 3139T Turnbuckles, aluminum (orange-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)
- 3139P Turnbuckles, aluminum (pink-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)
- 3139X Turnbuckles, aluminum (red-anodized), toe links, 59mm (2) (assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477)
- 3745 Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls)
- 2746 Washers, 3x6mm metal (12)

Suspension Linkage

- 5525 Rod ends (12)/ hollow balls (12)
- 5347 Rod ends, Revo® (large) with hollow balls (12)
- 3739 Screw pin set (Rustler®/ Bandit/ Stampede®)

Page 5 Slash: TQ™ 2.4GHz Radio (Model 58024) Parts List

5529	Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls, captured (4)	5882	Tire & wheel assy, glued (SCT Split-Spoke satin chrome, black beadlock style wheels, Kumho tires, foam inserts) (2) (2WD front)
2640	Suspension pins, 44mm (2) w/ E-clips		
3640	Suspension screw pin set, steel (hex drive) (requires part # 2640 for a complete suspension pin set) (Rustler®, Stampede®, Bandit)	6874	Tire & wheel assy, glued (SCT Split-Spoke satin chrome, black beadlock style wheels, Kumho tires, foam inserts) (2) (4WD front/rear, 2WD rear only)
3139A	Turnbuckles, aluminum (blue-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)	5885A	Tire & wheel assy, glued (SCT Split-Spoke, black, blue beadlock wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tires, inserts) (2) (2WD Front)
3139G	Turnbuckles, aluminum (green-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)	5883A	Tire & wheel assy, glued (SCT Split-Spoke, black, blue beadlock wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tire, inserts) (2) (4WD f/r, 2WD rear)
3139T	Turnbuckles, aluminum (orange-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)	5885	Tire & wheel assy, glued (SCT Split-Spoke, black, satin chrome beadlock wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tires, inserts) (2) (2WD Front)
3139P	Turnbuckles, aluminum (pink-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)	5883	Tire & wheel assy, glued (SCT Split-Spoke, black, satin chrome beadlock wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tire, inserts) (2) (4WD f/r, 2WD rear)
3139X	Turnbuckles, aluminum (red-anodized), toe links, 59mm (2) (assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477)	5877A	Tire & wheel assy, glued (SCT Split-Spoke, chrome red beadlock wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tires, inserts) (2) (2WD Front)
3644	Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) (fits front & rear on Slash)	5877	Tire & wheel assy, glued (SCT Split-Spoke, satin, black beadlock wheel, BFGoodrich® Mud-Terrain™ T/A® KM2 tire, foam inserts) (2) (2WD Front)
3745	Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls)	5865	Tire & wheel assy, glued (SCT, chrome, green beadlock wheel, BFGoodrich® Mud-Terrain™ T/A® KM2 tire, foam inserts) (2) (2WD front only)
Team Traxxas Items			
2514	Decal sheet, racing sponsors	6876	Tire & wheel assy, glued (SCT, chrome, green beadlock wheel, BFGoodrich® Mud-Terrain™ T/A® KM2 tire, foam inserts) (2) (4WD front/rear, 2WD rear only)
6160X	DVD, Maxx® Power! Full Throttle Action (sleeve)	5873X	Tire & wheel assy, glued (SCTsatin chrome, black beadlock style wheels, SCT off-road racing tires, foam inserts) (2) (4WD front/rear, 2WD rear only)
9950	Official Team Traxxas® racing decal set(flag log/ 6-color)		
9909	Traxxas® racing banner, red & black (3x7 feet)	5869A	Tires & wheels, assembled, glued (SCT chrome, blue beadlock style wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tires, foam inserts) (2) (2WD front)
Tires & Wheels			
5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)	5867A	Tires & wheels, assembled, glued (SCT chrome, blue beadlock style wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tires, foam inserts) (2) (4WD front/rear, 2WD rear only)
5854	Hub retainer, 17mm hubs, M4 X 0.7 (4) (use with #5853X, #6856X, #6469)	5891	Tires & wheels, assembled, glued (SCT Split-Spoke black, satin chrome beadlock style wheels, paddle tires, foam inserts) (2) (4WD f/r, 2WD rear) (TSM® rated)
1747P	Nuts, 4mm flanged nylon locking (aluminum, pink anodized) (4)	6873	Tires & wheels, assembled, glued (SCT Split-Spoke satin chrome, black beadlock style wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tires, foam inserts) (2) (4WD f/r, 2WD rear) (TSM® rated)
3647	Nuts, 4mm flanged nylon locking (steel, serrated) (8)	5875	Tires & wheels, assembled, glued (SCT, satin chrome wheels, beadlock type, (dual profile 2.2" outer 3.0" inner), SCT off-road tires, foam inserts) (2) (Front)
1747R	Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4)	5873	Tires & wheels, assembled, glued (SCT, satin chrome wheels, beadlock type, (dual profile 2.2" outer 3.0" inner), SCT off-road tires, foam inserts) (2) (Rear) (TSM® rated)
1747G	Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4)	5873A	Tires & wheels, assembled, glued (SCT, satin chrome wheels, red beadlock, (dual profile 2.2" outer 3.0" inner), SCT off-road tires, foam inserts) (2) (Rear)
1747T	Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4)	5873R	Tires & wheels, assembled, glued (SCT, satin chrome, red beadlock wheels, ultra soft S1 compound off-road racing tires, foam inserts) (2) (2WD Rear, 4WD F/R)
1747A	Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4)	6871	Tires, BFGoodrich® Mud-Terrain™ T/A® KM2 (dual profile 4.3x1.7- 2.2/3.0") (2)/ foam inserts (2)
1985	PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings)	6871R	Tires, BFGoodrich® Mud-Terrain™ T/A® KM2 , ultra-soft (S1 off-road racing compound) (dual profile 4.3x1.7- 2.2/3.0") (2)/ foam inserts (2)
1647	Silicone Grease	6870	Tires, Kumho (dual profile 4.3x1.7- 2.2/3.0") (2)/ foam inserts (2)
2754	Stub axle pins (4)	6870R	Tires, Kumho, ultra-soft (S1 off-road racing compound) (dual profile 4.3x1.7- 2.2/3.0") (2)/ foam inserts (2)
5882R	Tire & wheel assy, glued (S1 compound) (SCT Split-Spoke satin chrome, black beadlock style wheels, Kumho tires, foam inserts) (2) (2WD front)	5871	Tires, off-road racing, SCT dual profile 4.3x1.7- 2.2/3.0" (2)/ foam inserts (2)
6874R	Tire & wheel assy, glued (S1 compound) (SCT Split-Spoke satin chrome, black beadlock wheel, Kumho tire, insert) (2) (4WD front/rear, 2WD rear only)	5871R	Tires, Ultra soft, S1 compound for off-road racing, SCT dual profile 4.3x1.7- 2.2/3.0" (2)/ foam inserts (2)
5877R	Tire & wheel assy, glued (S1 compound) (SCT Split-Spoke, chrome red beadlock wheel, BFGoodrich® Mud-Terrain™ T/A® KM2 tires, inserts) (2) (2WD front)	3654	Wheel hubs, hex (front) (tall offset) (2)/ axle pins (2.5x10mm) (2)
6873R	Tire & wheel assy, glued (S1 compound) (SCT SS, chrome red beadlock wheel, BFGoodrich® Mud-Terrain™ T/A® KM2 tire, inserts) (2) (4WD f/r, 2WD rear)	1654	Wheel hubs, hex (rear) (2)/ stub axle pins (2)
6873X	Tire & wheel assy, glued (S1 compound) (SCT SS, satin chrome black beadlock wheel, BFGoodrich® Mud-Terrain™ T/A® KM2 tire, inserts) (2) (4WD f/r, 2WD rear)	5853X	Wheel hubs, splined, 17mm, short (2), long (2) (blue-anodized) / wheel nuts, splined, 17mm (blue-anodized) (4)/ hub retainer M4 X 0.7 (4)/ axle pin (4) (Slash 2WD)
5869	Tire & wheel assy, glued (SCT chrome, red beadlock style wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tires, foam inserts) (2) (2WD front)	5353	Wheel nuts, splined, 17mm (blue-anodized) (4)
5867	Tire & wheel assy, glued (SCT chrome, red beadlock style wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tires, inserts) (2)(4WD front/rear, 2WD rear only)	5480X	Wheel wrench, splined, 17mm
5881X	Tire & wheel assy, glued (SCT satin chrome, beadlock style wheels, Kumho tires, foam inserts) (2) (2WD front only)	5868A	Wheels, SCT chrome, blue beadlock style, dual profile (2.2" outer 3.0" inner) (2) (4WD front/rear, 2WD rear only)
5880X	Tire & wheel assy, glued (SCT satin chrome, beadlock style wheels, Kumho tires, foam inserts) (2) (4WD front/rear, 2WD rear only)	5870A	Wheels, SCT chrome, blue beadlock style, dual profile (2.2" outer, 3.0" inner) (2) (2WD front only)
5881	Tire & wheel assy, glued (SCT satin chrome, black beadlock style wheels, Kumho tires, foam inserts) (2) (2WD front)	5868	Wheels, SCT chrome, red beadlock style, dual profile (2.2" outer 3.0" inner) (2) (4WD front/rear, 2WD rear only)
5880	Tire & wheel assy, glued (SCT satin chrome, black beadlock style wheels, Kumho tires, foam inserts) (2) (4WD front/rear, 2WD rear only)	5870	Wheels, SCT chrome, red beadlock style, dual profile (2.2" outer, 3.0" inner) (2) (2WD front only)
5875X	Tire & wheel assy, glued (SCT satin chrome, black beadlock style wheels, SCT off-road racing tires, foam inserts) (2) (2WD front)		
5878	Tire & wheel assy, glued (SCT satin chrome, black beadlock wheel, BFGoodrich® Mud-Terrain™ T/A® KM2 tire, insert) (2)(4WD front/rear, 2WD rear only)		
6873A	Tire & wheel assy, glued (SCT Split-Spoke chrome, red beadlock style wheel, BFGoodrich® Mud-Terrain™ T/A® KM2 tire, inserts) (2) (4WD f/r, 2WD rear)		

Page 6 Slash: TQ™ 2.4GHz Radio (Model 58024) Parts List

- 5874 Wheels, SCT satin chrome, beadlock style, dual profile (2.2" outer 3.0" inner) (2) (Front)
- 5872 Wheels, SCT satin chrome, beadlock style, dual profile (2.2" outer 3.0" inner) (2) (Rear)
- 5874X **Wheels, SCT satin chrome, black beadlock style, dual profile (2.2" outer 3.0" inner) (2) (2WD front only)**
- 5872X **Wheels, SCT satin chrome, black beadlock style, dual profile (2.2" outer 3.0" inner) (2) (4WD front/rear, 2WD rear only)**
- 5874A **Wheels, SCT satin chrome, red beadlock style, dual profile (2.2" outer 3.0" inner) (Front) (2)**
- 5886 **Wheels, SCT Split-Spoke, black, satin chrome beadlock style, dual profile (2.2" outer 3.0" inner) (2WD front) (2)**
- 5884 **Wheels, SCT Split-Spoke, black, satin chrome beadlock style, dual profile (2.2" outer 3.0" inner) (4WD fr, 2WD rear) (2)**
- 6872X **Wheels, SCT Split-Spoke, chrome, green beadlock style, dual profile (2.2" outer 3.0" inner) (4WD front/rear, 2WD rear) (2)**
- 6872A **Wheels, SCT Split-Spoke, chrome, red beadlock style, dual profile (2.2" outer 3.0" inner) (4WD front/rear, 2WD rear) (2)**
- 5876 **Wheels, SCT Split-Spoke, satin chrome, black beadlock style, dual profile (2.2" outer 3.0" inner) (2WD front) (2)**
- 6872 **Wheels, SCT Split-Spoke, satin chrome, black beadlock style, dual profile (2.2" outer 3.0" inner) (4WD front/rear, 2WD rear only) (2)**
- 5866 **Wheels, SCT, chrome, green beadlock style, dual profile (2.2" outer 3.0" inner) (2) (2WD front only)**
- 6875 **Wheels, SCT, chrome, green beadlock style, dual profile (2.2" outer 3.0" inner) (2) c**

- 8716 **Speed Bit Set, hex driver, 2-piece ball-end (2.0mm, 2.5mm), 1/4" drive**
- 8716X **Speed Bit Set, hex driver, 3-piece ball-end (2.0mm, 2.5mm, 3.0mm) 1/4" drive**
- 8715 **Speed Bit Set, hex driver, 3-piece straight (1.5mm, 2.0mm, 2.5mm), 1/4" drive**
- 8715X **Speed Bit Set, hex driver, 4-piece straight (1.5mm, 2.0mm, 2.5mm, 3.0mm), 1/4" drive**
- 8714 **Speed Bit Set, screwdriver, 3-piece straight (3mm slotted, #1 Phillips, and #2 Phillips bits), 1/4" drive**
- 2748R **Tool set (includes 1.5mm hex wrench / 2.0mm hex wrench / 2.5mm hex wrench/ 4-way wrench/ 8mm & 4mm wrench/ U-joint wrench)**
- 3415 **Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm, 3.5mm, 4mm drivers/4mm, 5mm, 5.5mm, 7mm, and 8mm nut drivers/ 2mm, 3mm, and 4mm slotted screwdrivers/ #00 Phillips, #0 Phillips, and #1 Phillips screwdrivers/ 4mm and 8mm wrenches/ driver handle)**

Transmission Components

- 5116 Ball bearings, blue rubber sealed (5x11x4mm) (2)
- 3792 Cover, gear/ rubber gear cover plug/ 3x6 RM (2)
- 3790 Gear adapter, fixed
- 3691 **Gearbox halves (L&R) (black) w/ idler gear shaft**
- 3691A Gearbox halves (L&R) (grey) w/ idler gear shaft
- 5148 Grease, white lithium
- 9492 **Idler gear, 30-tooth/ idler gear shaft (steel)**
- 3696 Idler gear, steel (30-tooth)
- 9494 **Input gear, 22-tooth/ input shaft (transmission) (heavy duty) (fits Bandit®, Rustler®, Stampede®, Slash® 2WD)**
- 3793 Input shaft (slipper shaft) / spring pin
- 2381X Main diff with steel ring gear/ side cover plate/ screws (Bandit, Stampede®, Rustler®)
- 1552 **Motor screws (3x8mm hex cap) (6)/washers (6)/ wrench**
- 2382 Planet gears (4)/ planet shafts (4)/ sun gears (2)/sun gear alignment shaft (1) all hardened steel
- 2388X Planetary gear differential with steel ring gear (complete) (fits Bandit, Stampede®, Rustler®)
- 9495 **Pro Series Magnum 272R™ Transmission, complete (assembled) (fits 1/10-scale 2WD Rustler®, Bandit®, Stampede®, Slash®)**
- 5552X Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/ 4.0mm NL (1)/ 5.0mm NL (1))
- 2554 Screws, 3x6mm caphead machine (hex drive) (6)
- 3931 Screws, 3x8mm flat-head machine (hex drive) (6)
- 1647 Silicone Grease
- 5556 Slipper pressure plate & hub (aluminum alloy)
- 3195 Top drive gear, steel (22-tooth)
- 3695 **Transmission, complete (fits 1/10-scale 2WD Rustler®, Bandit®, Stampede®, Slash®)**

Turnbuckles & Threaded Rods

- 5525 Rod ends (12)/ hollow balls (12)
- 5347 Rod ends, Revo® (large) with hollow balls (12)
- 3139A **Turnbuckles, aluminum (blue-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)**
- 3139G **Turnbuckles, aluminum (green-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)**
- 3139T **Turnbuckles, aluminum (orange-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)**
- 3139P **Turnbuckles, aluminum (pink-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)**
- 3139X **Turnbuckles, aluminum (red-anodized), toe links, 59mm (2) (assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477)**
- 3644 Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) (fits front & rear on Slash)
- 3745 Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls)

If you have questions or need technical assistance, call Traxxas at:

1-888-TRAXXAS

(1-888-872-9927) (U.S. residents only)

For orders, calls outside the U.S., and other information, call 972-549-3000, or fax to 972-549-3011 e-mail Traxxas at support@Traxxas.com

TRAXXAS.COM

Traxxas Tools

- 3433X **Body reamer (aluminum handle)**
- 3433 **Body reamer (plastic handle)**
- 3436 **Cap, body reamer**
- 3432 **Scissors, curved tip**
- 3431 **Scissors, straight tip**
- 8712 **Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive**
- 8720 **Speed bit handle, large (overmolded)**
- 8721 **Speed bit handle, medium (one piece)**
- 8722 **Speed bit handle, premium (rubber overmold)**
- 8710 **Speed Bit Master Set, hex and nut driver, 13-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm, 3.0mm), and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive**
- 8711 **Speed Bit Master Set, hex driver, 7-piece straight and ball end, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm, 2.5mm, 3.0mm), 1/4" drive**
- 8719 **Speed Bit Master Set, nut driver, 6-piece, includes premium handle (medium), travel pouch, and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive**