



# Bandit® VXL (Model 24076-4) Parts List

Parts shown in bold are optional accessories. Part categories and individual part listings are arranged alphabetically.

## Bearings & Bushings

- 5116 Ball bearings, blue rubber sealed (5x11x4mm) (2)
- 5114 Ball bearings, blue rubber shield (5x8x2.5mm) (2)**
- 2545 Bushings (plastic) (5x8x2.5mm) (4)
- 1985 PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings)

## Body & Accessories

- 1926 Antenna caps, vinyl (2)/ antenna spool**
- 1726 Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
- 1834 Body Clips (12) (standard size)
- 1815 Body washers (8)**
- 6716 Body Washers, Foam, 2mm/3mm/4mm**
- 2417 Body, Bandit (front & rear) (clear, requires painting)/ window, lights, grille decal sheet**
- 2433 Body, Bandit, pink (painted, decals applied)**
- 2450 Body, Bandit® (also fits Bandit® VXL), black & red (painted, decals applied)**
- 2450X Body, Bandit® (also fits Bandit® VXL), green (painted, decals applied)**
- 2450T Body, Bandit® (also fits Bandit® VXL), orange (painted, decals applied)**
- 2436X Body, Bandit® VXL, blue (painted, decals applied)**
- 2436L Body, Bandit® VXL, ProGraphix® (graphics are printed, requires paint & final color application)/ decal sheet**
- 2436T Body, Bandit® VXL, purple (painted, decals applied)**
- 2450L Body, Bandit®, ProGraphix® (graphics are printed, requires paint & final color application)/ decal sheet**
- 2514 Decal sheet, racing sponsors**
- 5185 Tires, rubber (2) (fits Traxxas® wheelie bar wheels)**
- 4974 Wheelie Bar arm (1)/ connector (1)/ 3x12 SS (hex drive) (4)**
- 3677X Wheelie bar mount (1) / hardware (blue)**
- 3677A Wheelie bar mount (1) / hardware (green)**
- 3677P Wheelie bar mount (1) / hardware (pink)**
- 3677 Wheelie bar mount (1)/ hardware (Stampede®, Rustler®, Bandit series)
- 3678 Wheelie bar, assembled (black) (fits Slash®, Stampede®, Rustler®, Bandit® series)**
- 3678X Wheelie bar, assembled (blue) (fits Stampede®, Rustler®, Bandit series)**
- 3678A Wheelie bar, assembled (green) (fits Slash®, Stampede®, Rustler®, Bandit® series)**
- 3678T Wheelie bar, assembled (orange) (fits Slash®, Stampede®, Rustler®, Bandit® series)**
- 3678P Wheelie bar, assembled (pink) (fits Slash, Stampede®, Rustler®, Bandit series)**
- 3678R Wheelie bar, assembled (red) (fits Slash®, Stampede®, Rustler®, Bandit® series)**
- 4976 Wheels (4)/ axles (2) (for T-Maxx®/E-Maxx wheelie bar)**
- 4976 Wheels (4)/ Axles (2), for Maxx® Wheelie Bar**
- 5186A Wheels, aluminum (blue-anodized) (2)/ 5x8mm ball bearings (4)/ axles (2)/ rubber tires (2)**
- 5186 Wheels, aluminum (red-anodized) (2)/ 5x8mm ball bearings (4)/ axles (2)/ rubber tires (2)**
- 2615 Wing buttons (2)/ set screws (2)/ spacers (2)/ 3x8mm CS (2)
- 2414 Wing wire

## Chassis & Attachments

- 3727 Battery hold-down plate (black)/ metal posts (2)/body clips (2)**
- 3727A Battery hold-down plate (grey) / metal posts (2) / body clips (2)
- 3628 Box, receiver (sealed)/ foam pad/2.5x8mm CS (4)/ 3x10mm CS (2)
- 2735 Bumper (front)
- 2735P Bumper (front) (pink)**
- 3735 Bumper, front/ 4x12 CCS (2) (fits 2WD Rustler® or Bandit®) (for LED light kit installation)**
- 3728 Lower chassis (black) (166mm long battery compartment) (fits both flat and hump style battery packs)**
- 3722X Lower chassis (black) (166mm long battery compartment) (fits both flat and hump style battery packs)(use only with #3725R ESC mounting plate)**
- 3728A Lower chassis (gray) (166mm long battery compartment) (fits both flat and hump style battery packs)
- 3722R Lower chassis (grey) (166mm long battery compartment) (fits both flat and hump style battery packs) (use only with #3725R ESC mounting plate)**
- 3725R Mounting plate, electronic speed control (for installation of XL-5/VXL into Bandit or Rustler®)
- 3629 Seal kit, receiver box (includes o-ring, seals, and silicone grease)
- 5185 Tires, rubber (2) (fits Traxxas® wheelie bar wheels)**

- 3723 Upper chassis (black)**
- 3729 Upper chassis (black)**
- 3729A Upper chassis (gray)
- 3723A Upper chassis (grey)**
- 4974 Wheelie Bar arm (1)/ connector (1)/ 3x12 SS (hex drive) (4)**
- 3677X Wheelie bar mount (1) / hardware (blue)**
- 3677A Wheelie bar mount (1) / hardware (green)**
- 3677P Wheelie bar mount (1) / hardware (pink)**
- 3677 Wheelie bar mount (1)/ hardware (Stampede®, Rustler®, Bandit series)
- 2477 Wheelie bar mount/ 3x40 BCS (1)/ 3x30 BCS (1)/ 3x12 BCS (1) (for LED light kit installation)**
- 3678 Wheelie bar, assembled (black) (fits Slash®, Stampede®, Rustler®, Bandit® series)**
- 3678X Wheelie bar, assembled (blue) (fits Stampede®, Rustler®, Bandit series)**
- 3678A Wheelie bar, assembled (green) (fits Slash®, Stampede®, Rustler®, Bandit® series)**
- 3678T Wheelie bar, assembled (orange) (fits Slash®, Stampede®, Rustler®, Bandit® series)**
- 3678P Wheelie bar, assembled (pink) (fits Slash, Stampede®, Rustler®, Bandit series)**
- 3678R Wheelie bar, assembled (red) (fits Slash®, Stampede®, Rustler®, Bandit® series)**
- 9460 Wheelie bar, black (assembled)/ wheelie bar mount**
- 4976 Wheels (4)/ axles (2) (for T-Maxx®/E-Maxx wheelie bar)**
- 4976 Wheels (4)/ Axles (2), for Maxx® Wheelie Bar**
- 5186A Wheels, aluminum (blue-anodized) (2)/ 5x8mm ball bearings (4)/ axles (2)/ rubber tires (2)**
- 5186 Wheels, aluminum (red-anodized) (2)/ 5x8mm ball bearings (4)/ axles (2)/ rubber tires (2)**

## Differential Components

- 2380 Differential, complete (fits 1/10-scale 2WD Rustler®, Bandit, Stampede®, Slash®)**
- 2381X Main diff with steel ring gear/ side cover plate/ screws (Bandit, Stampede®, Rustler®)
- 2382 Planet gears (4)/ planet shafts (4)/ sun gears (2)/sun gear alignment shaft (1) all hardened steel
- 2388X Planetary gear differential with steel ring gear (complete) (fits Bandit, Stampede®, Rustler®)
- 1647 Silicone Grease

## Driveline Components

- 4628R Differential output yokes, black (2)/ 3x5mm countersunk screws (2)/ screw pin (2)
- 4628X Differential output yokes, hardened steel (w/ U-joints) (2)**
- 9450 Driveshaft assembly (1), left or right (fully assembled, ready to install)/ screw pin (1)**
- 9450R Driveshafts, rear, steel-spline constant-velocity (complete assembly) (2)**
- 9451 Half shaft, external splined (steel-spline constant velocity) (1) (fits #9450R rear steel CV driveshaft) (for Bandit®, Bandit® VXL, Drag Slash®)**
- 2751 Half-shaft pro-pack (internal-splined (6)/external (6)) (plastic shafts only)**
- 1651 Half-shafts (internal-splined (2)/external-splined (2))/ metal U-joints (4)
- 3752 Stub axle carriers (2) (requires 5x11x4mm bearings)
- 3652A Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (blue-anodized)/ 5x11mm ball bearings (4)**
- 3652G Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (green-anodized)/ 5x11mm ball bearings (4)**
- 3652T Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (orange-anodized)/ 5x11mm ball bearings (4)**
- 3652P Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (pink-anodized)/ 5x11mm ball bearings (4)**
- 3652X Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (red-anodized)/ 5x11mm ball bearings (4)**
- 2754 Stub axle pins (4)
- 2753X Stub axles, rear (2)

## Front Suspension & Steering

- 2537 3mm threaded rods: 1 each of 20mm,25mm&44mm
- 2530 Bulkhead (front) (black)**
- 2530A Bulkhead (front) (grey)
- 2545 Bushings (plastic) (5x8x2.5mm) (4)
- 2432 Caster blocks (left & right) (30-degree)
- 2437 Front axles (2)

**Page 2 Bandit® VXL: TQi™ Traxxas Link™ Enabled 2.4GHz Radio & TSM® (Model 24076-4) Parts List**

5525R	Rod ends, heavy duty (Jato®/Slayer) (8)
5347	Rod ends, Revo® (large) with hollow balls (12)
3646	Screws, 3x15mm flat-head machine (hex drive) (6)
3744	Servo saver w/ adapters
3639	Shock tower (front)
3736	Steering blocks, left & right (2) (requires 5x11x4mm bearings)
3636A	Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (blue-anodized)/ 5x11mm ball bearings (4)
3636G	Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (green-anodized)/ 5x11mm ball bearings (4)
3636T	Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (orange-anodized)/ 5x11mm ball bearings (4)
3636P	Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (pink-anodized)/ 5x11mm ball bearings (4)
3636X	Steering blocks, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (red-anodized)/ 5x11mm ball bearings (4)
2531X	Suspension arms (front) (2)
2531A	Suspension arms, black, front, heavy duty (2) (requires #3632 series caster block and #3640 screw pin set)
2531L	Suspension arms, blue, front, heavy duty (2) (requires #3632 series caster block and #3640 screw pin set)
2531G	Suspension arms, green, front, heavy duty (2) (requires #3632 series caster block and #3640 screw pin set)
2531T	Suspension arms, orange, front, heavy duty (2) (requires #3632 series caster block and #3640 screw pin set)
2531R	Suspension arms, red, front, heavy duty (2) (requires #3632 series caster block and #3640 screw pin set)
2640	Suspension pins, 44mm (2) w/ E-clips
3640	Suspension screw pin set, steel (hex drive) (requires part # 2640 for a complete suspension pin set) (Rustler®, Stampede®, Bandit)
2532	Tie bar, fiberglass
2444	Turnbuckles, camber link, 47mm (67mm center to center) (front) (assembled with rod ends and hollow balls) (1 left, 1 right)
2445	Turnbuckles, toe link, 55mm (75mm center to center) (2) (assembled with rod ends and hollow balls)

**Hardware**

1834	Body Clips (12) (standard size)
3934	Body clips, heavy duty (12)
2745	Nuts, 3mm nylon locking (12)
1747P	Nuts, 4mm flanged nylon locking (aluminum, pink anodized) (4)
3647	Nuts, 4mm flanged nylon locking (steel, serrated) (8)
1747	Nuts, 4mm nylon locking (10)
1747R	Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4)
1747G	Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4)
1747T	Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4)
1747A	Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4)
1985	PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings)
1942	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)
5347	Rod ends, Revo® (large) with hollow balls (12)
2742X	Rod ends, short (6)/ hollow balls (6)
3347	Screws, 2.5x5mm button-head machine (hex drive) (6)
3215	Screws, 2.5x6mm cap-head machine (hex drive) (6)
2587	Screws, 3x10mm cap-head machine (6) (no washer)
2578	Screws, 3x12mm button-head machine (hex drive) (6)
2552	Screws, 3x12mm countersunk machine (6) (hex drive)
2579	Screws, 3x15mm button-head machine (hex drive) (6)
2586	Screws, 3x15mm cap-head machine (hex drive) (6)
3646	Screws, 3x15mm flat-head machine (hex drive) (6)
2580	Screws, 3x20mm button-head machine (hex drive) (6)
2585	Screws, 3x20mm cap-head machine (hex drive) (6)
2591	Screws, 3x23mm button-head machine (hex drive) (6)
2582	Screws, 3x30mm button-head machine (hex drive) (6)
2592	Screws, 3x40mm button-head machine (hex drive) (6)
2575	Screws, 3x6mm button-head machine (hex drive) (6)
2554	Screws, 3x6mm cap-head machine (hex drive) (6)
3932	Screws, 3x6mm flat-head machine (hex drive) (6)
2576	Screws, 3x8mm button-head machine (hex drive) (6)
3931	Screws, 3x8mm flat-head machine (hex drive) (6)
2542	Screws, 4x12mm countersunk machine (hex drive) (6)
5529	Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls, captured (4)
3742	Shoulder screws, steering bellcranks (3x30mm cap-head machine) (2)/ draglink shoulder screws (chrome) (2)
3642X	Shoulder screws, Ultra Shocks (3x12 hex drive) (6)
2754	Stub axle pins (4)
2746	Washers, 3x6mm metal (12)
3685	White plastic washers (5x8x1.0mm) (6)
2615	Wing buttons (2)/ set screws (2)/ spacers (2)/ 3x8mm CS (2)

**LED Lights**

3791	LED light bar, front (assembled)/ 3x8 BCS (2)/ 2.5x8 BCS (2) (requires #3735 front bumper for 2WD Rustler® or Bandit®)
3795	LED light harness, rear (requires #2477 wheelie bar mount)
3794	LED light set, complete (includes front and rear bumpers with LED light bar, rear LED harness, & BEC Y-harness) (fits 2WD Rustler® or Bandit®)
2263	Y-harness, BEC to LED light set

**Motors & Electronics**

1552	3x8mm Hex Cap Screws (6)/ Washers (6)/ Wrench (1)
1726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
2260	BEC assembly (complete) (12.6 volts (3s LiPo) maximum input voltage)
3342	Bullet connectors, male, 3.5mm (3) / heat shrink
3340	Cooling fan, Velineon® VXL-3s ESC
3790	Gear adapter, fixed
2072A	Gear set (for 2070, 2075 servos)
2252	Gear set, metal (for 2250, 2255 servos)
2272	Gear set, metal (for 2270 waterproof servo)
3354R	Motor cover, endbell (Velineon® 3500)
3351R	Motor, Velineon® 3500, brushless (assembled with 12-gauge wire and gold-plated bullet connectors)
3725R	Mounting plate, electronic speed control (for installation of XL-5/VXL into Bandit or Rustler®)
3352R	Rebuild kit, Velineon® 3500 (includes plastic endbell, 5x11x4mm ball bearings (2), 2.5x5mm BCS (with threadlock) (4), rear bushing)
3347	Screws, 2.5x5mm button-head machine (hex drive) (6)
3931	Screws, 3x8mm flat-head machine (hex drive) (6)
2254	Servo case, aluminum (middle) (blue-anodized) (for 2250 servo)
2253	Servo case, aluminum (middle) (red-anodized) (for 2255 servo)
2251	Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos)
2271	Servo case/ gaskets (for 2270 waterproof servo)
2074	Servo case/gaskets (for 2056 and 2075 waterproof servos)
2075R	Servo, digital high-speed, metal gear (ball bearing), waterproof
2075	Servo, digital high-torque (ball bearing), waterproof
2250	Servo, digital high-torque 300 coreless, metal gear (ball bearing), waterproof
2255	Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof
2270	Servo, digital high-torque, metal gear (ball bearing), waterproof
2075X	Servo, digital high-torque, metal gear (ball bearing), waterproof
3350R	Velineon® VXL-3s Brushless Power System, waterproof (includes VXL-3s waterproof ESC, Velineon® 3500 motor, and speed control mounting plate (part #3725))
3355R	VXL-3s Waterproof Electronic Speed Control (brushless) (fwd/rev/brake)
3343	Wire, 12-gauge, silicone (Maxx® Cable) (650mm or 26 inches) (Black)

**Radio System, Batteries & Chargers**

2849X	4000mah 11.1v 3-Cell 25C LiPo Battery
2872X	5000mah 11.1v 3-Cell 25C LiPo Battery
2842X	5000mah 7.4v 2-Cell 25C LiPo Battery
2843X	5800mah 7.4v 2-Cell 25C LiPo Battery
2869X	7600mah 7.4v 2-Cell 25C LiPo Battery
2914	Battery, Power Cell AA Alkaline (4)
2976	AC to DC adapter
2938X	Adapter, Traxxas® iD® LiPo battery (adapts Traxxas® iD® batteries to separate balance ports)
2943	Battery charge indicators, green (4), grey (4), blue (4)
6548	Battery door, TQ 2.4 transmitter (replacement for #6516, 6517 transmitter)
2923X	Battery, Power Cell, 3000mAh (NiMH, 7-C flat, 8.4V)
2926X	Battery, Power Cell, 3000mAh (NiMH, 7-C hump, 8.4V)
2942X	Battery, Series 3 Power Cell, 3300mAh (NiMH, 6-C flat, 7.2V)
2940X	Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C flat, 8.4V)
2941X	Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C hump, 8.4V)
2952X	Battery, Series 4 Power Cell, 4200mAh (NiMH, 6-C flat, 7.2V)
2950X	Battery, Series 4 Power Cell, 4200mAh (NiMH, 7-C flat, 8.4V)
2951X	Battery, Series 4 Power Cell, 4200mAh (NiMH, 7-C hump, 8.4V)
2960X	Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C flat, 8.4V)
2961X	Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C hump, 8.4V)
2963X	Battery, Series 5 Power Cell, 5000mAh (NiMH, 8-C hump, 9.6V)
2983	Battery/charger completer pack (includes #2969 2-amp NiMH peak detecting AC charger (1), #2923X 3000mAh 8.4V 7-cell NiMH iD® battery (1))
2984	Battery/charger completer pack (includes #2969 2-amp NiMH peak detecting AC charger (1), #2926X 3000mAh 8.4V 7-cell NiMH iD® battery (1))

**Page 3 Bandit® VXL: TQi™ Traxxas Link™ Enabled 2.4GHz Radio & TSM® (Model 24076-4) Parts List**

- 2992 Battery/charger completer pack (includes #2970 iD® charger (1), #2843X 5800mAh 7.4V 2-cell 25C LiPo iD® battery (1))
- 2994 Battery/charger completer pack (includes #2970 iD® charger (1), #2849X 4000mAh 11.1v 3-Cell 25C LiPo iD® battery (1))
- 2260 BEC assembly (complete) (12.6 volts (3s LiPo) maximum input voltage)
- 2975 Charger, D/C, 4 amp (6 - 7 cell, 7.2 - 8.4 volt, NiMH)
- 2972 Charger, EZ-Peak Dual, 100W, NiMH/LiPo with iD Auto Battery Identification
- 2973 Charger, EZ-Peak Live Dual, 200W, NiMH/LiPo with iD Auto Battery Identification
- 2970 Charger, EZ-Peak Plus, 4 amp, NiMH/LiPo with iD Auto Battery Identification
- 2971 Charger, EZ-Peak® Live, 100W, NiMH/LiPo with iD® Auto Battery Identification
- 2981 Charger, EZ-Peak® Plus 4s, 8 amp, NiMH/LiPo with iD® Auto Battery Identification
- 6525 Communication link, telemetry expander
- 6512 Cover plate, Traxxas® Link Bluetooth® module
- 2978 Fuse, D/C charger, 5A (2) (for #2974, 2975, 2977)
- 2072A Gear set (for 2070, 2075 servos)
- 2252 Gear set, metal (for 2250, 2255 servos)
- 2272 Gear set, metal (for 2270 waterproof servo)
- 2968X LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® iD® batteries)
- 2968 LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries)
- 6554X Mount, telemetry expander (fits Rustler®, Bandit, Slash 2WD)
- 6535 Mount, temperature sensor (electric motors)/ wire tie/ thermal pad
- 6533 Receiver, micro, TQi 2.4GHz with telemetry & TSM® (5-channel)
- 6552 Seal kit, expander box (includes o-ring, seals, and silicone grease)
- 6526 Sensor, auto-detectable, temperature
- 6527 Sensor, auto-detectable, voltage
- 6520 Sensor, RPM (long)/ 3x4mm BCS (1)/ 3x4 GS (1)
- 6521 Sensor, temperature and voltage (long)
- 2254 Servo case, aluminum (middle) (blue-anodized) (for 2250 servo)
- 2253 Servo case, aluminum (middle) (red-anodized) (for 2255 servo)
- 2251 Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos)
- 2271 Servo case/ gaskets (for 2270 waterproof servo)
- 2074 Servo case/gaskets (for 2056 and 2075 waterproof servos)
- 2075R Servo, digital high-speed, metal gear (ball bearing), waterproof
- 2075 Servo, digital high-torque (ball bearing), waterproof
- 2250 Servo, digital high-torque 300 coreless, metal gear (ball bearing), waterproof
- 2255 Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof
- 2270 Servo, digital high-torque, metal gear (ball bearing), waterproof
- 2075X Servo, digital high-torque, metal gear (ball bearing), waterproof
- 6553X Telemetry Expander 2.0 and GPS module 2.0, TQi radio system
- 6550X Telemetry expander 2.0, TQi radio system (for use only with #6551X GPS module)
- 6551X Telemetry GPS module 2.0, TQi radio system (for use only with #6550X telemetry expander)
- 6538 Telemetry trigger magnet holders, spur gear/ magnet, 5x2mm (1)/ 3x8mm CCS (3)/ 3x10mm CCS (3)
- 6540 Telemetry trigger magnet, 5X2mm (1)
- 6509R TQi 2.4 GHz High Output radio system, 2-channel, Traxxas® Link enabled, TSM® (2-ch transmitter, 5-ch micro receiver)
- 6507R TQi 2.4 GHz High Output radio system, 4-channel with Traxxas® Link Bluetooth® module, TSM® (4-ch transmitter, 5-ch micro receiver)
- 6528 Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 2-channel (transmitter only)
- 6529 Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 3-channel (transmitter only)
- 6530 Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 4-channel (transmitter only)
- 6511 Traxxas® Link Bluetooth® module
- 3355R VXL-3s Waterproof Electronic Speed Control (brushless) (fwd/rev/brake)
- 6537 Wire retainers, gear cover/ 3x4mm BCS (2)

**Ready-To-Race Model**

- 24076-4 Bandit® VXL: 1/10 Scale Off-Road Buggy with TQi™ Traxxas Link™ Enabled 2.4GHz Radio System & Traxxas Stability Management (TSM)®

**Rear Suspension**

- 9450 Driveshaft assembly (1), left or right (fully assembled, ready to install)/ screw pin (1)
- 3638 Shock tower (rear)
- 3752 Stub axle carriers (2) (requires 5x11x4mm bearings)
- 3652A Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (blue-anodized)/ 5x11mm ball bearings (4)
- 3652G Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (green-anodized)/ 5x11mm ball bearings (4)
- 3652T Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (orange-anodized)/ 5x11mm ball bearings (4)
- 3652P Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (pink-anodized)/ 5x11mm ball bearings (4)
- 3652X Stub axle carriers, Rustler®/Stampede®/Bandit (2), 6061-T6 aluminum (red-anodized)/ 5x11mm ball bearings (4)
- 2753X Stub axles, rear (2)
- 2750A Suspension arms, black, rear (left & right), heavy duty (2)
- 2750X Suspension arms, blue, rear (left & right), heavy duty (2)
- 2750G Suspension arms, green, rear (left & right), heavy duty (2)
- 2750R Suspension arms, long (rear)
- 2750T Suspension arms, orange, rear (left & right), heavy duty (2)
- 2750L Suspension arms, red, rear (left & right), heavy duty (2)
- 3640 Suspension screw pin set, steel (hex drive) (requires part # 2640 for a complete suspension pin set) (Rustler®, Stampede®, Bandit)

**Shock Oil**

- 5031 Oil, shock (20 wt, 200 cSt, 60cc) (silicone)
- 5032 Oil, shock (30 wt, 350 cSt, 60cc) (silicone)
- 5033 Oil, shock (40 wt, 500 cSt, 60cc) (silicone)
- 5034 Oil, shock (50 wt, 600 cSt, 60cc) (silicone)
- 5035 Oil, shock (60 wt, 700 cSt, 60cc) (silicone)
- 5036 Oil, shock (70 wt, 900 cSt, 60cc) (silicone)
- 5037 Oil, shock (80 wt, 1,000 cSt, 60cc) (silicone)
- 5029 Shock oil bottle (60cc) (for mixing shock oil)
- 5038X Shock oil set (includes 20 wt, 30 wt, 40 wt, 50 wt, 60 wt, 70 wt, & 80 wt premium shock oils with spinning carousel rack)
- 5038 Spinning carousel rack

**Shocks (Pro-level Aluminum)**

- 2664 Big Bore shock cylinder (long) (1)
- 5862 Big Bore shocks (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts and springs) (front & rear) (4)
- 2660 Big-bore shocks (long) (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts) w/o springs (rear) (2)
- 2662 Big-bore shocks (xx-long) (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts) w/o springs (rear) (2)
- 2669 Piston head set (2-hole (2)/ 3-hole (2))/ shock mounting bushings & washers (2) (Big Bore Shocks)
- 1942 Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)
- 2742X Rod ends, short (6)/ hollow balls (6)
- 2667 Shock caps, aluminum (2) (Big Bore Shocks)
- 2362 Shock rebuild kit (for 2 shocks)
- 1664T Shock shafts, hardened steel, titanium nitride coated (long) (2)
- 2765T Shock shafts, hardened steel, titanium nitride coated (X-long) (2)
- 2765 Shock shafts, hardened steel, titanium nitride coated (X-long) (2)
- 1664 Shock shafts, steel, chrome finish (long) (2)
- 1765 Silicone diaphragms (4)
- 2668 Spring retainers, upper & lower (2)/ spring pre-load spacers: 1mm (4)/ 1.5mm (2)/ 2mm (2)/ 4mm (2)/ 8mm (2) (Big Bore Shocks)
- 5860 Springs, front (white) (progressive rate) (2) (for Slash big bore shocks)
- 5859 Springs, rear (white) (progressive rate) (2) (for Slash big bore shocks)

**Shocks (Ultra Shocks)**

- 3642 Attachment screws, shock (3x12mm shoulder screws) (6)
- 3765A Body, Ultra Shock (long) (grey) (2)
- 3766A Body, Ultra Shock (XXL) (grey) (2)
- 1942 Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)
- 2742X Rod ends, short (6)/ hollow balls (6)
- 3767 Shock caps (2)/ shock bottoms (2)
- 8361 Shock caps (black) (4) (assembled with hollow balls)
- 3767A Shock caps, aluminum (blue-anodized) (4) (fits all Ultra Shocks)
- 3767G Shock caps, aluminum (green-anodized) (4) (fits all Ultra Shocks)
- 3767T Shock caps, aluminum (orange-anodized) (4) (fits all Ultra Shocks)
- 3767P Shock caps, aluminum (pink-anodized) (4) (fits all Ultra Shocks)

3767X	Shock caps, aluminum (red-anodized) (4) (fits all Ultra Shocks)
2362	Shock rebuild kit (for 2 shocks)
1664T	Shock shafts, hardened steel, titanium nitride coated (long) (2)
2765T	Shock shafts, hardened steel, titanium nitride coated (X-long) (2)
2765	Shock shafts, hardened steel, titanium nitride coated (X-long) (2)
1664	Shock shafts, steel, chrome finish (long) (2)
1765	Silicone diaphragms (4)
3769	Spring pre-load spacers: 1mm (4)/ 2mm (2)/ 4mm (2)/ 8mm (2)
3768	Spring retainers, upper & lower (2)/ piston head set (2-hole (2)/ 3-hole (2))
2457	Spring, rear(black) (2)
2458P	Springs (front) (pink) (2)
2458A	Springs (front) (white) (2)
2457P	Springs, (rear) (pink) (2)
2458	Springs, front (black) (2)
2457A	Springs, rear (white) (2)
3760	Ultra Shocks (black) (long) (complete w/ spring pre-load spacers & springs) (front) (2)
3762	Ultra Shocks (black) (xx-long) (complete w/ spring pre-load spacers & springs) (rear) (2)
3760A	Ultra Shocks (grey) (long) (complete w/ spring pre-load spacers & springs) (2)
3762A	Ultra Shocks (grey) (xx-long) (complete w/ spring pre-load spacers & springs) (rear) (2)

### Slipper Clutch Components

3793	Input shaft (slipper shaft) / spring pin
5552X	Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/ 4.0mm NL (1)/ 5.0mm NL (1))
2554	Screws, 3x6mm caphead machine (hex drive) (6)
5556	Slipper pressure plate & hub (aluminum alloy)

### Spur Gears & Pinion Gears

3790	Gear adapter, fixed
2416	Gear, 16-T pinion (48-pitch) / set screw
1918	Gear, 18-T pinion (48-pitch) / set screw
2419	Gear, 19-T pinion (48-pitch) / set screw
2423	Gear, 23-T pinion (48-pitch) (fits 3mm shaft) / set screw
2426	Gear, 26-T pinion (48-pitch) (fits 3mm shaft) / set screw
4728	Gear, 28-T pinion (48-pitch) (fits 3mm shaft) / set screw
2431	Gear, 31-T pinion (48-pitch) (fits 3mm shaft) / set screw
2435	Gear, 35-T pinion (48-pitch) (fits 3mm shaft) / set screw
4725	Gear, pinion (25-tooth) (48-pitch) / set screw
4676	Spur gear, 76-tooth (48-pitch) (for models with Torque Control slipper clutch)
4683	Spur gear, 83-tooth (48-pitch) (for models with Torque Control slipper clutch)
4686	Spur gear, 86-tooth (48-pitch) (for models with Torque-Control slipper clutch)
4690	Spur gear, 90-tooth (48-pitch) (for models with Torque-Control slipper clutch)

### Steering Components

2728	Ball bearings (5x8x2.5mm) (2)
2545	Bushings (plastic) (5x8x2.5mm) (4)
5347	Rod ends, Revo® (large) with hollow balls (12)
3744	Servo saver w/ adapters
3742	Shoulder screws, steering bellcranks (3x30mm cap-head machine) (2)/ draglink shoulder screws (chrome) (2)
3743	Steering bellcranks (l&r) / draglink
3743A	Steering bellcranks, drag link (blue-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled)
3743G	Steering bellcranks, drag link (green-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled)
3743T	Steering bellcranks, drag link (orange-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled)
3743P	Steering bellcranks, drag link (pink-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled)
3743X	Steering bellcranks, drag link (red-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled)
6845X	Steering bellcranks/ servo saver/ servo saver spring/ servo spring retainer/servo horn, steering
2445	Turnbuckles, toe link, 55mm (75mm center to center) (2) (assembled with rod ends and hollow balls)

### Suspension Linkage

2444X	Camber links, front (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)
2444A	Camber links, front (TUBES charcoal gray-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)

2444G	Camber links, front (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)
2444T	Camber links, front (TUBES orange-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)
2444P	Camber links, front (TUBES pink-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)
2444R	Camber links, front (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)
2443X	Camber links, rear (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)
2443A	Camber links, rear (TUBES charcoal gray-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)
2443G	Camber links, rear (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)
2443T	Camber links, rear (TUBES orange-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)
2443P	Camber links, rear (TUBES pink-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)
2443R	Camber links, rear (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)
5525R	Rod ends, heavy duty (Jato®/Slayer) (8)
5347	Rod ends, Revo® (large) with hollow balls (12)
3744	Servo saver w/ adapters
2637	Suspension pins, 31.5mm, chrome (2) w/ E-clips (4)
2640	Suspension pins, 44mm (2) w/ E-clips
3640	Suspension screw pin set, steel (hex drive) (requires part # 2640 for a complete suspension pin set) (Rustler®, Stamped®, Bandit)
2445X	Toe links, front (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)
2445A	Toe links, front (TUBES charcoal gray-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)
2445G	Toe links, front (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)
2445T	Toe links, front (TUBES orange-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)
2445P	Toe links, front (TUBES pink-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)
2445R	Toe links, front (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)
2443	Turnbuckles, camber link, 36mm (56mm center to center) (rear) (assembled with rod ends and hollow balls) (1 left, 1 right)
2444	Turnbuckles, camber link, 47mm (67mm center to center) (front) (assembled with rod ends and hollow balls) (1 left, 1 right)
2445	Turnbuckles, toe link, 55mm (75mm center to center) (2) (assembled with rod ends and hollow balls)

### Team Traxxas Items

2514	Decal sheet, racing sponsors
6160X	DVD, Maxx® Power! Full Throttle Action (sleeve)
9950	Official Team Traxxas® racing decal set(flag logo/ 6-color)
9909	Traxxas® racing banner, red & black (3x7 feet)

### Tires & Wheels

2475	Front wheels(2)(Bandit)
3647	Nuts, 4mm flanged nylon locking (steel, serrated) (8)
1985	PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings)
2474	Rear wheels (2) (Bandit)
1647	Silicone Grease
3471	Street tread tires, 2.15"Pro-trax (f)(2)
2754	Stub axle pins (4)
1771	Tire, front 2.1" spike (2)
2470T	Tires & wheels, assembled (2.2" black chrome wheels, Alias® 2.2" tires) (2) (Bandit® rear, medium compound with foam inserts)
2471T	Tires & wheels, assembled (2.2" black chrome wheels, Alias® ribbed 2.2" tires) (2) (Bandit® front, medium compound w/ foam inserts)
2479T	Tires & wheels, assembled (2.2" black chrome wheels, Anaconda® 2.2" tires with foam inserts) (2) (Bandit® front))

2478T	Tires & wheels, assembled (2.2" black chrome wheels, Anaconda® 2.2" tires with foam inserts) (2) (Bandit® rear)
2470G	Tires & wheels, assembled (2.2" black, satin chrome beadlock wheels, Alias® 2.2" tires) (2) (Bandit® rear, medium compound with foam inserts)
2471G	Tires & wheels, assembled (2.2" black, satin chrome beadlock wheels, Alias® ribbed 2.2" tires) (2) (Bandit® front, medium compound w/ foam inserts)
2479G	Tires & wheels, assembled (2.2" black, satin chrome beadlock wheels, Anaconda® 2.2" tires with foam inserts) (2) (Bandit® front)
2478G	Tires & wheels, assembled (2.2" black, satin chrome beadlock wheels, Anaconda® 2.2" tires with foam inserts) (2) (Bandit® rear)
2470A	Tires & wheels, assembled (Tracer 2.2" black chrome wheels, Alias® 2.2" tires) (2) (Bandit rear, medium compound with foam inserts) (TSM® rated)
2471A	Tires & wheels, assembled (Tracer 2.2" black chrome wheels, Alias® ribbed 2.2" tires) (2) (Bandit front, medium compound w/ foam inserts)
2479A	Tires & wheels, assembled (Tracer 2.2" black chrome wheels, Anaconda® 2.2" tires with foam inserts) (2) (Bandit front)
2478A	Tires & wheels, assembled (Tracer 2.2" black chrome wheels, Anaconda® 2.2" tires with foam inserts) (2) (Bandit rear)
2470R	Tires & wheels, assembled (Tracer 2.2" chrome wheels, Alias® 2.2" tires) (2) (Bandit rear, medium compound with foam inserts)
2471R	Tires & wheels, assembled (Tracer 2.2" chrome wheels, Alias® ribbed 2.2" tires) (2) (Bandit front, medium compound w/ foam inserts)
2479R	Tires & wheels, assembled (Tracer 2.2" chrome wheels, Anaconda® 2.2" tires with foam inserts) (2) (Bandit front)
2478R	Tires & wheels, assembled (Tracer 2.2" chrome wheels, Anaconda® 2.2" tires with foam inserts) (2) (Bandit rear)
4740	Tires, 2.1" Pro-Trax ribbed (front) (2)
1770	Tires, 2.15 spiked (rear) (2)
2470	Tires, Alias® 2.2" (rear) (2)/ foam inserts (Bandit) (soft compound)
2471	Tires, Alias® ribbed 2.2" (wide, front) (2)/ foam inserts (Bandit) (soft compound)
2478	Tires, Anaconda® 2.2" (rear) (2)/ foam inserts (Bandit) (soft compound)
2479	Tires, Anaconda® 2.2" (wide, front) (2)/foam inserts (Bandit) (soft compound)
3470	Tires, street slicks (rear) (2)
2481A	Wheels, 2.2" (black chrome) (2) (Bandit® front)
2480A	Wheels, 2.2" (black chrome) (2) (Bandit® rear)
2481	Wheels, 2.2" (black, satin chrome beadlock) (2) (Bandit® front)
2480	Wheels, 2.2" (black, satin chrome beadlock) (2) (Bandit® rear)
2473A	Wheels, Tracer 2.2" (black chrome) (2) (Bandit front)
2472A	Wheels, Tracer 2.2" (black chrome) (2) (Bandit rear)
2473	Wheels, Tracer 2.2" (chrome) (2) (Bandit front)
2472	Wheels, Tracer 2.2" (chrome) (2) (Bandit rear)

### Transmission Components

1552	3x8mm Hex Cap Screws (6)/ Washers (6)/ Wrench (1)
5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)
3792	Cover, gear/ rubber gear cover plug/ 3x6 RM (2)
5478	Flat wrench, 8mm (blue anodized aluminum)
3790	Gear adapter, fixed
3691	Gearbox halves (L&R) (black) w/ idler gear shaft
3691A	Gearbox halves (L&R) (grey) w/ idler gear shaft
5148	Grease, white lithium
9492	Idler gear, 30-tooth/ idler gear shaft (steel)
3696	Idler gear, steel (30-tooth)
9494	Input gear, 22-tooth/ input shaft (transmission) (heavy duty) (fits Bandit®, Rustler®, Stampede®, Slash® 2WD)
3793	Input shaft (slipper shaft) / spring pin
2381X	Main diff with steel ring gear/ side cover plate/ screws (Bandit, Stampede®, Rustler®)
2382	Planet gears (4)/ planet shafts (4)/ sun gears (2)/sun gear alignment shaft (1) all hardened steel
2388X	Planetary gear differential with steel ring gear (complete) (fits Bandit, Stampede®, Rustler®)
9495	Pro Series Magnum 272R™ Transmission, complete (assembled) (fits 1/10-scale 2WD Rustler®, Bandit®, Stampede®, Slash®)
3931	Screws, 3x8mm flat-head machine (hex drive) (6)
3185X	Screws, 3x8mm washerhead machine (large head for motor mount) (6)
1647	Silicone Grease
5556	Slipper pressure plate & hub (aluminum alloy)
3195	Top drive gear, steel (22-tooth)
3695	Transmission, complete (fits 1/10-scale 2WD Rustler®, Bandit®, Stampede®, Slash®)

### Traxxas Tools

3433X	Body reamer (aluminum handle)
3433	Body reamer (plastic handle)
3436	Cap, body reamer
3432	Scissors, curved tip
3431	Scissors, straight tip
8712	Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive
8720	Speed bit handle, large (overmolded)
8721	Speed bit handle, medium (one piece)
8722	Speed bit handle, premium (rubber overmold)
8710	Speed Bit Master Set, hex and nut driver, 13-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm, 3.0mm), and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive
8711	Speed Bit Master Set, hex driver, 7-piece straight and ball end, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm, 2.5mm, 3.0mm), 1/4" drive
8719	Speed Bit Master Set, nut driver, 6-piece, includes premium handle (medium), travel pouch, and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive
8716	Speed Bit Set, hex driver, 2-piece ball-end (2.0mm, 2.5mm), 1/4" drive
8716X	Speed Bit Set, hex driver, 3-piece ball-end (2.0mm, 2.5mm, 3.0mm) 1/4" drive
8715	Speed Bit Set, hex driver, 3-piece straight (1.5mm, 2.0mm, 2.5mm), 1/4" drive
8715X	Speed Bit Set, hex driver, 4-piece straight (1.5mm, 2.0mm, 2.5mm, 3.0mm), 1/4" drive
2748R	Tool set (includes 1.5mm hex wrench / 2.0mm hex wrench / 2.5mm hex wrench/ 4-way wrench/ 8mm & 4mm wrench/ U-joint wrench)
3415	Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm, 3.5mm, 4mm drivers/4mm, 5mm, 5.5mm, 7mm, and 8mm nut drivers/ 2mm, 3mm, and 4mm slotted screwdrivers/ #00 Phillips, #0 Phillips, and #1 Phillips screwdrivers/ 4mm and 8mm wrenches/ driver handle)

### Turnbuckles & Threaded Rods

2444X	Camber links, front (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)
2444A	Camber links, front (TUBES charcoal gray-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)
2444G	Camber links, front (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)
2444T	Camber links, front (TUBES orange-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)
2444P	Camber links, front (TUBES pink-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)
2444R	Camber links, front (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)
2443X	Camber links, rear (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)
2443A	Camber links, rear (TUBES charcoal gray-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)
2443G	Camber links, rear (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)
2443T	Camber links, rear (TUBES orange-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)
2443P	Camber links, rear (TUBES pink-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)
2443R	Camber links, rear (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)
5525R	Rod ends, heavy duty (Jato®/Slayer) (8)
5347	Rod ends, Revo® (large) with hollow balls (12)
2445X	Toe links, front (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)

**Page 6 Bandit® VXL: TQi™ Traxxas Link™ Enabled 2.4GHz Radio & TSM® (Model 24076-4) Parts List**

- 2445A Toe links, front (TUBES charcoal gray-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)
- 2445G Toe links, front (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)
- 2445T Toe links, front (TUBES orange-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)
- 2445P Toe links, front (TUBES pink-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)
- 2445R Toe links, front (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)
- 2443 Turnbuckles, camber link, 36mm (56mm center to center) (rear) (assembled with rod ends and hollow balls) (1 left, 1 right)
- 2444 Turnbuckles, camber link, 47mm (67mm center to center) (front) (assembled with rod ends and hollow balls) (1 left, 1 right)
- 2445 Turnbuckles, toe link, 55mm (75mm center to center) (2) (assembled with rod ends and hollow balls)

If you have questions or need technical assistance, call Traxxas at:

**1-888-TRAXXAS**

(1-888-872-9927) (U.S. residents only)

For orders, calls outside the U.S., and other information, call 972-549-3000,  
or fax to 972-549-3011 e-mail Traxxas at support@Traxxas.com

**TRAXXAS.COM**